Game Theory and Greedy Algorithms for Interview Preparation

Game Theory

A winning state is a state from which current player can win the match if opponent makes some silly mistake in future

A. True
B. False

A winning state is a state from which current player can win the match if opponent makes some silly mistake in future

A. True

✓ B. False

Given a heap with N sticks in it. A player can pick only 1 or 2 sticks at a time. The last person to pick any stick will win.

What is the condition to check if we will win on starting with N sticks?

A. N should be divisible by 3
B. N should not be divisible by 3
C. N should be divisible by 2
D. N should not be divisible by 2

Given a heap with N sticks in it. A player can pick only 1 or 2 sticks at a time. The last person to pick any stick will win.

What is the condition to check if we will win on starting with N sticks?

A. N should be divisible by 3
B. ✔ N should not be divisible by 3
C. N should be divisible by 2
D. N should not be divisible by 2

A losing state is a state from which the current player will always lose no matter what move he makes, and opponent play optimally.

A. True
B. False

A losing state is a state from which the current player will always lose no matter what move he makes, and opponent play optimally.

A. ✔ True
B. False

What should be the xor sum of a nim game to say current position is winning position?

A. Zero
B. One
C. Equal to size of heap
D. Non zero

What should be the xor sum of a nim game to say current position is winning position?

A. Zero
B. One
C. Equal to size of heap
✓ D. Non zero

That's all!