SWTES1301-T102 (1.0) - [TG1][Hristo Peychev] Login Possitive with username for Normal User

Details

Key	SWTES1301-T102
Name	[TG1][Hristo Peychev] Login Possitive with username for Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: If the provided username and password are correct, the user shall be able to login into the application
Precondition	The user can load the application.
Folder	TestGroup1/Hristo/Login Functionality/Login positive/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 19:31:47 by Hristo Pejchev Updated on 02/02/2022 19:49:41 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.	
2	**Step** The user inputs correct credentials for username	
	Test Data normalUser1	
	Expected Result The username is visualized and accepted by the field.	
3	**Step** The user inputs correct credentials for password	
	Test Data 123456	
	Expected Result The password is hidden and accepted by the field.	
4	**Step** Click on the login button	
	Test Data	
	Expected Result The user is successfully logged on	
5	**Step** Click on the profile icon in the top right corner and verify that the user is logged on to the right account	
	Test Data	
	Expected Result The user is logged in the application with the right account name	

SWTES1301-T105 (1.0) - [TG1][Hristo Peychev] Login Possitive with e-mail for Normal User

Details

Key	SWTES1301-T105
Name	[TG1][Hristo Peychev] Login Possitive with e-mail for Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input e-mail and password: If the provided e-mail and password are correct, the user shall be able to login into the application
Precondition	The user can load the application.
Folder	TestGroup1/Hristo/Login Functionality/Login positive/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 19:49:55 by Hristo Pejchev Updated on 02/02/2022 19:58:20 by Hristo Pejchev

Test Script

1	**Step** Navigate to the application URL
	Test Data http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for e-mail
	Test Data test@test.orgg
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is hidden and accepted by the field.
4	**Step** Click on the login button
	Test Data
	Expected Result The user is successfully logged on
5	**Step** Click on the profile icon in the top right corner and verify that the user is logged on to the right account
	Test Data
	Expected Result The user is logged in the application with the right account name

SWTES1301-T107 (1.0) - [TG1][Hristo Peychev] Login Possitive with username for Admin

Details

Key	SWTES1301-T107
Name	[TG1][Hristo Peychev] Login Possitive with username for Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: If the provided username and password are correct, the user shall be able to login into the application
Precondition	The user can load the application.
Folder	TestGroup1/Hristo/Login Functionality/Login positive/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 19:59:16 by Hristo Pejchev Updated on 02/02/2022 20:01:38 by Hristo Pejchev

Test Script

1	Step
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for username
	Test Data tg1admin
	Expected Result The username is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is hidden and accepted by the field.
4	**Step** Click on the login button
	Test Data
	Expected Result The user is successfully logged on
5	**Step** Click on the profile icon in the top right corner and verify that the user is logged on to the right account
	Test Data
	Expected Result The user is logged in the application with the right account name

SWTES1301-T108 (1.0) - [TG1][Hristo Peychev] Login Possitive with e-mail for Admin

Details

Key	SWTES1301-T108
Name	[TG1][Hristo Peychev] Login Possitive with e-mail for Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input e-mail and password: If the provided e-mail and password are correct, the user shall be able to login into the application
Precondition	The user can load the application.
Folder	TestGroup1/Hristo/Login Functionality/Login positive/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 20:00:25 by Hristo Pejchev Updated on 02/02/2022 20:01:38 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for e-mail
	Test Data tg1admin@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is hidden and accepted by the field.
4	**Step** Click on the login button
	Test Data
	Expected Result The user is successfully logged on
5	**Step** Click on the profile icon in the top right corner and verify that the user is logged on to the right account
	Test Data
	Expected Result The user is logged in the application with the right account name

SWTES1301-T126 (1.0) - [TG1][Hristo Peychev] Login Negative - Normal User with incorrect username correct password as Normal User

Details

Key	SWTES1301-T126
Name	[TG1][Hristo Peychev] Login Negative - Normal User with incorrect username correct password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 21:09:39 by Hristo Pejchev Updated on 02/06/2022 00:49:12 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs incorrect credentials for username
	Test Data normalUser123
	Expected Result The username is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T496 (1.0) - [TG1][Hristo Peychev] Login Negative - Normal User with correct username incorrect password as Normal User

Details

Key	SWTES1301-T496
Name	[TG1][Hristo Peychev] Login Negative - Normal User with correct username incorrect password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/05/2022 23:02:34 by Hristo Pejchev Updated on 02/06/2022 00:49:38 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step**
	The user inputs correct credentials for username
	Test Data
	normalUser1
	Expected Result
	The username is visualized and accepted by the field.
3	**Step**
	The user inputs incorrect credentials for password
	Test Data
	654321
	Expected Result
	The password is masked and accepted by the field.
4	**Step**
	Click on the login button below the login form
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials.

SWTES1301-T497 (1.0) - [TG1][Hristo Peychev] Login Negative - Normal User with incorrect e-mail correct password as Normal User

Details

Key	SWTES1301-T497
Name	[TG1][Hristo Peychev] Login Negative - Normal User with incorrect e-mail correct password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided è-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/05/2022 23:21:35 by Hristo Pejchev Updated on 02/06/2022 00:49:27 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs incorrect credentials for e-mail
	Test Data **tt**test@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T498 (1.0) - [TG1][Hristo Peychev] Login Negative - Normal User with correct e-mail incorrect password as Normal User

Details

Key	SWTES1301-T498
Name	[TG1][Hristo Peychev] Login Negative - Normal User with correct e-mail incorrect password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/05/2022 23:31:36 by Hristo Pejchev Updated on 02/06/2022 00:49:52 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs incorrect credentials for e-mail
	Test Data test@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 654321
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T500 (1.0) - [TG1][Hristo Peychev] Login Negative - correct username NO password as Normal User

Details

Key	SWTES1301-T500
Name	[TG1][Hristo Peychev] Login Negative - correct username NO password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 00:14:27 by Hristo Pejchev Updated on 02/06/2022 00:36:49 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for username
	Test Data normalUser1
	Expected Result The username is visualized and accepted by the field.
3	**Step** Use empty field for password
	Test Data
	Expected Result the field is empty
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T502 (1.0) - [TG1][Hristo Peychev] Login Negative - correct e-mail NO password as Normal User

Details

Key	SWTES1301-T502
Name	[TG1][Hristo Peychev] Login Negative - correct e-mail NO password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 00:37:53 by Hristo Pejchev Updated on 02/06/2022 00:42:35 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for e-mail
	Test Data test@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** Use empty field for password
	Test Data
	Expected Result the field is empty
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T503 (1.0) - [TG1][Hristo Peychev] Login Negative - No Username with correct password as Normal User

Details

Key	SWTES1301-T503
Name	[TG1][Hristo Peychev] Login Negative - No Username with correct password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 00:44:03 by Hristo Pejchev Updated on 02/06/2022 00:50:07 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** use empty field
	Test Data
	Expected Result the field is empty
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T504 (1.0) - [TG1][Hristo Peychev] Login Negative - No e-mail with correct password as Normal User

Details

Key	SWTES1301-T504
Name	[TG1][Hristo Peychev] Login Negative - No e-mail with correct password as Normal User
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As User
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 00:50:55 by Hristo Pejchev Updated on 02/06/2022 00:52:10 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly.
	The login form is visualized.
2	**Step**
	use empty field
	Test Data
	Expected Result
	the field is empty
3	**Step**
	The user inputs correct credentials for password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field.
4	**Step**
	Click on the login button below the login form
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials.

SWTES1301-T505 (1.0) - [TG1][Hristo Peychev] Login Negative - with incorrect username correct password as Admin

Details

Key	SWTES1301-T505
Name	[TG1][Hristo Peychev] Login Negative - with incorrect username correct password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:01:57 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs incorrect credentials for username
	Test Data tg1admin12
	Expected Result The username is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T506 (1.0) - [TG1][Hristo Peychev] Login Negative -with incorrect e-mail correct password as Admin

Details

Key	SWTES1301-T506
Name	[TG1][Hristo Peychev] Login Negative -with incorrect e-mail correct password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:02:13 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs incorrect credentials for e-mail
	Test Data ttg1admin@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T507 (1.0) - [TG1][Hristo Peychev] Login Negative - with correct username incorrect password as Admin

Details

Key	SWTES1301-T507
Name	[TG1][Hristo Peychev] Login Negative - with correct username incorrect password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:02:29 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for username
	Test Data tg1admin
	Expected Result The username is visualized and accepted by the field.
3	**Step** The user inputs incorrect credentials for password
	Test Data 654321
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T508 (1.0) - [TG1][Hristo Peychev] Login Negative - with correct e-mail incorrect password as Admin

Details

Key	SWTES1301-T508
Name	[TG1][Hristo Peychev] Login Negative - with correct e-mail incorrect password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:02:37 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs incorrect credentials for e-mail
	Test Data tg1admin@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** The user inputs correct credentials for password
	Test Data 654321
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T509 (1.0) - [TG1][Hristo Peychev] Login Negative - No e-mail with correct password as Admin

Details

Key	SWTES1301-T509
Name	[TG1][Hristo Peychev] Login Negative - No e-mail with correct password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:02:53 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** use empty field for e-mail
	Test Data
	Expected Result the field is empty
3	**Step** The user inputs correct credentials for password
	Test Data 123456
	Expected Result The password is masked and accepted by the field.
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T510 (1.0) - [TG1][Hristo Peychev] Login Negative - No Username with correct password as Admin

Details

Key	SWTES1301-T510
Name	[TG1][Hristo Peychev] Login Negative - No Username with correct password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:03:01 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step**
	use empty field
	Test Data
	Expected Result
	the field is empty
3	**Step**
	The user inputs correct credentials for password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field.
4	**Step**
	Click on the login button below the login form
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials.

SWTES1301-T511 (1.0) - [TG1][Hristo Peychev] Login Negative - correct username NO password as Admin

Details

Key	SWTES1301-T511
Name	[TG1][Hristo Peychev] Login Negative - correct username NO password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided username and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:03:13 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for username
	Test Data tg1admin
	Expected Result The username is visualized and accepted by the field.
3	**Step** Use empty field for password
	Test Data
	Expected Result the field is empty
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T512 (1.0) - [TG1][Hristo Peychev] Login Negative - correct e-mail NO password as Admin

Details

Key	SWTES1301-T512
Name	[TG1][Hristo Peychev] Login Negative - correct e-mail NO password as Admin
Objective	The objective of this test case is to test the acceptance criteria: The user shall be able to input username and password: The provided e-mail and/or password have to be incorrect, the user shouldn't be able to login into the application.
Precondition	The user can load the application. The user has registered and granted permission.
Folder	TestGroup1/Hristo/Login Functionality/Login negative/As Admin
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 01:03:17 by Hristo Pejchev Updated on 02/06/2022 01:18:00 by Hristo Pejchev

Test Script

1	**Step**
	Navigate to the application URL
	Test Data
	http://poll-app5-20220113.softacad.bg/login
	Expected Result

	Application is loaded properly. The login form is visualized.
2	**Step** The user inputs correct credentials for e-mail
	Test Data tg1admin@test.org
	Expected Result The e-mail is visualized and accepted by the field.
3	**Step** Use empty field for password
	Test Data
	Expected Result the field is empty
4	**Step** Click on the login button below the login form
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials.

SWTES1301-T711 (1.0) - [TG1][Hristo Peychev] User session expiration as User

Details

Key	SWTES1301-T711
Name	[TG1][Hristo Peychev] User session expiration as User
Objective	The user should be able to logged out of the application.
Precondition	The user is logged into the application as Normal User
Folder	TestGroup1/Hristo/Logout functionality
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 20:57:05 by Hristo Pejchev Updated on 02/06/2022 21:01:49 by Hristo Pejchev

Test Script

1	**Step**	
	Click on the profile icon located at the top right corner	
	Test Data	
	Expected Result Verify user is logged as normalUser - "Ivan Ivanov" Verify Drop down menu is visualised and have "Logout" button.	
2	**Step**	
	The browser need to stay on login page for more than 60 minutes.	

	Test Data	
	Expected Result The user is logged in.	
3	**Step** At 61+ minutes refresh the page	
	Test Data	
	Expected Result The user is logged out of the application. The user is on the login page.	

SWTES1301-T712 (1.0) - [TG1][Hristo Peychev] User session expiration as Admin

Details

Key	SWTES1301-T712
Name	[TG1][Hristo Peychev] User session expiration as Admin
Objective	The user should be able to logged out of the application.
Precondition	The user is logged into the application as Admin
Folder	TestGroup1/Hristo/Logout functionality
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 21:02:38 by Hristo Pejchev Updated on 02/06/2022 21:04:41 by Hristo Pejchev

Test Script

1	**Step**	
	Click on the profile icon located at the top right corner	
	Test Data	
	Expected Result Verify user is logged as Admin-"Test Group 1" Verify Drop down menu is visualised and have "Logout" button.	
2	**Step**	
	The browser need to stay on login page for more than 60 minutes.	

	Test Data	
	Expected Result The user is logged in.	
3	**Step** At 61+ minutes refresh the page	
	Test Data	
	Expected Result The user is logged out of the application. The user is on the login page.	

SWTES1301-T713 (1.0) - [TG1][Hristo Peychev] Logout as User

Details

Key	SWTES1301-T713
Name	[TG1][Hristo Peychev] Logout as User
Objective	The user should be able to logged out of the application.
Precondition	The user is logged into the application as Normal User
Folder	TestGroup1/Hristo/Logout functionality
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 21:05:47 by Hristo Pejchev Updated on 02/06/2022 21:08:00 by Hristo Pejchev

Test Script

1	**Step**	
	Click on the profile icon located at the top right corner	
	Test Data	
	Expected Result Verify user is logged as normalUser - "Ivan Ivanov" Verify Drop down menu is visualised and have "Logout" button.	
2	**Step**	
	Click on "Logout" button from the dropdown menu	
	Test Data	

Expected Result

The user is successfully logged out of the application and redirected to the login page.

SWTES1301-T714 (1.0) - [TG1][Hristo Peychev] Logout as Admin

Details

Key	SWTES1301-T714
Name	[TG1][Hristo Peychev] Logout as Admin
Objective	The user should be able to logged out of the application.
Precondition	The user is logged into the application as Admin
Folder	TestGroup1/Hristo/Logout functionality
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 21:08:10 by Hristo Pejchev Updated on 02/06/2022 21:09:48 by Hristo Pejchev

Test Script

1	**Step**
	Click on the profile icon located at the top right corner
	Test Data
	Expected Result Verify user is logged asAdmin-"Test Group 1" Verify Drop down menu is visualised and have "Logout" button.
2	**Step**
	Click on "Logout" button from the dropdown menu
	Test Data

Expected Result

The user is successfully logged out of the application and redirected to the login page.

SWTES1301-T892 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create User Registration

Details

Key	SWTES1301-T892
Name	[TG1][Hristo Peychev] Create Registration Positive - Create User Registration
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/09/2022 22:20:20 by Hristo Pejchev Updated on 02/09/2022 22:30:00 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	Hristo Peychev
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	HristoP
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	hristo.pychev@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T906 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create User Registration with 9 characters for "User Name" field

Details

Key	SWTES1301-T906
Name	[TG1][Hristo Peychev] Create Registration Positive - Create User Registration with 9 characters for "User Name" field
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/09/2022 23:44:43 by Hristo Pejchev Updated on 02/09/2022 23:49:04 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	Step
	Fill the "Full Name" field
	Test Data
	qweasdq
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qweqwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T907 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 6 characters for "Password"

Details

Key	SWTES1301-T907
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 6 characters for "Password"
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/09/2022 23:49:21 by Hristo Pejchev Updated on 02/10/2022 00:03:56 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	Step
	Fill the "Full Name" field
	Test Data
	qweasd
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qweqwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T908 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 40 characters for "Fullname"

Details

Key	SWTES1301-T908
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 40 characters for "Fullname"
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:10:48 by Hristo Pejchev Updated on 02/10/2022 00:14:12 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	qweqweqweqweqweqweqweqweqweqweqweqweqweq
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweq
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T909 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 40 characters for "Email"

Details

Key	SWTES1301-T909
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 40 characters for "Email"
Objective	If the user correctly fills the registration form the user should be able to create a new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:17:13 by Hristo Pejchev Updated on 02/10/2022 00:22:40 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	Qweqwe
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweq
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwettttttttttttttttyyyyyyyyyyy@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T910 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 4 characters for "Fullname"

Details

Key	SWTES1301-T910
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 4 characters for "Fullname"
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:30:57 by Hristo Pejchev Updated on 02/10/2022 00:35:55 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	qweq
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	Qweqweq
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field with 20 characters
	Test Data
	12345678912345678900
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T911 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create User Registration with 3 characters for "User Name" field

Details

Key	SWTES1301-T911
Name	[TG1][Hristo Peychev] Create Registration Positive - Create User Registration with 3 characters for "User Name" field
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:36:39 by Hristo Pejchev Updated on 02/10/2022 00:37:26 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	Step
	Fill the "Full Name" field
	Test Data
	qweasdq
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	Qwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qweqwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T912 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 22 characters for "Fullname"

Details

Key	SWTES1301-T912
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 22 characters for "Fullname"
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:43:23 by Hristo Pejchev Updated on 02/10/2022 00:44:27 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	Step
	Fill the "Full Name" field
	Test Data
	Qweqweqweqweqweqweqw
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweq
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T913 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create User Registration with 15 characters for "User Name" field

Details

Key	SWTES1301-T913
Name	[TG1][Hristo Peychev] Create Registration Positive - Create User Registration with 15 characters for "User Name" field
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:44:44 by Hristo Pejchev Updated on 02/10/2022 00:47:27 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result

	The user is redirected to the registration page
2	**Step**
	Fill the "Full Name" field
	Test Data
	qweasdq
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweqweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qweqwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T914 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 13 characters for "Password"

Details

Key	SWTES1301-T914
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 13 characters for "Password"
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:45:51 by Hristo Pejchev Updated on 02/10/2022 00:46:26 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	qweasd
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qweqwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	1234567899999
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T915 (1.0) - [TG1][Hristo Peychev] Create Registration Positive - Create user with 20 characters for "Password"

Details

Key	SWTES1301-T915
Name	[TG1][Hristo Peychev] Create Registration Positive - Create user with 20 characters for "Password"
Objective	If the user correctly fill the registration form the user should be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Positive Reg
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 00:54:24 by Hristo Pejchev Updated on 02/10/2022 00:55:12 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	Qweasd
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qweqwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	12345678912345678999
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user is logged into the application

SWTES1301-T916 (1.0) - [TG1][Hristo Peychev] Create Registration Negative - Empty "Username"

Details

Key	SWTES1301-T916
Name	[TG1][Hristo Peychev] Create Registration Negative - Empty "Username"
Objective	If the user fill the registration form incorrectly should not be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Negative Reg
Status	Draft
Priority	Normal
Component	-
Owner	Georgi Jorgov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 01:01:01 by Hristo Pejchev Updated on 02/10/2022 01:03:26 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	Step
	Fill the "Full Name" field
	Test Data
	Qweqwe
	Expected Result
	The "Full Name" field is accepted by the field
3	**Step**
	Use empty "Username" field
	Test Data
	Expected Result
	The username is empty
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user account is not created and redirected to the registration page

SWTES1301-T917 (1.0) - [TG1][Hristo Peychev] Create Registration Negative - Empty "Password"

Details

Key	SWTES1301-T917
Name	[TG1][Hristo Peychev] Create Registration Negative - Empty "Password"
Objective	If the user fill the registration form incorrectly should not be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Negative Reg
Status	Draft
Priority	Normal
Component	-
Owner	Georgi Jorgov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 01:03:33 by Hristo Pejchev Updated on 02/10/2022 01:16:56 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Fill the "Full Name" field
	Test Data
	Qweqwe
	Expected Result
	The "Full Name" field is accepted by the field
3	**Step**
	Use empty "Username" field
	Test Data
	qweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Use empty "Password" field
	Test Data
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user account is not created and redirected to the registration page

SWTES1301-T918 (1.0) - [TG1][Hristo Peychev] Create Registration Negative - Empty "Fullname"

Details

Key	SWTES1301-T918
Name	[TG1][Hristo Peychev] Create Registration Negative - Empty "Fullname"
Objective	If the user fill the registration form incorrectly should not be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Negative Reg
Status	Draft
Priority	Normal
Component	-
Owner	Georgi Jorgov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 01:05:14 by Hristo Pejchev Updated on 02/10/2022 01:15:52 by Hristo Pejchev

Test Script

1	Step
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	**Step**
	Use empty filed for "Full Name" field
	Test Data
	Expected Result
	The "Full Name" field is empty
3	**Step**
	Fill the "Username" field
	Test Data
	qweqweqwe
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field
	Test Data
	qwe.qwe@test.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user account is not created and redirected to the registration page

SWTES1301-T920 (1.0) - [TG1][`Hristo Peychev] Create Registration Negative - Create user with wrong format for "Email"

Details

Key	SWTES1301-T920
Name	[TG1][`Hristo Peychev] Create Registration Negative - Create user with wrong format for "Email"
Objective	If the user fill the registration form incorrectly should not be able to create new account.
Precondition	1. The application is started - http://poll-app5-20220113.softacad.bg/ 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup1/Hristo/Create Registration/Negative Reg
Status	Draft
Priority	High
Component	-
Owner	Georgi Jorgov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 01:22:05 by Hristo Pejchev Updated on 02/10/2022 01:27:12 by Hristo Pejchev

Test Script

1	**Step**
	Click the "Signup" button at the top right corner
	Test Data
	Expected Result
	The user is redirected to the registration page

2	Step
	Fill the "Full Name" field
	Test Data
	Qqwewe
	Expected Result
	The name is accepted by the field
3	**Step**
	Fill the "Username" field
	Test Data
	Qwewewee
	Expected Result
	The username is accepted by the field
4	**Step**
	Fill the "Email" field format DIFFERENT than test.test@test.com.
	Test Data
	qwe.qwe.com
	Expected Result
	The e-mail is accepted by the field
5	**Step**
	Fill the "Password" field
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
6	**Step**
	Click "Register" button below the registration form
	Test Data
	Expected Result
	The user account is not created and redirected to the registration page

SWTES1301-T1474 (1.0) - [TG1][Hristo Peychev] Negative - create a New Poll with empty fields by clicking multiple times on "Create Poll" button

Details

Key	SWTES1301-T1474
Name	[TG1][Hristo Peychev] Negative - create a New Poll with empty fields by clicking multiple times on "Create Poll" button
Objective	-
Precondition	1. The user has Admin permissions 2. The user is logged in the application 3. http://poll-app5-20220113.softacad.bg/
Folder	TestGroup1/Hristo/Create poll
Status	Draft
Priority	High
Component	-
Owner	Hristo Pejchev
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/21/2022 22:31:11 by Hristo Pejchev Updated on 02/21/2022 22:48:23 by Hristo Pejchev

Test Script

1	**Step**
	Click "New poll" button in the top right corner
	Test Data
	Expected Result
	the user is redirected to the Create poll page

2	**Step**
	Leave empty question field
	Test Data
	Expected Result
	the message is visualized below the question field
3	**Step**
	Leave empty "Choice 1" field
	Test Data
	Expected Result
	the field is empty
4	**Step**
	Leave empty "Choice 2" field
	Test Data
	Expected Result
	the field is empty
5	**Step**
	Choice a value from days length
	Test Data
	Days :1
	Expected Result
	the dropdown menu is visualized and value is accepted
6	**Step**
	Choice a value form hours length
	Test Data
	Hours: 1
	Expected Result

		the dropdown menu is visualized and the value is accepted
7		**Step** Click multiple times "Create Poll" button
		Test Data
		Expected Result The new Poll is not created