




A screenshot of the Visual Studio Code Explorer sidebar. The sidebar is dark-themed and shows a file tree. At the top, there's a search icon and a 'port...' folder. Below it, a file named 'hello.c' is listed. The file 'hello.cpp' is selected and highlighted with a blue background. Below 'hello.cpp' are 'hello.exe', 'hello.py', 'HelloWorld.class', 'HelloWorld.java', and 'script.js'. The sidebar also features a vertical toolbar on the left with icons for Explorer, Search, Run and Debug, Extensions, Testing, Explorer, Run and Debug, and a gear icon at the bottom. At the bottom of the sidebar, there are three expandable sections: 'Outline', 'Timeline', and 'Java Projects'.

```

G+ hello.cpp >  main()
1  #include<iostream>
2  using namespace std;
3  int main() {
4      cout << "Hello World" << endl;
5      return 0;
6  }

```

Problems Output Debug Console Terminal Ports

Filter (e.g. text, !excludeText, t...

Code

```
[Running] cd "c:\Users\hriti\OneDrive\Desktop\portfolio building\" && gcc hello.c -o hello &&
"c:\Users\hriti\OneDrive\Desktop\portfolio building\"hello
Hello world
[Done] exited with code=0 in 0.742 seconds
```

```
[Running] cd "c:\Users\hriti\OneDrive\Desktop\portfolio building\" && g++ hello.cpp -o hello &&
"c:\Users\hriti\OneDrive\Desktop\portfolio building\"hello
Hello World
```

```
[Done] exited with code=0 in 1.465 seconds
```

Chat ... + v ⚙ ... | 🗑 ✕

Sessions


Tip: Use `/create-agent` to scaffold a custom agent for your workflow.

+ `hello.cpp`

Describe what to build

+ Agent Auto

Local Default permissions



portfolio building

- Explorer
- port...
 - hello.c
 - hello.cpp
 - hello.exe
 - hello.py
 - HelloWorld.class
 - HelloWorld.java
 - script.js

```
1 // Source code is decompiled from a .class file using FernFlower decompiler (from IntelliJ IDEA).
2 class HelloWorld {
3     HelloWorld() {
4     }
5
6     public static void main(String[] var0) {
7         System.out.println("Hello World");
8     }
9 }
10
```

Problems Output Debug Console Terminal Ports Filter (e.g. text, lexcludeText, t...) Code

```
[Running] cd "c:\Users\hriti\OneDrive\Desktop\portfolio building\" && gcc hello.c -o hello &&
"c:\Users\hriti\OneDrive\Desktop\portfolio building\"hello
Hello World
[Done] exited with code=0 in 0.742 seconds

[Running] cd "c:\Users\hriti\OneDrive\Desktop\portfolio building\" && g++ hello.cpp -o hello &&
"c:\Users\hriti\OneDrive\Desktop\portfolio building\"hello
Hello World
[Done] exited with code=0 in 1.465 seconds
```

- > Outline
- > Timeline
- > Java Projects

Chat Sessions


Tip: Use [/create-agent](#) to scaffold a custom agent for your workflow.

+ HelloWorld.class

Describe what to build

+ Agent Auto

Local Default permissions



```
File Edit Selection View Go Run Terminal Help
portfolio building

Welcome x hello.py x HelloWorld.class x HelloWorld.java x hello.c x hello.cpp x JS script.js x

HelloWorld.java > HelloWorld
1 public class HelloWorld {
2     Run | Debug
3     public static void main(String[] args) {
4         System.out.println(x: "Hello World");
5     }
6 }

[Running] cd "c:\Users\hriti\OneDrive\Desktop\portfolio building\" && gcc hello.c -o hello &&
"c:\Users\hriti\OneDrive\Desktop\portfolio building\"hello
Hello World
[Done] exited with code=0 in 0.742 seconds

[Running] cd "c:\Users\hriti\OneDrive\Desktop\portfolio building\" && g++ hello.cpp -o hello &&
"c:\Users\hriti\OneDrive\Desktop\portfolio building\"hello
Hello World
[Done] exited with code=0 in 1.465 seconds

> Outline
> Timeline
> Java Projects

Ln 5, Col 2 Spaces: 4 UTF-8 CRLF {} Java Prettier
```

