LAB PROGRAM-6

Driver Code

```
package temp;
import org.apache.hadoop.conf.Configuration;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Job;
import\ org. apache. hadoop. mapreduce. lib. input. File Input Format;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;
public class AverageDriver {
  public static void main(String[] args) throws Exception {
    if (args.length != 2) {
       System.err.println("Please enter both input and output parameters.");
       System.exit(-1);
    // Creating a configuration and job instance
    Configuration conf = new Configuration();
    Job job = Job.getInstance(conf, "Average Calculation");
    job.setJarByClass(AverageDriver.class);
    // Input and output paths
    FileInputFormat.addInputPath(job, new Path(args[0]));
    FileOutputFormat.setOutputPath(job, new Path(args[1]));
    // Setting mapper and reducer classes
    job.setMapperClass(AverageMapper.class);
    job.setReducerClass(AverageReducer.class);
    // Output key and value types
    job.setOutputKeyClass(Text.class);
    job.setOutputValueClass(IntWritable.class);
    // Submitting the job and waiting for it to complete
    System.exit(job.waitForCompletion(true)? 0:1);
```

Mapper Code

```
package temp;
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Mapper;
public class AverageMapper extends Mapper<LongWritable, Text, Text, IntWritable> {
  public static final int MISSING = 9999;
  @Override
  public void map(LongWritable key, Text value, Context context)
       throws IOException, InterruptedException {
    String line = value.toString();
    // Extract year from fixed position
    String year = line.substring(15, 19);
    int temperature;
    // Determine if there's a '+' sign
    if (line.charAt(87) == '+') {
       temperature = Integer.parseInt(line.substring(88, 92));
    } else {
       temperature = Integer.parseInt(line.substring(87, 92));
    // Quality check character
    String quality = line.substring(92, 93);
    // Only emit if data is valid
    if (temperature != MISSING && quality.matches("[01459]")) {
       context.write(new Text(year), new IntWritable(temperature));
  }
                                                   Reducer Code
package temp;
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Reducer;
public class AverageReducer extends Reducer<Text, IntWritable, Text, IntWritable> {
  @Override
  public void reduce(Text key, Iterable<IntWritable> values,
              Context context) throws IOException, InterruptedException {
    int sumTemp = 0;
    int count = 0;
    for (IntWritable value : values) {
       sumTemp += value.get();
       count++;
    }
    if (count > 0) {
       int average = sumTemp / count;
       context.write(key, new IntWritable(average));
```

```
}
```

Name	~	Size	Type	Modified
META-INF		25 bytes	Folder	
.classpath		2.2 kB	unknown	06 May 2025, 14:40
.project		377 bytes	unknown	06 May 2025, 14:34
AverageDriver.class		1.6 kB	Java class	06 May 2025, 14:42
AverageMapper.class		2.4 kB	Java class	06 May 2025, 14:42
AverageReducer.class		2.3 kB	Java class	06 May 2025, 14:42

```
Additional Description Control of Control of
```

```
2025-05-06 14:59:24,581 INFO mapreduce.Job: Counters: 36
        File System Counters
                FILE: Number of bytes read=153118
                 FILE: Number of bytes written=1493804
                FILE: Number of read operations=0
                FILE: Number of large read operations=0
                FILE: Number of write operations=0
                HDFS: Number of bytes read=1776380
                HDFS: Number of bytes written=8
                HDFS: Number of read operations=15
                HDFS: Number of large read operations=0
                HDFS: Number of write operations=4
                HDFS: Number of bytes read erasure-coded=0
        Map-Reduce Framework
                Map input records=6565
                Map output records=6564
                Map output bytes=59076
                Map output materialized bytes=72210
                Input split bytes=103
                Combine input records=0
                Combine output records=0
                Reduce input groups=1
Reduce shuffle bytes=72210
Reduce input records=6564
                Reduce output records=1
                Spilled Records=13128
                Shuffled Maps =1
                Failed Shuffles=0
                Merged Map outputs=1
                GC time elapsed (ms)=0
                 Total committed heap usage (bytes)=1266679808
        Shuffle Errors
                BAD_ID=0
                CONNECTION=0
                IO ERROR=0
                WRONG_LENGTH=0
                WRONG_MAP=0
WRONG_REDUCE=0
        File Input Format Counters
                Bytes Read=888190
        File Output Format Counters
                Bytes Written=8
```

```
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ hadoop fs -ls /weather
Found 2 items
                                             0 2025-05-06 14:59 /weather/output
drwxr-xr-x
            - hadoop supergroup
- rw-r--r--
              1 hadoop supergroup
                                       888190 2025-05-06 14:50 /weather/test.txt
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:-$ hadoop fs -ls /weather/output
Found 2 items
                                             0 2025-05-06 14:59 /weather/output/_SUCCESS
8 2025-05-06 14:59 /weather/output/part-r-00000
- FW- F-- F--
             1 hadoop supergroup
- rw- r-- r--
              1 hadoop supergroup
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$ hadoop fs -cat /weather/output/part-r-00000
hadoop@bmscecse-HP-Elite-Tower-800-G9-Desktop-PC:~$
```

CODE, COMMAND WITH OUTPUT – B

Driver Code

```
package meanmax;
```

```
import org.apache.hadoop.conf.Configuration; import org.apache.hadoop.fs.Path;
```

import org.apache.hadoop.io.IntWritable; import org.apache.hadoop.io.Text;

import org.apache.hadoop.mapreduce.Job;

import org.apache.hadoop.mapreduce.lib.input.FileInputFormat; import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;

```
public class MeanMaxDriver {
```

```
public static void main(String[] args) throws Exception {
    if (args.length != 2) {
       System.err.println("Please enter both input and output parameters.");
       System.exit(-1);
    Configuration conf = new Configuration();
    Job job = Job.getInstance(conf, "Mean and Max Temperature");
    job.setJarByClass(MeanMaxDriver.class);
    FileInputFormat.addInputPath(job, new Path(args[0]));
    FileOutputFormat.setOutputPath(job, new Path(args[1]));
    job.setMapperClass(MeanMaxMapper.class);
    job.setReducerClass(MeanMaxReducer.class);
    job.setOutputKeyClass(Text.class);
    job.setOutputValueClass(IntWritable.class);
     System.exit(job.waitForCompletion(true)? 0:1);
                                                   Mapper Code
package meanmax;
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Mapper;
public class MeanMaxMapper extends Mapper<LongWritable, Text, Text, IntWritable> {
  public static final int MISSING = 9999;
  @Override
  public void map(LongWritable key, Text value, Context context)
       throws IOException, InterruptedException {
    String line = value.toString();
    // Extract month from positions 19-20
    String month = line.substring(19, 21);
    int temperature;
    // Extract temperature considering optional '+'
    if (line.charAt(87) == '+') {
       temperature = Integer.parseInt(line.substring(88, 92));
       temperature = Integer.parseInt(line.substring(87, 92));
    // Quality check
    String quality = line.substring(92, 93);
    if (temperature != MISSING && quality.matches("[01459]")) {
       context.write(new Text(month), new IntWritable(temperature));
  }
```

```
package meanmax;
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Reducer;
public class MeanMaxReducer extends Reducer<Text, IntWritable, Text, Text> {
  @Override
  public void reduce(Text key, Iterable<IntWritable> values,
            Context context) throws IOException, InterruptedException {
    int sumTemp = 0;
    int count = 0;
    int maxTemp = Integer.MIN_VALUE;
    for (IntWritable value : values) {
      int temp = value.get();
      sumTemp += temp;
      count++;
      if (temp > maxTemp) {
        maxTemp = temp;
    if (count > 0) {
      int avgTemp = sumTemp / count;
      String result = "mean=" + avgTemp + " max=" + maxTemp;
      context.write(key, new Text(result));
 }
}

□ Package Explorer ×

           🗸 📂 Min Max Temp
              > A JRE System Library [JavaSE-1.8]
              ∨ 🚒 src
                 > 🔎 MMDriver.java
                     > MMMapper.java
                     > MMReducer.java
```

```
The component of the first all cache indoor demons as badoop to it accords.

ANTHON LOW COLLEGE OF THE ALL Cache indoor demons as badoop to it accords.

ANTHON LOW COLLEGE OF THE ALL CACHE PRODUCTION OF THE ALL CACHE PRODUCTIO
```

```
Carred by Janua 10. 2000 control. Imput path does not exist. Meft.//Idea/lbest1989/jay/arreq.ivt

at January and Hollow projection. Imput path does not exist. Meft.//Idea/lbest1989/jay/arreq.ivt

at January and Hollow projection. Imput J. Listopit/orana. Singlethreadedis. Listopit/Creat. Jave: 1310

1.0 Profe

1.0 Pro
```

```
2025-05-06 15:20:36,233 INFO mapreduce.Job: Counters: 36

File System Counters

FILE: Number of bytes written=1406088

FILE: Number of read operations=0

FILE: Number of feat operations=0

FILE: Number of write operations=0

HDSS: Number of bytes written=74

HDSS: Number of bytes written=74

HDSS: Number of bytes written=74

HDSS: Number of large read operations=1

HDSS: Number of large read operations=0

HDSS: Number of large read operations=0

HDSS: Number of bytes operations=4

HDSS: Number of bytes read erasure-coded=0

Map-Reduce Framework

Map input records=6565

Map output records=6565

Map output records=6566

Map output the pread operations=0

Combine output records=0

Combine output records=0

Combine output records=0

Reduce input groups=12

Reduce input groups=12

Reduce thing groups=12

Reduce thing from pread of the pread of
```