測試

Device: kdd91201, kdd91202, kdd91203

Range: 15 分(1), 1 天(2), 一個月(3), 一年(4)

資料庫:

Mongo 2016-1-1 到 2016-1-31 Hbase 2016-2-1 到 2016-2-28

測試 IP http://140.120.32.233:8000/home/

演示範例:

1. 15分

開始的	詩間	2016-1-1 00:00:00:000		
結束的	寺間	2016-1-1 01:00:00:000		
range	1			
range	kdd9	1201-kdd91202		
query				

{"Data": [{"Time": "20160101-00:00:00:00:000", "Device KNH": [{"kdd91201": 11.287825499999933}], {"kdd91202": 11.287825499999933}]}, {"Time": "20160101-00:15:00:000", "Device KNH": [{"kdd91201": 11.287825999993}]}, {"Kdd91202": 11.28782590000995}]}, {"Time": "20160101-00:30:00:000", "Device KNH": [{"kdd91201": 11.287825500000995}], {"Kdd91202": 11.287825500000995}]}, {"Time": "20160101-00:30:00:000", "Device KNH": [{"kdd91201": 11.287825500000995}]}, {"Time": "20160101-00:30:00:000", "Device KNH": [{"Time": "20160101-00:30:00:000", "Device KNH": [{"Time": "20160101-00:30:00:000", "Device KNH":

2. 1天

開始時	寺間	2016-1-1 00:00:00:000			
結束時	寺間	2016-1-5 00:00:00:000			
range	2				
range	kdd9	91201-kdd91202			
query					

3. 一個月

開始時	寺間	2016-1-1 00:00:00:000		
結束時	寺間	2016-2-5 00:00:00:000		
range	3			
range	kdd91201			
query				

{"Data": [{"Time": "20160101-00:00:00:000", "Device KMH": [{"kdd91201": 33611.2290494384}]}, {"Time": "20160201-00:00:00:00:00:", "Device KMH": [{"kdd91201": 4336.928127712407}]]}}

4. 一年

開始時間		2016-1-1 00:00:00:000	
結束時間		2017-1-1 00:00:00:000	
range	4		
range			
query			

{"Data": [{"Time": "2016-01-01 00:00:00:000", "Device_KNH": [{"ALL": 191909.29077129404}]}, {"Time": "2017-01-01 00:00:00:000", "Device_KNH": [{"ALL": 0}]}]}