

W1

strings.xml

```
><resources>
            <string name="app_name">My Java App</string>
            <string name="sys">Drink Order</string>
            <string name="sure">Sure</string>
            <string name="res">Result</string>
            <string name="cls">clear</string>
 6
 7
            <string-array name="dr">
                <item>Pearl milk rea</item>
8
                <item>Boba milk rea</item>
9
                <item>Grass Jelly milk rea</item>
                <item>lemon juice</item>
            </string-array>
            <string-array name="ice">
13
                <item>ice</item>
14
                <item>no ice</item>
15
            </string-array>
17
            <string-array name="wm">
```

```
18
                <item>ice</item>
19
                <item>no ice</item>
                <item>warm</item>
           </string-array>
            <string-array name="sg1">
                <item>Half Suger</item>
23
24
                <item>No Suger</item>
            </string-array>
            <string-array name="sg2">
27
                <item>Regular</item>
                <item>Half Suger</item>
        </string-array>
29
      ≙</resources>
30
```

zh-rTW\strings.xml

```
<?xml version="1.0" encoding="utf-8"?>
      <resources>
           <string name="app_name">我的爪哇應用程式</string>
           <string name="sys">訂購飲料</string>
           <string name="sure">確定</string>
           <string name="res">訂購結果</string>
           <string name="cls">清除訂購結果</string>
7
8
           <string-array name="dr">
              <item>珍珠奶茶</item>
9
              <item>波霸奶茶</item>
               <item>仙草奶茶</item>
               <item>檸檬汁</item>
           </string-array>
           <string-array name="ice">
14
               <item>冰</item>
               <item>去冰</item>
           </string-array>
17
```

```
18
           <string-array name="wm">
19
               <item>冰</item>
               <item>去冰</item>
               <item>溫</item>
           </string-array>
           <string-array name="sg1">
               <item>半糖</item>
24
25
               <item>無糖</item>
           </string-array>
           <string-array name="sg2">
               <item>一般</item>
29
               <item>半糖</item>
        </string-array>
       </resources>
31
```

activity_main.xml

</RelativeLayout>

50

```
9
            <TextView
                android:layout_width="wrap_content"
                android:layout_height="wrap_content"
                android:text="@string/sys"
                android:id="@+id/tv1"
                android:textSize="32sp"/>
            <Spinner
                android:id="@+id/sp1"
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
18
                android:entries="@array/dr"
19
                android:layout_below="@+id/tv1"/>
            <Spinner
                android:id="@+id/sp2"
23
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
                android:layout_below="@+id/sp1"/>
25
            <Spinner
                android:id="@+id/sp3"
27
                android:layout_width="match_parent"
28
                android:layout_height="wrap_content"
                android:layout_below="@+id/sp2"/>
            <Button
31
                android:id="@+id/b1"
                android:layout_width="wrap_content"
                android:layout_height="wrap_content"
                android:layout_below="@+id/sp3"
                android:text="@string/sure"/>
            <Button
                android:id="@+id/b2"
                android:layout_width="wrap_content"
                android:layout_height="wrap_content"
40
                android:layout_below="@+id/sp3"
41
                android:layout_toRightOf="@+id/b1"
                android:text="@string/cls"/>
44
            <TextView
                android:id="@+id/res"
                android:layout_width="wrap_content"
46
                android:layout_height="wrap_content"
47
                android:layout_below="@+id/b1"
48
49
                android:text="@string/res"/>
```

MainActivity.java

```
1
       package com.example.w1_209410314;
 2
      import ...
3
       2 usages
       public class MainActivity extends AppCompatActivity implements View.OnClickListener,
               AdapterView.OnItemSelectedListener {
           4 usages
           Spinner s1,s2,s3; TextView rr; Button b1,b2;
           String dr[]={"珍珠奶茶","波霸奶茶","仙草奶茶","檸檬汁"};
           String ice[]={"冰","去冰"}, wm[]={"冰","去冰","溫"};
17
           String sg1[]={"半糖","無糖"}, sg2[]={"一般","半糖"};
18
           protected void onCreate(Bundle savedInstanceState) {
19
               super.onCreate(savedInstanceState);
               setContentView(R.layout.activity_main);
               b1=(Button) findViewById(R.id.b1); b1.setOnClickListener(this);
               b2=(Button) findViewById(R.id.b2); b2.setOnClickListener(this);
               s1=(Spinner) findViewById(R.id.sp1); s1.setOnItemSelectedListener(this);
               s2=(Spinner) findViewById(R.id.sp2); s2.setOnItemSelectedListener(this);
               s3=(Spinner) findViewById(R.id.sp3); s3.setOnItemSelectedListener(this);
               rr=(TextView) findViewById(R.id.res);
27
```

```
30 1
            public void onClick(View view) {
                if(view == b1)
                    rr.setText(getString(R.string.res)+":"+
                            s1.getSelectedItem()+s2.getSelectedItem()+s3.getSelectedItem());
                if(view == b2) rr.setText(getString(R.string.res));
37
            public void onItemSelected(AdapterView<?> adapterView, View view, int i, long l) {
38 I
                if(adapterView == s1){
40
                    String tmp[] = {}, tmp2[]={};
                    String ice[] = getResources().getStringArray(R.array.ice);
41
                    String wm[] = getResources().getStringArray(R.array.wm);
                    String sg1[] = getResources().getStringArray(R.array.sg1);
                    String sg2[] = getResources().getStringArray(R.array.sg2);
                    if(i == 3) \{ tmp = ice; tmp2 = sg2; \} else \{ tmp = wm; tmp2 = sg1; \}
                    ArrayAdapter<String> ad=new ArrayAdapter<String>
47
                            ( context: this, android.R.layout.simple_dropdown_item_1line, tmp);
                    s2.setAdapter(ad);
                    ArrayAdapter<String> ad1=new ArrayAdapter<String>
                            ( context: this, android.R.layout.simple_dropdown_item_1line, tmp2);
                    s3.setAdapter(ad1);
52
```