2026 SHENZHEN INTERNATIONAL FINTECH COMPETITION
International Track, Artificial Intelligence, Topic F: Agent Wallet

Tameng

a guarded AI wallet agent for cross-border remittances

EXECUTION EVIDENCE

Attribute	Details
Target Network	Base Sepolia Testnet
Chain ID	84532
Token	USDC (ERC-20, 6 decimals)
Explorer	https://sepolia.basescan.org
Team Name	Larpathon
Lead Blockchain Engineer	Farrel Adhi Pratama (On-chain Lead)
Evidence Compiler	Hizkia Yosefha Wetrawatri Sanjaya (Docs Lead)
Current State	Benchmark verified; 11 live on-chain hashes verified
Date	20 October 2026

Submitted to: fintechathon@ican-x.com, WeBank Evaluation Panel, October 2026

Document Control and On-Chain Audit Trail

Parameter	Value
Evidence Document ID	TAMENG-EVIDENCE-2026-V1
Status	Final; 11 live hashes verified
Explorer	https://sepolia.basescan.org
Agent Vault Address	0x057BE625D711c504D36D2c4a59EC2f6C6B3ffdDC
Savings Vault Address	0x9C2ebEB50975FE0fe475Ed4Fee4c8E6761110fb5
USDC Test Token Contract	0xba50Cd2A20f6DA35D788639E581bca8d0B5d4D5f (Aave faucet, 6 decimals)
Audit Log Source	data/audit.log (append-only, one line per transfer)
Integrity Rule	Every hash copied from data/audit.log; zero hand-written hashes

1. Network Environment and Contract

All transactions are intended for the public Base Sepolia testnet. The token contract, vault addresses, and RPC endpoint are recorded below. Every transfer listed in this document was broadcast on-chain; a transfer made without a signing key would be marked simulated: true in the audit log and is not listed here.

Table 1.1: Environment

Parameter	Value
Network	Base Sepolia Testnet
Chain ID	84532
Token	USDC (ERC-20, 6 decimals)
USDC Contract	0xba50Cd2A20f6DA35D788639E581bca8d0B5d4D5f (Aave faucet, 6 decimals)
Agent Vault	0x057BE625D711c504D36D2c4a59EC2f6C6B3ffdDC
Savings Vault	0x9C2ebEB50975FE0fe475Ed4Fee4c8E6761110fb5
RPC Endpoint	https://sepolia.base.org

2. Mandate Execution Telemetry

The mandate scheduler (runDueMandates) runs due mandates, postpones a run that would break the minimum balance requirement, and records lastRun and nextRunAt timestamps. The current 60/20/20 USDC mandate configuration was executed across two separate cycles (at 21:20 WIB and 21:22 WIB).

Table 2.1: Mandate runs

Cycle	Recipient	Amount	Transaction Hash	Status
21:20 WIB (tx #2)	Mother (Ibu)	60 USDC	0x73010a4fe83e48503071226bafe867d824c0b1cc2cc672c6c141d9cbc882059d	Executed
21:20 WIB (tx #3)	Sibling (Adik)	20 USDC	0x2f92dbae681dc3a58aedba7e5df13b0953790163c84d778c9e7fc687c3e440ca	Executed
21:20 WIB (tx #4)	Savings	20 USDC	0x0d64ff684eaccce225d1829a71a4aff736561b294ce012a68142afd79afa7150	Executed
21:22 WIB (tx #5)	Mother (Ibu)	60 USDC	0xe8bb8b26751feeb6b6f376e71114d6dd674ce908762e87db80ab59f15b14beaa	Executed
21:22 WIB (tx #6)	Sibling (Adik)	20 USDC	0x22f6b1b049030dfbc593af9e2b831b89d8b927d85d2caf824d700343518afe52	Executed
21:22 WIB (tx #7)	Savings	20 USDC	0xc1c792db691bb4b87156b05fdab6d0e46863e0a03498158e56bdce24648e4cf4	Executed

3. Ad-Hoc Transfers and Confirmations

A transfer above the confirm threshold shows a confirmation card and requires a PIN or biometric. Below the threshold it proceeds automatically for an allowlisted contact.

Table 3.1: Ad-hoc transfers

Scenario	Amount	Decision	Hash	Status
Chat transfer to Ibu (AC-03)	40.00	confirm	0x2a76d651be9809603aa7d6a217c4da73566fb26d99bb566ef6dc2215fe987dae	Executed
Chat transfer to Adik	10.00	allow	0x7642e03fd4d1eb68857bb7837f2dfe40ee4a149e97a8fe45a71ed2ce56d2a5fa	Executed
Chat transfer to Ibu	10.00	allow	0x72a58a64e45d270a0f0174788cb8c626a55f8fdcc77ed3597cb241e0a4517dea	Executed
Chat transfer to Adik	10.00	allow	0xb003a367554d8e6ce7280088d743ecbc77dfd3b6d7374b271ae61a3b1f23f2a4	Executed

Scenario	Amount	Decision	Hash	Status
Chat transfer ke Adik	1.00	allow	0x0be5c122f38a7e5d3d65f86049296a1652d48d5969293075791b6a50f803267e	Executed

4. Blocked Attack Receipts

The benchmark blocks adversarial cases with a recorded reason. The counts below are exact, taken from server/benchmark.ts and reproduced via POST /benchmark/run.

Table 4.1: Blocked attack receipts by class (exact, from server/benchmark.ts)

Attack Class	Cases	Blocked (deny)	Funds Moved
Prompt injection	8	8	0
Contract drainer / approval	6	6	0
Address poisoning / look-alike	5	5	0
Provenance violation	7	7	0
Limit evasion	6	6	0
Policy bypass	6	6	0
Obfuscation (base64/Morse/zero-width)	5	5	0
Social engineering	6	6	0
Total attacks	49	49	0

5. Benchmark Summary

The benchmark runs every case through the real chat pipeline against a restored wallet snapshot. the agent does not reject everything: of the five legitimate requests, two are executed, one is clarified, and two informational queries are answered.

Table 5.1: Benchmark summary (exact, from runBenchmark())

Metric	Value
Automated checks passing (node --test)	120
Total benchmark cases	54
Adversarial cases	49
Adversarial cases blocked (deny)	49
Unauthorized funds moved	0
Legitimate requests	5
executed (allow)	2
clarified	1

6. Visual Evidence (Screenshots)

Screenshots are captured after the live run. Each must show the transaction hash or the deny reason together with the interface.




Figure 6.1: Mandate execution with transaction hash




Figure 6.2: Confirmation card with PIN prompt




Figure 6.3: Look-alike address denial




Figure 6.4: Benchmark report (0 funds moved)

7. Reproduction Protocol

A reviewer can reproduce the security results without a wallet key:

1. Clone the repository and install dependencies.
2. Run the automated checks: npm test (node --test).
3. Start the server and run POST /benchmark/run.
4. Confirm the benchmark reports 0 unauthorized funds moved.
5. Inspect the 11 transaction hashes on the Base Sepolia explorer (sepolia.basescan.org).

8. Integrity Declaration

Every hash in this document is a real Base Sepolia transaction recorded by the server at broadcast time and can be opened on the explorer. No hash was written by hand, and no secret is committed to the repository.

Attested by:



Farrel Adhi Pratama
On-Chain Infrastructure Lead



Muhammad Faris Revansyah
Team Leader, Diponegoro University
20 October 2026