

PSEUDOCODE DAN FLOWCHART PROGRAM 4

PSEUDOCODE

START

DEKLARASI:

nip : string
year : string
month : integer
date : string
name_of_month : string

DESKRIPSI:

Input nip

year <- karakter ke-1 s.d. ke-4 dari nip
month <- karakter ke-5 s.d. ke-6 dari nip
date <- karakter ke-7 s.d. ke-8 dari nip

jika month = 1 maka

name_of_month <- "Januari"

jika month = 2 maka

name_of_month <- "Februari"

jika month = 3 maka

name_of_month <- "Maret"

jika month = 4 maka

name_of_month <- "April"

jika month = 5 maka

name_of_month <- "Mei"

jika month = 6 maka

name_of_month <- "Juni"

jika month = 7 maka

```
name_of_month <- "Juli"
```

```
jika month = 8 maka
```

```
name_of_month <- "Agustus"
```

```
jika month = 9 maka
```

```
name_of_month <- "September"
```

```
jika month = 10 maka
```

```
name_of_month <- "Oktober"
```

```
jika month = 11 maka
```

```
name_of_month <- "November"
```

```
jika month = 12 maka
```

```
name_of_month <- "Desember"
```

```
selain itu
```

```
name_of_month <- "Tidak Valid"
```

```
Tampilkan
```

```
"Tanggal lahir ASN: "
```

```
date, name_of_month, year
```

```
END
```

FLOWCHART



