Authorization and Registration

Steps

1. **Ensure AlphaOptimal software is installed**
2. **Close the AlphaOptimal software**
3. **Open the installation directory**
   - Default path: `C:\Program Files\AlphaOptimal_v3`
4. **Navigate to the `bin\UserIdGenerator` folder**
   - 

   - Run `GetUserData.exe` (as Administrator) to generate the `HostName.txt` file
   - Run `UserIdGenerator.exe` (as Administrator) to generate the `userId.txt` file
5. **Send the files**
   - Send the `HostName.txt` and `userId.txt` files to `Ruifan Software Company` to create the authorization
6. **Receive the authorization files**
   - `Ruifan Software Company` will provide the following files:
     - `HostName.lic` authorization file
     - `AlphaOptimal...txt` file
7. **Copy the authorization files**
   - Copy the above files to the software installation directory, ensuring they are in the same path as the `AlphaOptimal.exe` file (usually `C:\Program Files\AlphaOptimal_v3\bin`)
8. **Open the AlphaOptimal software**
   - If an authorization error appears:
     1. 

2. 

9. **Complete the authorization**

Common Error Handling

Error 1: Insufficient Windows Permissions

Symptoms:

- After selecting the authorization file, the software repeatedly prompts for the file upon reopening.
  - 

Solution:

1. Locate the software installation directory (default: `C:\Program Files\AlphaOptimal_v3`) and go one level up.
2. Right-click the `AlphaOptimal_v3` folder.



3. Select `Properties -> Security -> Edit`.

- 

4. Grant "Full Control" to the following options:
    - ALL APPLICATION PACKAGES
    - All Restricted Application Packages
    - CREATOR OWNER
    - SYSTEM
    - Administrators
    - Users
    - TrustedInstaller
5. Click "OK".


AlphaOptimal_v3 的权限
安全
对象名称: C:\Program Files\AlphaOptimal_v3
组或用户名(G):
ALL APPLICATION PACKAGES
所有受限制的应用程序包
CREATOR OWNER
SYSTEM
Administrators (DESKTOP-T8QPQ19\Administrators)
Users (DESKTOP-T8QPQ19\Users)
添加(D)...
删除(R)
Administrators 的权限(P)
允许
拒绝
完全控制
修改
读取和执行
列出文件夹内容
读取
确定
取消
应用(A)



6. Reopen the AlphaOptimal software and select the authorization file. The issue should be resolved.

Error 2: Multiple MAC Addresses on the PC

Symptoms:

- The software crashes.
- Check the log file (path: `C:\Program Files\AlphaOptimal_v3\bin\log.txt`), and the last line shows: `hasp not found`.

Solution:

1. Retrieve network information:

-
网络 2
已连接
网络和 Internet 设置
更改设置，例如将某连接设置为按流量计费。
-
设置
主页
查找设置
网络和 Internet
状态
以太网
拨号
VPN
代理
以太网
网络 2
已连接
相关设置
更改适配器选项
更改高级共享设置
网络和共享中心
Windows 防火墙
获取帮助
提供反馈

2. Send the retrieved network information to `Ruifan Software Company`.
3. `Ruifan Software Company` will update the `HostName.lic` file with the information.

4. After receiving the updated `HostName.lic` file, copy it to `C:\Program Files\AlphaOptimal_v3\bin` to replace the old file.
5. The software should now open successfully.