## Actividad 4

## **Explorando Font Awesome**









## Caja de imagenes VISSUAL





## HTML

```
<!DOCTYPE html>
<html lang="es">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>VISSUAL</title>
    <link rel="stylesheet" href="styles.css">
    <link rel="stylesheet" href="../Modulo 2/fontawesome-free-6.6.0-</pre>
web/css/all.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    link
href="https://fonts.googleapis.com/css2?family=Afacad+Flux:wght@100..1000&
display=swap" rel="stylesheet">
    <link rel="icon" href="./imgs/VISSUAL.ico" type="image/x-icon" />
</head>
<body>
    <header>
```

```
<img src="./imgs/dibujo y modelado a tu medida.png" alt="Logotipo"</pre>
VISSUAL" width="100px">
        <img src="./imgs/dibujo y modelado a tu medida2.png" alt="">
        <nav>
            <l
                <il class="main-nav item"><a href="index.html"> <i</pre>
class="fa fa-home"></i> Inicio</a></il>
                <il class="main-nav__item"><a href="design-services.html">
<i class="fa fa-pen-ruler"></i> Servicios de Diseño</a></il>
                <il class="main-nav item"><a href="contact.html"> <i</pre>
class="fa fa-users" ></i> Contáctanos</a></il>
            </nav>
    </header>
    <main>
         <h1><i class="fa fa-mouse"></i> VISSUAL</h1>
        <section id="#">
            <article>
                <h2>Caja de imagenes VISSUAL</h2>
                <h3>Render 1, ejemplo</h3>
                <img src="./imgs/render1.jpg" alt="Imagen Ingeniería</pre>
Arquitectónica" >
                <h3>Render 2, ejemplo</h3>
                <img src="./imgs/render 2.jpg" alt="Imagen 2 Ingeniería</pre>
Arquitectónica">
                <h3>Render 3, ejemplo</h3>
                <img src="./imgs/render3.jpg" alt="Imagen 3 Ingeniería</pre>
Arquitectónica">
            </article>
            <article>
                <h2>Blog de VISSUAL</h2>
                <iframe src="https://blog.VISSUAL.com" title="Blog de"</pre>
VISSUAL" frameborder="0"></iframe>
            </article>
        </section>
        <aside>
            <h2>Catálogo VISSUAL</h2>
```

CSS

```
box-sizing: border-box;
    margin: 0;
    padding: 0;
body{
    padding: 0;
    margin: 0;
    font-family: "Afacad Flux", sans-serif;
header{
    display: flex;
    align-items: flex-end;
    background-color: white;
main{
    margin: 50px 0px 50px 150px;
    padding: 0px;
    align-items: center;
h1{
    color: rgb(111, 67, 153);
    font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-
serif;
```

```
text-align: center;
    font-size: clamp(2rem, 5vw, 2.5rem);
h2{
   font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
    color: rgb(53, 15, 123);
    font-size: clamp(1rem, 3vw, 1.5rem);
h3{
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    color: rgb(158, 137, 212);
    font-size: clamp(.5rem, 2vw, 1rem);
.main-nav{
   list-style: none;
   background-color: aqua;
   padding-left: 0;
   margin-top: 10px;
.main-nav item{
    display: inline-block;
.main-nav item a{
   background-color: rgb(146, 34, 202);
   text-decoration: none;
   border-radius: 2px;
   padding: 5px;
   color: white;
.main-nav__item a:hover{
    color: rgb(55, 5, 86);
.main-nav item a:active{
   color: rgb(159, 73, 213);
.main-nav item a::after{
   content: " | ";
.main-nav__item a::before{
   content: " | ";
```

```
@media (max-width: 768px){
    main{
        margin: 50px 0px 50px 200px;
    }
    h1{
        font-family:'Courier New', Courier, monospace;
        color: yellow;
    }
    h2{
        font-family:'Courier New', Courier, monospace;
        color: blue;
    }
    h3{
        font-family:'Courier New', Courier, monospace;
        color: red;
    }
}
```