

pointer:0x7f500bd80010
SgSourceFile

root node

SgNode* p_parent : 0x55cc68ef6830
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f500bfc7080
SgStringList p_originalCommandLineArgumentList : [./genASTPDF, ../tests/test.c]
int p_verbose : 0
bool p_output_warnings : 0
bool p_C_only : 1
bool p_Cxx_only : 0
bool p_Fortran_only : 0
bool p_CoArrayFortran_only : 0
int p_upc_threads : 0
bool p_Java_only : 0
bool p_Jovial_only : 0
bool p_X10_only : 0
bool p_PHP_only : 0
bool p_Python_only : 0
bool p_Cuda_only : 0
bool p_OpenCL_only : 0
bool p_Csharp_only : 0
bool p_Ada_only : 0
bool p_Cobol_only : 0
bool p_requires_C_preprocessor : 0
bool p_binary_only : 0
SgFile::outputFormatOption_enum p_inputFormat : 2
SgFile::outputFormatOption_enum p_outputFormat : 2
SgFile::outputFormatOption_enum p_backendCompileFormat : 2
bool p_fortran_implicit_none : 0
bool p_openmp : 0
bool p_openmp_parse_only : 1
bool p_openmp_ast_only : 0
bool p_openmp_lowering : 0
bool p_openacc : 0
bool p_openacc_parse_only : 0
bool p_openacc_ast_only : 0
bool p_cray_pointer_support : 0
bool p_failsafe : 0
bool p_output_parser_actions : 0
bool p_exit_after_parser : 0
bool p_skip_syntax_check : 0
bool p_skip_parser : 0
bool p_relax_syntax_check : 0
bool p_skip_translation_from_edg_ast_to_rose_ast : 0
bool p_skip_transformation : 0
bool p_skip_unparse : 0
bool p_skipfinalCompileStep : 0
bool p_unparse_includes : 0
bool p_unparse_line_directives : 0
bool p_unparse_function_calls_using_operator_syntax : 0
bool p_unparse_function_calls_using_operator_names : 0
bool p_unparse_instruction_addresses : 1
bool p_unparse_raw_memory_contents : 1
bool p_unparse_binary_file_format : 1
SgFile::languageOption_enum p_outputLanguage : 2
SgFile::languageOption_enum p_inputLanguage : 2
std::string p_sourceFileNameWithPath : /home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c
std::string p_sourceFileNameWithoutPath : test.c
std::string p_unparse_output_filename :
std::string p_objectFileNameWithPath :
std::string p_objectFileNameWithoutPath :
bool p_useBackendOnly : 0
bool p_compileOnly : 0

pointer:0x7f500bf3e128
SgGlobal
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 0:0
IsTransformation:0
IsOutputInCodeGeneration:0

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500bd80010
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f500bfc70f0
Sg_File_Info* p_endOfConstruct : 0x7f500bfc7160
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
SgSymbolTable* p_symbol_table : 0x7f500bee8170
SgTypeTable* p_type_table : 0x55cc68f312f8
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma : 0
SgDeclarationStatementPtrList p_declarations : <too long>: <too long>: [0x7f500b5fc010, 0x7f500b5fc550, 0x7f500b5fca90, 0x7f500b5fcf...

pointer:0x7f500a439010
SgFunctionDeclaration
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 1:1
IsTransformation:0
IsOutputInCodeGeneration:0
Declaration mangled name: func___Fb_Cv_Gb___Fe___L1R

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500bf3e128
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f50099213f0
Sg_File_Info* p_endOfConstruct : 0x7f5009921380
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
unsigned int p_decl_attributes : 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier : <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
SgDeclarationStatement* p_definingDeclaration : 0x7f500a439010
SgDeclarationStatement* p_firstNondefiningDeclaration : 0x7f500a438ad0
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label :
SgDeclarationScope* p_declarationScope : 0
bool p_unparse_template_ast : 0
SgName p_name : func
SgFunctionParameterList* p_parameterList : 0x7f5009b19178
SgFunctionModifier p_functionModifier : <too long>: <too long>: SgFunctionModifier(isUnknown() = false isDefault() = true isInline()
SgSpecialFunctionModifier p_specialFunctionModifier : <too long>: <too long>: SgSpecialFunctionModifier(isUnknown() = false isDefault()
SgTypePtrList p_exceptionSpecification : []
bool p_named_in_end_statement : 0
std::string p_asm_name :
SgExprListExp* p_decoratorList : 0
bool p_ada_formal_subprogram_decl : 0
SgFunctionType* p_type : 0x7f500b8a2460
SgFunctionDefinition* p_definition : 0x7f50097c9010
bool p_oldStyleDefinition : 1
SgScopeStatement* p_scope : 0x7f500bf3e128
SgDeclarationStatement::template_specialization_enum p_specialization : 1
bool p_requiresNameQualificationOnReturnType : 0
std::string p_gnu_extension_section :
std::string p_gnu_extension_alias :
SgDeclarationStatement::gnu_extension_visibility_attribute_enum p_gnu_extension_visibility : 1
int p_name_qualification_length : 0
bool p_type_elaboration_required : 0
bool p_global_qualification_required : 0
int p_name_qualification_length_for_return_type : 0
bool p_type_elaboration_required_for_return_type : 0
bool p_global_qualification_required_for_return_type : 0
bool p_prototypelsWithoutParameters : 0
int p_gnu_regparm_attribute : -1
SgFunctionType* p_type_syntax : 0
bool p_type_syntax_is_available : 0
SgFunctionParameterList* p_parameterList_syntax : 0
bool p_using_C11_Noreturn_keyword : 0
bool p_is_constexpr : 0
bool p_using_new_function_return_type_syntax : 0
SgFunctionParameterScope* p_functionParameterScope : 0
bool p_marked_as_edg_normalization : 0
bool p_has_unresolved_definition : 0

pointer:0x7f5009b19178
SgFunctionParameterList
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 1:1
IsTransformation:0
IsOutputInCodeGeneration:0
Declaration mangled name: L1R

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500a439010
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921620
Sg_File_Info* p_endOfConstruct : 0x7f5009921690
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
unsigned int p_decl_attributes : 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier : <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
SgDeclarationStatement* p_definingDeclaration : 0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0x7f5009b19178
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label :
SgDeclarationScope* p_declarationScope : 0
bool p_unparse_template_ast : 0
SgInitializedNamePtrList p_args : []

pointer:0x7f50097c9010
SgFunctionDefinition
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 1:18
IsTransformation:0
IsOutputInCodeGeneration:0

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500a439010
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921460
Sg_File_Info* p_endOfConstruct : 0x7f50099214d0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
SgSymbolTable* p_symbol_table : 0x7f500bee86f0
SgTypeTable* p_type_table : 0x55cc68f31398
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma : 0
SgBasicBlock* p_body : 0x7f5009862010
std::map<SgNode*,int> p_scope_number_list : []

pointer:0x7f5009862010
SgBasicBlock
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 1:18
IsTransformation:0
IsOutputInCodeGeneration:0

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f50097c9010
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921230
Sg_File_Info* p_endOfConstruct : 0x7f50099211c0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
SgSymbolTable* p_symbol_table : 0x7f500bee8590
SgTypeTable* p_type_table : 0x55cc68f31370
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma : 0
SgStatementPtrList p_statements : []
std::string p_asm_function_body :
std::string p_string_label :

pointer:0x7f500a439a90
SgFunctionDeclaration
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 5:1
IsTransformation:0
IsOutputInCodeGeneration:0
Declaration mangled name: main_0x7f500a439a90

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500bf3e128
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921930
Sg_File_Info* p_endOfConstruct : 0x7f50099218c0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
unsigned int p_decl_attributes : 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier : <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = false isFrie
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
SgDeclarationStatement* p_definingDeclaration : 0x7f500a439a90
SgDeclarationStatement* p_firstNondefiningDeclaration : 0x7f500a439550
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label :
SgDeclarationScope* p_declarationScope : 0
bool p_unparse_template_ast : 0
SgName p_name : main
SgFunctionParameterList* p_parameterList : 0x7f5009b197a8
SgFunctionModifier p_functionModifier : <too long>: <too long>: SgFunctionModifier(isUnknown() = false isDefault() = true isInline()
SgSpecialFunctionModifier p_specialFunctionModifier : <too long>: <too long>: SgSpecialFunctionModifier(isUnknown() = false isDefault()
SgTypePtrList p_exceptionSpecification : []
bool p_named_in_end_statement : 0
std::string p_asm_name :
SgExprListExp* p_decoratorList : 0
bool p_ada_formal_subprogram_decl : 0
SgFunctionType* p_type : 0x7f500b88f4a0
SgFunctionDefinition* p_definition : 0x7f50097c9148
bool p_oldStyleDefinition : 1
SgScopeStatement* p_scope : 0x7f500bf3e128
SgDeclarationStatement::template_specialization_enum p_specialization : 1
bool p_requiresNameQualificationOnReturnType : 0
std::string p_gnu_extension_section :
std::string p_gnu_extension_alias :
SgDeclarationStatement::gnu_extension_visibility_attribute_enum p_gnu_extension_visibility : 1
int p_name_qualification_length : 0
bool p_type_elaboration_required : 0
bool p_global_qualification_required : 0
int p_name_qualification_length_for_return_type : 0
bool p_type_elaboration_required_for_return_type : 0
bool p_global_qualification_required_for_return_type : 0
bool p_prototypelsWithoutParameters : 0
int p_gnu_regparm_attribute : -1
SgFunctionType* p_type_syntax : 0
bool p_type_syntax_is_available : 0
SgFunctionParameterList* p_parameterList_syntax : 0
bool p_using_C11_Noreturn_keyword : 0
bool p_is_constexpr : 0
bool p_using_new_function_return_type_syntax : 0
SgFunctionParameterScope* p_functionParameterScope : 0
bool p_marked_as_edg_normalization : 0
bool p_is_inlined_function : 0

pointer:0x7f5009b197a8
SgFunctionParameterList
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 5:1
IsTransformation:0
IsOutputInCodeGeneration:0
Declaration mangled name: L1R

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500a439a90
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921b60
Sg_File_Info* p_endOfConstruct : 0x7f5009921bd0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
unsigned int p_decl_attributes : 0
std::string p_linkage :
SgDeclarationModifier p_declarationModifier : <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
SgDeclarationStatement* p_definingDeclaration : 0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0x7f5009b197a8
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label :
SgDeclarationScope* p_declarationScope : 0
bool p_unparse_template_ast : 0
SgInitializedNamePtrList p_args : []

pointer:0x7f50097c9148
SgFunctionDefinition
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 5:11
IsTransformation:0
IsOutputInCodeGeneration:0

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500a439a90
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f50099219a0
Sg_File_Info* p_endOfConstruct : 0x7f5009921a10
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
SgSymbolTable* p_symbol_table : 0x7f500bee89b0
SgTypeTable* p_type_table : 0x55cc68f313e8
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma : 0
SgBasicBlock* p_body : 0x7f5009862168
std::map<SgNode*,int> p_scope_number_list : []

pointer:0x7f5009862168
SgBasicBlock
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 5:11
IsTransformation:0
IsOutputInCodeGeneration:0

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f50097c9148
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921770
Sg_File_Info* p_endOfConstruct : 0x7f5009921700
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
SgSymbolTable* p_symbol_table : 0x7f500bee8850
SgTypeTable* p_type_table : 0x55cc68f313c0
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma : 0
SgStatementPtrList p_statements : [0x7f500975b010]
std::string p_asm_function_body :
std::string p_string_label :

pointer:0x7f500975b010
SgReturnStmt
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 6:5
IsTransformation:0
IsOutputInCodeGeneration:0

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f5009862168
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921d90
Sg_File_Info* p_endOfConstruct : 0x7f5009921e00
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
SgLabelRefExp* p_numeric_label : 0
int p_source_sequence_value : -1
SgExpression* p_expression : 0x7f500978a010

pointer:0x7f500978a010
SgIntVal
/home/huanxx/ShareWithWindows/Auto-C-To-CUDA/tests/test.c 6:12
IsTransformation:0
IsOutputInCodeGeneration:0
Expression type: int

[Click here to go to the parent node](#)

SgNode* p_parent : 0x7f500975b010
bool p_isModified : 0
bool p_containsTransformation : 0
\$CLASSNAME* p_freepointer : 0xfffffffffffff
Sg_File_Info* p_startOfConstruct : 0x7f5009921c40
Sg_File_Info* p_endOfConstruct : 0x7f5009921af0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_containsTransformationToSurroundingWhitespace : 0
bool p_need_paren : 0
bool p_lvalue : 0
bool p_global_qualified_name : 0
Sg_File_Info* p_operatorPosition : 0x7f5009921d20
SgExpression* p_originalExpressionTree : 0
int p_value : 0
std::string p_valueString :

