
A. Cells that differ, by input
HG002 call set, 1-in-200 sample
3,851 of 5,023,485 cells (0.077%)
ClinVar 2-star+, 1-in-5, no HGVS columns
112 of 72,134,785 cells (0.00016%)
real call sets
generated worlds, built to be hard
ClinVar 2-star+, 1-in-5, with HGVS columns
2,999 of 84,679,965 cells (0.0035%)
Generated world (both strands, multi-ALT)
954 of 216,390 cells (0.44%)
Its edges (every shape at every boundary)
845 of 1,108,740 cells (0.076%)
Its lone indels (shared bases)
26 of 95,280 cells (0.027%)
10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^{0} 10^{1} 10^{2}
Cells that differ from Ensembl VEP 116.3 (% of the cells compared, log scale)
B. HG002 sample, by column: 3,851 cells differ
(17 of the 21 columns shown agree on every row)
every differing cell has a documented cause:
alleles of records with several ALTs (divergence 11)
an intronic base after the terminator (divergence 4)
a change the 3'-rule carries over an intron (divergence 17)
Consequence 0
IMPACT 0
Amino_acids 0
Codons 0
cDNA_position 0
CDS_position 0
Protein_position 0
Location 0
REF_ALLELE 0
VARIANT_CLASS 0
DISTANCE 0
STRAND 0
FLAGS 0
EXON 0
INTRON 0
SYMBOL 0
BIOTYPE 0
HGVSc 1,729
HGVS_OFFSET 2,070
HGVSg 35
HGVSp 17
0 500 1000 1500 2000
Cells that differ (of 186,055 paired rows per column)