

# Presentation Title

## Subtitle

Author

Instituto Federal do Espírito Santo  
Campus Vitória

July 20, 2020



# Schedule

- 1 Overview
- 2 Blocks
- 3 Boxes
- 4 Lists
  - List items
  - Numbered list
  - Descriptive list
- 5 Tables
- 6 Figures
- 7 Equations and Codes
  - Equations
  - Programming



# Overview



# Overview

Normal text Alert Text Example Text Emphasis Text

Simple block

■ ...

Example block

■ ...

Alert block

■ ...

A purple box

An orange box

A gray box

My price table

Color	Price 1	Price 2	Price 3
Red	10.00	20.00	30.00
Green	20.00	30.00	40.00
Blue	30.00	40.00	50.00
Orange	60.00	90.00	120.00



# Blocks



# Blocks types

## Simple block

- First point
- Second point
- Third point

## Examples block

- First point
- Second point
- Third point

## Alert block


- First point
- Second point
- Third point



# Boxes



# Boxes





# Lists



# Items

■ ...

■ ...

■ ...



# Numbered

1 ...

2 ...

3 ...



# Descriptive

Theme 1: ...

Theme 2: ...

Theme 3: ...



# Tables



# Tables 1

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00



## Tables 2

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00



# Figures





# Figure Example




Figure: Example images from the CIFAR-10 dataset.



## Equations and Codes



# Equation Example

Some random equation:

$$\begin{aligned}\frac{\partial}{\partial \theta_k} J(\theta) &= \frac{\partial}{\partial \theta_k} \left[ \frac{1}{m} \sum_{k=1}^m \log(1 + e^{-y^{(i)} \theta^T x^{(i)}}) \right] \\ &= \frac{1}{m} \sum_{k=1}^m \frac{1}{1 + e^{-y^{(i)} \theta^T x^{(i)}}} y^{(i)} x_k^{(i)} \\ &= -\frac{1}{m} \sum_{k=1}^m h_{\theta}(-y^{(i)} x^{(i)}) y^{(i)} x_k^{(i)}\end{aligned}$$



# Code Example

```
def softmax_loss_naive(W, X, y, reg):
    """
    Softmax loss function, naive implementation (with loops)

    Inputs have dimension D, there are C classes, and we operate on minibatches
    of N examples.

    Inputs:
    - W: A numpy array of shape (D, C) containing weights.
    - X: A numpy array of shape (N, D) containing a minibatch of data.
    - y: A numpy array of shape (N,) containing training labels; y[i] = c means
        that X[i] has label c, where 0 <= c < C.
    - reg: (float) regularization strength

    Returns a tuple of:
    - loss as single float
    - gradient with respect to weights W; an array of same shape as W
    """
```

carbon  
carbon.now.sh