

Strain2bScan strain-sharing rates across timepoints, monkeys and GI sites
A Saliva: within-subject versus between-subject
Dominant-cluster sharing rate
1.0
0.8
0.6
0.4
0.2
0.0
Same subject between timepoints
Different subject same timepoint
Different subject different timepoints
B Saliva: coexistence-aware sharing
Any-shared-cluster rate
1.0
0.8
0.6
0.4
0.2
Same subject between timepoints
Different subject same timepoint
Different subject different timepoints
C Monkey GI spatial and age contrasts
Mean dominant-cluster sharing rate
0.4
0.3
0.2
0.1
0.0
0.379
0.251
0.159
0.157
0.100
Within monkey between positions
Within monkey mucosal/luminal
Between monkeys same age/site
Old/young corresponding site
Between monkeys between regions
D Old/young corresponding GI sites
E luminal (n=6)
K luminal (n=2)
LI luminal (n=196)
LI mucosal (n=196)
SI luminal (n=72)
SI mucosal (n=143)
0.19
0.28
0.12
0.50
0.22
0.87
0.07
0.37
0.25
0.41
0.13
0.15
Dominant cluster
Any shared cluster
Old/young sharing rate
1.0
0.8
0.6
0.4
0.2
0.0