




ESP32 Board




FABLAB
▪ PUEBLA ▪

Antenna

SW3

Conn. Pin Header FTD232RL x06 P2.54mm Horizontal



ESP32 Board

FABLAB
- PUEBLA -

SW3

GPIO22 SWITCH

K7

EN Switch

C3

U1

R6

R5

R4

D4

D3


D2


J2

SW2

FLASH Switch

LED3-GPIO18
LED2-GPIO17
LED1-GPIO16





Append Board...

Save Ctrl+S

Save a Copy...

Revert

Rescue

Import >

Export >

Fabrication Outputs >

Board Setup...

Page Settings...

Print... Ctrl+P

Plot...

Close

Plot format: Gerber Output directory: Gerber/

Include Layers

- ☒ F.Cu
- ☐ B.Cu
- ☒ F.Adhesive
- ☐ B.Adhesive
- ☒ F.Paste
- ☐ B.Paste
- ☒ F.Silkscreen
- ☐ B.Silkscreen
- ☒ F.Mask
- ☐ B.Mask
- ☒ User.Drawings
- ☐ User.Comments
- ☐ User.Eco1
- ☐ User.Eco2
- ☒ Edge.Cuts

Plot on All Layers

- ☐ B.Cu
- ☐ B.Mask
- ☐ B.Paste
- ☐ B.Silkscreen
- ☐ B.Adhesive
- ☐ B.Courtyard
- ☐ B.Fab
- ☐ F.Cu
- ☐ F.Mask
- ☐ F.Paste
- ☐ F.Silkscreen
- ☐ F.Adhesive
- ☐ F.Courtyard
- ☐ F.Fab

General Options

- ☐ Plot drawing sheet
- ☐ Plot footprint values
- ☒ Plot reference designators
- ☒ Plot footprint text
- ☐ Force plotting of invisible values / refs
- ☐ Sketch pads on fabrication layers
- ☐ Check zone fills before plotting

Drill marks: None

Scaling: 1:1

Plot mode: Filled

- ☐ Use drill/place file origin
- ☐ Mirrored plot
- ☐ Negative plot
- ☐ Tent vias

Gerber Options

- ☒ Use Protel filename ext
- ☐ Generate Gerber job file
- ☒ Subtract soldermask from silkscreen

Coordinate format: 4.6, unit mm

- ☐ Use extended X2 format (recommended)
- ☐ Include netlist attributes
- ☐ Disable aperture macros (not recommended)

Output Messages

Show: ☐ All ☒ Errors 0 ☒ Warnings 0 ☒ Actions ☒ Infos

Run DRC... Plot Close Generate Drill Files... Save...

Appearance

Layers Objects Nets

- ☒ B.Silkscreen
- ☒ F.Mask
- ☒ B.Mask
- ☒ User.Drawings
- ☒ User.Comments
- ☒ User.Eco1
- ☒ User.Eco2
- ☒ Edge.Cuts
- ☒ Margin
- ☒ F.Courtyard
- ☒ B.Courtyard
- ☒ F.Fab
- ☒ B.Fab
- ☒ User.1
- ☒ User.2

Layer Display Options

Inactive layers (H):

☒ Normal ☐ Dim ☐ Hide

☐ Flip board view

Ajustes por defecto (Ctrl+Tab):

All Layers

Viewports (Shift+Tab):

Selection Filter

- ☒ All items
- ☒ Footprints
- ☒ Tracks
- ☒ Pads
- ☒ Zones
- ☒ Dimensions
- ☐ Locked items
- ☒ Text
- ☒ Vias
- ☒ Graphics
- ☒ Rule Areas
- ☒ Other items




 Ordenar ▾

 Ver ▾



Nombre	Fecha de modificación	Tipo	Tamaño	
 ESP32-Fab-Edge_Cuts	17/03/2024 12:59 a. m.	CAMtastic Mechanic...	2 KB	
 ESP32-Fab-F_Courtyard	17/03/2024 12:59 a. m.	CAMtastic Layer Ger...	4 KB	
 ESP32-Fab-F_Fab	17/03/2024 12:59 a. m.	CAMtastic Layer Ger...	27 KB	
 ESP32-Fab-F_Mask	17/03/2024 12:59 a. m.	CAMtastic Top Solde...	4 KB	
 ESP32-Fab-F_Paste	17/03/2024 12:59 a. m.	CAMtastic Top Paste ...	3 KB	
 ESP32-Fab-F_Silkscreen	17/03/2024 12:59 a. m.	CAMtastic Top Overl...	122 KB	
 ESP32-Fab-User_Drawings	17/03/2024 12:59 a. m.	CAMtastic Layer Ger...	1 KB	
 ESP32-Fab-F_Adhesive.gta	17/03/2024 12:59 a. m.	Archivo GTA	1 KB	
 ESP32-Fab-F_Cu	17/03/2024 12:59 a. m.	CAMtastic Top Layer ...	10 KB	



SAVE TO CART

Shipping Estimate

Charge: Choose destination country first

Weight ?

0.4

Layers

High Precision PCB

6

8

10

12

14

16

18


20


Dimensions

61.1

*

42.1





2D 3D Layers

1 Top Silkscreen Layer

2 Top Paste Mask Layer

3 Top Solder Mask Layer

4 Top Layer

5 Bottom Solder Mask Layer

6 Board Outline Layer

7 vcut

8 sk

ESP32 Board

SW1 EN Switch

C2

U1

D1

R1

R2

R3

R4

R5

R6

R7

SW2 FLASH Switch

SW3 GPIO22 SWITCH

D2

D3

D4

J2

J1

LED3-GPIO16

LED2-GPIO17

LED1-GPIO16

GPIO22 SWITCH

DTR


RX

TX

VDD

CTS

GND





[← Back to Upload File](#)

Detected 1 layer board of 42.1x61.1mm(1.66x2.41 inches).

[🔍 Gerber Viewer](#)


Base Material



Layers



Dimensions



PCB Qty



Product Type



PCB Specifications



Different Design



1

2

3

4

Delivery Format



Single PCB

Panel by Customer

Panel by JLCPCB

PCB Thickness



0.4

0.6

0.8

1.0

1.2

1.6

2.0

PCB Color



Green

Purple

Red

Yellow

Blue

White

Black

Silkscreen



White

Surface Finish



HASL(with lead)

LeadFree HASL

ENIG

High-spec Options



Outer Copper Weight



1 oz

2 oz

Via Covering



Tented

Untented

Plugged

Epoxy Filled & Capped

Copper paste Filled & Capped

Confirm Production file



No

Yes

Remove Order Number



No

Yes

Specify a location

Flying Probe Test



Random Test

Fully Test

Not Test

Gold Fingers



No

Yes

Castellated Holes



No

Yes

Edge Plating



No

Yes

Charge Details



Special Offer	\$2.00
Via Covering	\$0.00
Surface Finish	\$0.00

Build Time ?

PCB:	☒ 3 days	\$0.00
	☐ 24 hours PCBA Only	\$0.00

Calculated Price ~~\$4.00~~ **\$2.00**

Additional charges may apply for special cases

SAVE TO CART

Shipping Estimate

Charge: [Choose destination country first](#)

Weight ? 0.





SSL SECURED CHECKOUT

Your Information is Protected

1.Shipping Address

2.Shipping Method

3.Submit Order

4. Payment

- ☐

JLC Balance

 JLC Balance(Prepaid Wire Transfer) Available: \$0.00 [Top-up >](#)
- ☐

PayPal

 PayPal

☒

Credit Card/Debit Card

VISA

MasterCard

AMERICAN EXPRESS

DISCOVER

Card Number

Card Number

SUMMARY

Merchandise Total

Shipping

Grand Total ?



 Credit Card/Debit Card     

Card Number

 Card Number

CVC Number 

Expiration Date

 CVV

 MM/YY

Coupons&Promotional codes

 Coupons You have 2 valid coupons

New Customer Coupon - Shipp... 

\$10.00

Valid until 2024/04/15

Detail 

For orders over \$15.00 on shipping

New Customer PCB 2 - JLCPCB 

\$2.00

Valid until 2024/05/15

Detail 

For orders over \$2.00 excluding freight

Coupons&Promotional codes

 Coupons You have 2 valid coupons

New Customer Coupon - Shipp...

ALL

\$10.00

Valid until 2024/04/15

Detail ?

For orders over \$15.00 on shipping

New Customer PCB 2 - JLCPCB

PCB

\$2.00

Valid until 2024/05/15

Detail ?

For orders over \$2.00 excluding freight

Unavailable coupons

New Customer 3D 1 - JLC

\$5.00

Expires: 2024/04/15

Detail ?

For orders over \$5.00 excluding freight

Coupon Terms:

\$5.00 off for orders over \$5.00

Expires: 2024/04/15

Valid in certain regions/countries

Customer FA 1 - JLCMC

JLCMC

\$5.00

Valid until 2024/04/15

Detail ?

For orders over \$5.00 excluding freight


New Cu


\$4.0

For order

SUMMARY

Merchandise Total	\$2.00
Shipping	\$17.80
Discount	-\$10.00
Grand Total ?	\$9.80





In Production

W202403171513695
Estimated Finish Time:2024-03-21 21:55:28

- 2024-03-18 09:38:41 In Production

Y1-7513532A is producing in Factory [JLCPCB Factory 3](#).

Estimated finish time: 2024-03-21 21:55:28, [view progress](#)
- 2024-03-17 18:17:23 ● Y1-7513532A manufacturing data finished.
- 2024-03-17 18:17:23 ● All orders finished data preparation, ready for PCB fabrication.
- 2024-03-17 05:56:37 Data Preparation

All orders have been reviewed, waiting for engineers to produce the manufacturing data.
- 2024-03-17 01:19:52 Reviewing

Y1-7513532A has been paid, waiting for file review.
- 2024-03-17 01:13:32 Order submitted





Submitted

2024-03-17 15:13

In Production


W202403171513695

Estimated Finish Time:2024-03-21 21:55:28

Production Progress



Estimated finish time:2024-03-21 07:55



- ☒ MI 2024-03-18 09:39:58
- ☒ Drilling
- ☐ 3 Image the outer layers
- ☐ 4 Etching
- ☐ 5 Automatic Optical Inspection(AOI)
- ☐ 6 Solder Mask
- ☐ 7 Silkscreen
- ☐ 8 Hot Air Solder Leveling(HASL)
- ☐ 9 Automatic Visual Inspection
- ☐ 10 Profiling,V-cut scoring
- ☐ 11 Electrical Test
- ☐ 12 Final inspection
- ☐ 13 Delivery



Shipped

JLC Other Services: JLC3DP - 3D Printing/CNC Machining

J@LC JLCPCB


Why JLCPCB?

Order History

Order Type

Product Details

2024-03-17 | W202



File Manager

Parts Manager

Payments

Account Setting

Messages

support

support@jlcpb.com

Live Chat

Mon-Fri: 24 hours, Sat: 9am-6pm, GMT+8

Production Progress

Estimated finish time:2024-03-21 07:55

46%

MI

2024-03-18 09:39:58

Drilling

2024-03-18 13:41:03

Image the outer layers

2024-03-18 13:45:55

Etching

2024-03-18 13:48:18

Automatic Optical Inspection(AOI)

2024-03-18 19:35:43

Solder Mask

2024-03-19 09:03:49



Silkscreen

Hot Air Solder Leveling(HASL)

Automatic Visual Inspection

Profiling,V-cut scoring

Order now

My file

hgnto_08

0

Order Status

Operation


+ Add new item

In Production

The order cannot be cancelled once it has been put into production.

Order Details

Invoice



Production Progress

Estimated finish time:2024-03-21 07:55

100%

✓ MI	2024-03-18 09:39:58
✓ Drilling	2024-03-18 13:41:03
✓ Image the outer layers	2024-03-18 13:45:55
✓ Etching	2024-03-18 13:48:18
✓ Automatic Optical Inspection(AOI)	2024-03-18 19:35:43
✓ Solder Mask	2024-03-19 09:03:49
✓ Silkscreen	2024-03-19 13:08:01
✓ Hot Air Solder Leveling(HASL)	2024-03-19 13:37:00
✓ Automatic Visual Inspection	2024-03-19 13:44:09
✓ Profiling,V-cut scoring	2024-03-19 18:50:17
✓ Electrical Test	2024-03-19 19:01:32
✓ Final inspection	2024-03-19 21:02:43
✓ Delivery	2024-03-21 02:01:36

Shipped

DHL Express Worldwide

Shipment Tracking

Reorder

Order Details

Invoice

Welcome back, may I help you?

Write a message...




2024-03-18 09:38:41



In Production

Y1-7513532A is producing in Factory [JLCPCB Factory 3](#).

JLCPCB Factory Network



Note: The arrival time is for reference only.



Rastrear ▾

Envío ▾

Servicios de Logística Empresarial ▾

Servicio al Cliente



07:31 Horal local	△	Procesado en HONG KONG - HONG KONG SAR, CHINA HONG KONG - HONG KONG SAR, CHINA 1 Pieza: JD014600011472174679
Jueves		
Marzo, 21 2024	△	Envío arribado a una estación DHL. HONG KONG - HONG KONG SAR, CHINA HONG KONG - HONG KONG SAR, CHINA 1 Pieza: JD014600011472174679
23:45 Horal local		
20:15 Horal local	△	Envío ha salido de una estación DHL. ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC 1 Pieza: JD014600011472174679
19:38 Horal local	△	Procesado en ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC 1 Pieza: JD014600011472174679
18:24 Horal local	△	Envío arribado a una estación DHL. ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC 1 Pieza: JD014600011472174679
17:07 Horal local	△	Envío retirado/recolectado. ZHUJIANG DELTA AREA - CHINA, PEOPLES REPUBLIC 1 Pieza: JD014600011472174679



Rastrear ▾

Envío ▾

Servicios de Logística Empresarial ▾

Servicio al Cliente



Lunes

Marzo, 25 2024

12:33 Horal local



Envío entregado

Área de Servicio: PUEBLA - MEXICO

1 Pieza: **JD014600011472174679**

Lunes

Marzo, 25 2024

09:00 Horal local



Envío en ruta con un mensajero para su entrega.

PUEBLA - MEXICO

1 Pieza: **JD014600011472174679**

06:50 Horal local



Envío arribado a una estación DHL. PUEBLA - MEXICO

PUEBLA - MEXICO

1 Pieza: **JD014600011472174679**

no se proporcionó una hora



Envío ha salido de una estación DHL. MEXICO CITY HUB - MEXICO

MEXICO CITY HUB - MEXICO

1 Pieza: **JD014600011472174679**

Domingo

Marzo, 24 2024

22:31 Horal local



Procesado en MEXICO CITY HUB - MEXICO

MEXICO CITY HUB - MEXICO

1 Pieza: **JD014600011472174679**

18:52 Horal local



Envío arribado a una estación DHL. MEXICO CITY HUB - MEXICO

MEXICO CITY HUB - MEXICO

1 Pieza: **JD014600011472174679**


17:36 Horal local




Proceso de Aduana finalizado en ECATEPEC - MEXICO

ECATEPEC - MEXICO

1 Pieza: **JD014600011472174679**



ESP32 Board




7513532A_Y1-240318

100nF - 0603
10k - 0603
10k - 0603

FABLAB
• PUEBLA •

ESP32 Board



28-Y1-240318


LED3-C3008
LED2-C3007
LED4-C3006

ESP32 Board

 **FABLAB**
• PUEBLA •



7513532A_Y1_240318





ESP32_Huber

```
int led=2; //GPIO2 LED
int led1=18; //GPIO18 LED
int led2=17; //GPIO17 LED
int led3=16; //GPIO16 LED
int boton=22; //GPIO22 Boton

bool state=LOW;
int contador=0;

// the setup function runs once when you press reset or power the board
void setup() {
    // initialize digital pin LED_BUILTIN as an output.
    pinMode(led, OUTPUT);
    pinMode(led1, OUTPUT);
    pinMode(led2, OUTPUT);
    pinMode(led3, OUTPUT);
    pinMode(boton, INPUT);
}

// the loop function runs over and over again forever
void loop() {
    delay(200);

    state=!state;
    digitalWrite(led, state);

    if(digitalRead(boton)==LOW){
        contador++;
    }
```


Auto Formato	Ctrl+T
Archivo de programa.	
Reparar codificación & Recargar.	
Administrar Bibliotecas...	Ctrl+Mayús+I
Monitor Serie	Ctrl+Mayús+M
Serial Plotter	Ctrl+Mayús+L
WiFi101 / Wi-FiNINA Firmware Updater	
Placa: "ESP32 Dev Module"	>
Upload Speed: "921600"	>
CPU Frequency: "240MHz (WiFi/BT)"	>
Flash Frequency: "80MHz"	>
Flash Mode: "QIO"	>
Flash Size: "4MB (32Mb)"	>
Partition Scheme: "Default 4MB with spiffs (1.2MB APP/1.5MB SPIFFS)"	>
Core Debug Level: "Ninguno"	>
PSRAM: "Disabled"	>
Arduino Runs On: "Core 1"	>
Events Run On: "Core 1"	>
Erase All Flash Before Sketch Upload: "Disabled"	>
JTAG Adapter: "Disabled"	>
Puerto	>
Obtén información de la placa	
Programador: "Esptool"	>
Quemar Bootloader	

