

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Safety data sheet according to Regulation (EC) 2020/878

Revision date 17/07/2023

Revision Number 3.12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name RS Pro Butane 200ml Gas Torch Refill
Product Code(s) 790-3580, ZP
Safety data sheet number 00659
Unique Formula Identifier (UFI) S2X7-F0U2-Y009-75D3
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Gas refill
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

RS Components Ltd
Birchington Road
Corby
Northants
NN17 9RS
+44 (0) 845 850 9900
RCustomerServicesUK@rs-components.com

RS Components Ltd
Glenview Industrial Estate
Herberton Road
Rialto
Dublin 12
+353 (0) 1 415 3100
enquiries.ie@rs-components.com

For further information, please contact

E-mail address RCustomerServicesUK@rs-components.com

1.4. Emergency telephone number

Emergency Telephone POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1 809 2166 (08:00 - 22:00)

Emergency Telephone -

+44 1235 239670 (24hr)
+44 (0) 1865 407333 (24hr)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosols

Category 1 - (H222, H229)

2.2. Label elements



Signal word

Danger

Hazard statements

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	30-60	No data available	203-448-7	Flam. Gas 1A (H220) Press. Gas (Liq.) (H280)	-	-	-
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	10-30	No data available	200-857-2	Flam. Gas 1A (H220) Press. Gas (Liq.) (H280)	-	-	-
propane 74-98-6	10-30	No data available	200-827-9	Flam. Gas 1A (H220) Press. Gas (Liq.) (H280)	-	-	-

Full text of H- and EUH-phrases: see section 16Acute Toxicity Estimate

No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	No data available	No data available	No data available	No data available	276808.3276
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	No data available	No data available	No data available	No data available	200000
propane 74-98-6	No data available	No data available	No data available	No data available	200000

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.

Other information Ventilate the area.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment	Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid contact with skin and eyes. Avoid breathing vapours or mists.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.
---------------------------	---

7.3. Specific end use(s)

Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
--------------------------------------	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
------------------------	---

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	-	TWA: 800 ppm TWA: 1900 mg/m ³ STEL 1600 ppm STEL 3800 mg/m ³	TWA: 1000 ppm STEL: 980 ppm STEL: 2370 mg/m ³	TWA: 1900 mg/m ³	TWA: 600 ppm TWA: 1450 mg/m ³ TWA: 10 ppm TWA: 22 mg/m ³

					STEL: 750 ppm STEL: 1810 mg/m ³
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	-	TWA: 800 ppm TWA: 1900 mg/m ³ STEL 1600 ppm STEL 3800 mg/m ³	TWA: 1000 ppm STEL: 980 ppm STEL: 2370 mg/m ³	TWA: 1800.0 mg/m ³	-
propane 74-98-6	-	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL 2000 ppm STEL 3600 mg/m ³	TWA: 1000 ppm	TWA: 1800.0 mg/m ³	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	-	-	TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³	TWA: 800 ppm TWA: 1500 mg/m ³ STEL: 500 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	-	-	-	TWA: 800 ppm TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³
propane 74-98-6	-	-	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 2000 ppm STEL: 3600 mg/m ³	TWA: 1000 ppm TWA: 1800 mg/m ³	TWA: 800 ppm TWA: 1500 mg/m ³ STEL: 1100 ppm STEL: 2000 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	TWA: 800 ppm TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ Peak: 4000 ppm Peak: 9600 mg/m ³	TWA: 1000 ppm TWA: 2350 mg/m ³	TWA: 2350 mg/m ³ STEL: 9400 mg/m ³
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	-	TWA: 1000 ppm TWA: 2400 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ Peak: 4000 ppm Peak: 9600 mg/m ³	-	-
propane 74-98-6	-	TWA: 1000 ppm TWA: 1800 mg/m ³	TWA: 1000 ppm TWA: 1800 mg/m ³ Peak: 4000 ppm Peak: 7200 mg/m ³	TWA: 1000 ppm TWA: 1800 mg/m ³	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	TWA: 1000 ppm STEL: 3000 ppm	-	STEL: 1000 ppm STEL: 2377 mg/m ³	TWA: 300 mg/m ³ STEL: 300 mg/m ³	-
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	STEL: 3000 ppm	-	STEL: 1000 ppm STEL: 2377 mg/m ³	TWA: 100 mg/m ³ STEL: 300 mg/m ³	-
propane 74-98-6	STEL: 3000 ppm Simple asphyxiant	-	: Simple asphyxiant	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 300 mg/m ³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	-	-	-	TWA: 250 ppm TWA: 600 mg/m ³ STEL: 312.5 ppm STEL: 750 mg/m ³	STEL: 3000 mg/m ³ TWA: 1900 mg/m ³
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	-	-	-	TWA: 40 ppm TWA: 275 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³	-
propane 74-98-6	-	-	-	TWA: 500 ppm TWA: 900 mg/m ³	TWA: 1800 mg/m ³

				STEL: 625 ppm STEL: 1125 mg/m ³	
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	TWA: 1000 ppm STEL: 1000 ppm	TWA: 700 mg/m ³ STEL: 1000 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ STEL: 5000 ppm STEL: 12000 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ STEL: 4000 ppm STEL: 9600 mg/m ³	TWA: 1000 ppm
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	TWA: 1000 ppm STEL: 1000 ppm	TWA: 700 mg/m ³ STEL: 1000 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ STEL: 5000 ppm STEL: 12000 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m ³ STEL: 4000 ppm STEL: 9600 mg/m ³	TWA: 1000 ppm
propane 74-98-6	TWA: 1000 ppm	TWA: 778 ppm TWA: 1400 mg/m ³ STEL: 1000 ppm STEL: 1800 mg/m ³	-	TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 4000 ppm STEL: 7200 mg/m ³	TWA: 1000 ppm
Chemical name	Sweden		Switzerland		United Kingdom
butane (containing < 0.1 % butadiene (203-450-8)) 106-97-8	NGV: 350 mg/m ³		TWA: 800 ppm TWA: 1900 mg/m ³ STEL: 3200 ppm STEL: 7600 mg/m ³		TWA: 600 ppm TWA: 1450 mg/m ³ STEL: 750 ppm STEL: 1810 mg/m ³
isobutane (containing < 0.1 % butadiene (203-450-8)) 75-28-5	NGV: 350 mg/m ³		TWA: 800 ppm TWA: 1900 mg/m ³ STEL: 3200 ppm STEL: 7600 mg/m ³		-
propane 74-98-6	NGV: 350 mg/m ³		TWA: 1000 ppm TWA: 1800 mg/m ³ STEL: 4000 ppm STEL: 7200 mg/m ³		-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls**Engineering controls**

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment**Eye/face protection**

Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

Hand protection

Impervious gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Aerosol
Appearance	Aerosol
Colour	Colourless
Odour	Characteristic.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	-40 °C	Closed cup
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
No information available

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	235,249.40 ppm
ATEmix (inhalation-vapour)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
butane (containing < 0.1 % butadiene (203-450-8))	-	-	= 658 g/m ³ (Rat) 4 h
isobutane (containing < 0.1 % butadiene (203-450-8))	-	-	> 800000 ppm (Rat) 15 min
propane	-	-	> 800000 ppm (Rat) 15 min

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
butane (containing < 0.1 % butadiene (203-450-8))	Muta. 1B
isobutane (containing < 0.1 % butadiene (203-450-8))	Muta. 1B
propane	Muta. 1B

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
butane (containing < 0.1 % butadiene (203-450-8))	Carc. 1A
isobutane (containing < 0.1 % butadiene (203-450-8))	Carc. 1A
propane	Carc. 1A

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards**11.2.1. Endocrine disrupting properties**

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
butane (containing < 0.1 % butadiene (203-450-8))	2.31
isobutane (containing < 0.1 % butadiene (203-450-8))	2.8
propane	1.09

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
butane (containing < 0.1 % butadiene (203-450-8))	The substance is not PBT / vPvB PBT assessment does not apply
isobutane (containing < 0.1 % butadiene (203-450-8))	The substance is not PBT / vPvB PBT assessment does not apply
propane	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
EmS-No	F-D, S-U
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
Tunnel restriction code	(D)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (WGK) non-hazardous to water (nwg)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
butane (containing < 0.1 % butadiene (203-450-8)) - 106-97-8	Use restricted. See item 28. Use restricted. See item 29. Use restricted. See item 75.	-
isobutane (containing < 0.1 % butadiene (203-450-8)) - 75-28-5	Use restricted. See item 28. Use restricted. See item 29. Use restricted. See item 75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AIIC	- Australian Inventory of Industrial Chemicals
NZIoC	- New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of H-Statements referred to under section 3

H220 - Extremely flammable gas
H280 - Contains gas under pressure; may explode if heated

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation
+ Sensitisers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 17/07/2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet