人员模块 数据字典（person）

说明：本文件由系统导出，部分字段业务含义尚未补充，请以数据库为准。

Address (person.address)

表说明：Street address information for customers, employees, and vendors.

字段 Field	类型 Type	可空	说明 Remarks
addressid	integer	否	Primary key for Address records.（主键）
addressline1	character varying(60)	否	
addressline2	character varying(60)	是	Second street address line.
city	character varying(30)	否	Name of the city.
stateprovinceid	integer	否	
postalcode	character varying(15)	否	Postal code for the street address.
spatiallocation	bytea	是	
rowguid	uuid	否	
modifieddate	timestamp without time zone	否	

人员-addresstype (person.addresstype)

表说明：Types of addresses stored in the Address table.

Column	Type	Nullable	Description
addresstypeid	integer	否	Primary key for AddressType records.（主键）
name	character varying(50)	否	Address type description. For example, Billing, Home, or Shipping.
rowguid	uuid	否	
modifieddate	timestamp without time zone	否	

人员-businessentity (person.businessentity)

表说明：Source of the ID that connects vendors, customers, and employees with address and contact information.

字段名	数据类型	可空	字段说明
businessentityid	integer	否	Primary key for all customers, vendors, and employees.（主键）
rowguid	uuid	否	
modifieddate	timestamp without time zone	否	

人员-businessentityaddress (person.businessentityaddress)

表说明：Cross-reference table mapping customers, vendors, and employees to their addresses.

字段 Field	类型 Type	可空	说明 Remarks
BUSINESSENTITYID	integer	否	Primary key. Foreign key to BusinessEntity.BusinessEntityID.（主键；外键→businessentity.businessentityid）
ADDRESSID	integer	否	Primary key. Foreign key to Address.AddressID.（主键；外键→address.addressid）
ADDRESSTYPEID	integer	否	
ROWGUID	uuid	否	

字段 Field	类型 Type	可空	说明 Remarks
MODIFIEDDATE	timestamp without time zone	否	

人员-businessentitycontact (person.businessentitycontact)

表说明：Cross-reference table mapping stores, vendors, and employees to people

Column	Type	Nullable	Description
Businessentityid	integer	否	Primary key. Foreign key to BusinessEntity.BusinessEntityID.（主键；外键→businessentity.businessentityid）
Personid	integer	否	
Contacttypeid	integer	否	
Rowguid	uuid	否	
Modifieddate	timestamp without time zone	否	

人员-contacttype (person.contacttype)

表说明：Lookup table containing the types of business entity contacts.

字段 Field	类型 Type	可空	说明 Remarks
contacttypeid	integer	否	Primary key for ContactType records.（主键）
name	character varying(50)	否	Contact type description.
modifieddate	timestamp without time zone	否	待补充

COUNTRYREGION (person.countryregion)

表说明：Lookup table containing the ISO standard codes for countries and regions.

字段 Field	类型 Type	可空	说明 Remarks
Countryregioncode	character varying(3)	否	ISO standard code for countries and regions.（主键）
Name	character varying(50)	否	
Modifieddate	timestamp without time zone	否	

EMAILADDRESS (person.emailaddress)

表说明：Where to send a person email.

Column	Type	Nullable	Description
Businessentityid	integer	否	
Emailaddressid	integer	否	
Emailaddress	character varying(50)	是	E-mail address for the person.
Rowguid	uuid	否	待补充
Modifieddate	timestamp without time zone	否	

Password (person.password)

表说明：One way hashed authentication information

Column	Type	Nullable	Description
Businessentityid	integer	否	业务字段（主键；外键→person.businessentityid）

Column	Type	Nullable	Description
Passwordhash	character varying(128)	否	Password for the e-mail account.
Passwordsalt	character varying(10)	否	Random value concatenated with the password string before the password is hashed.
Rowguid	uuid	否	待补充
Modifieddate	timestamp without time zone	否	

Person (person.person)

表说明：Human beings involved with AdventureWorks: employees, customer contacts, and vendor contacts.

字段名	数据类型	可空	字段说明
BUSINESSENTITYID	integer	否	
PERSONTYPE	character(2)	否	
NAMESTYLE	boolean	否	
TITLE	character varying(8)	是	A courtesy title. For example, Mr. or Ms.
FIRSTNAME	character varying(50)	否	
MIDDLENAME	character varying(50)	是	
LASTNAME	character varying(50)	否	Last name of the person.
SUFFIX	character varying(10)	是	Surname suffix. For example, Sr. or Jr.
EMAILPROMOTION	integer	否	0 = Contact does not wish to receive e-mail promotions, 1 = Contact does wish to receive e-mail promotions from AdventureWorks, 2 = Contact does wish to receive e-mail promotions from AdventureWorks and selected partners.
ADDITIONALCONTACTINFO	xml	是	
DEMOGRAPHICS	xml	是	Personal information such as hobbies, and income collected from online shoppers. Used for sales analysis.
ROWGUID	uuid	否	
MODIFIEDDATE	timestamp without time zone	否	

Personphone (person.personphone)

表说明：Telephone number and type of a person.

字段名	数据类型	可空	字段说明
Businessentityid	integer	否	Business entity identification number. Foreign key to Person.BusinessEntityID.（主键；外键→person.businessentityid）
Phonenumber	character varying(25)	否	Telephone number identification number.（主键）
Phonenumbertypeid	integer	否	
Modifieddate	timestamp without time zone	否	

PHONENUMBERTYPE (person.phonenumbertype)

表说明：Type of phone number of a person.

Column	Type	Nullable	Description
phonenumbertypeid	integer	否	
name	character varying(50)	否	Name of the telephone number type
modifieddate	timestamp without time zone	否	

STATEPROVINCE (person.stateprovince)

表说明：State and province lookup table.

字段 Field	类型 Type	可空	说明 Remarks
STATEPROVINCEID	integer	否	Primary key for StateProvince records.（主键）
STATEPROVINCECODE	character(3)	否	
COUNTRYREGIONCODE	character varying(3)	否	
ISONLYSTATEPROVINCEFLAG	boolean	否	
NAME	character varying(50)	否	
TERRITORYID	integer	否	ID of the territory in which the state or province is located. Foreign key to SalesTerritory.SalesTerritoryID.（外键→salesterritory.territoryid）
ROWGUID	uuid	否	
MODIFIEDDATE	timestamp without time zone	否	待补充