生产制造模块 数据字典（production）

说明：本文件由系统导出，部分字段业务含义尚未补充，请以数据库为准。

生产制造-billofmaterials (production.billofmaterials)

表说明：Items required to make bicycles and bicycle subassemblies. It identifies the heirarchical relationship between a parent product and its components.

字段 Field	类型 Type	可空	说明 Remarks
billofmaterialsid	integer	否	Primary key for BillOfMaterials records.（主键）
productassemblyid	integer	是	Parent product identification number. Foreign key to Product.ProductID.（外键→product.productid）
componentid	integer	否	
startdate	timestamp without time zone	否	Date the component started being used in the assembly item.
enddate	timestamp without time zone	是	Date the component stopped being used in the assembly item.
unitmeasurecode	character(3)	否	Standard code identifying the unit of measure for the quantity.（外键→unitmeasure.unitmeasurecode）
bomlevel	smallint	否	Indicates the depth the component is from its parent (AssemblyID).
perassemblyqty	numeric(8,2)	否	Quantity of the component needed to create the assembly.
modifieddate	timestamp without time zone	否	

生产制造-culture (production.culture)

表说明：Lookup table containing the languages in which some AdventureWorks data is stored.

字段名	数据类型	可空	字段说明
Cultureid	character(6)	否	Primary key for Culture records.（主键）
Name	character varying(50)	否	
Modifieddate	timestamp without time zone	否	

DOCUMENT (production.document)

表说明：Product maintenance documents.

字段名	数据类型	可空	字段说明
TITLE	character varying(50)	否	Title of the document.
OWNER	integer	否	Employee who controls the document. Foreign key to Employee.BusinessEntityID（外键→employee.businessentityid）
FOLDERFLAG	boolean	否	0 = This is a folder, 1 = This is a document.
FILENAME	character varying(400)	否	File name of the document
FILEEXTENSION	character varying(8)	是	File extension indicating the document type. For example, .doc or .txt.
REVISION	character(5)	否	
CHANGENUMBER	integer	否	Engineering change approval number.
STATUS	smallint	否	1 = Pending approval, 2 = Approved, 3 = Obsolete
DOCUMENTSUMMARY	text	是	

字段名	数据类型	可空	字段说明
DOCUMENT	bytea	是	Complete document.
ROWGUID	uuid	否	ROWGUIDCOL number uniquely identifying the record. Required for FileStream.
MODIFIEDDATE	timestamp without time zone	否	待补充
DOCUMENTNODE	character varying	否	Primary key for Document records.（主键）

ILLUSTRATION (production.illustration)

表说明：Bicycle assembly diagrams.

字段名	数据类型	可空	字段说明
illustrationid	integer	否	Primary key for Illustration records.（主键）
diagram	xml	是	Illustrations used in manufacturing instructions. Stored as XML.
modifieddate	timestamp without time zone	否	

生产制造-location (production.location)

表说明：Product inventory and manufacturing locations.

Column	Type	Nullable	Description
locationid	integer	否	Primary key for Location records.（主键）
name	character varying(50)	否	
costrate	numeric	否	Standard hourly cost of the manufacturing location.
availability	numeric(8,2)	否	Work capacity (in hours) of the manufacturing location.
modifieddate	timestamp without time zone	否	

Product (production.product)

表说明：Products sold or used in the manfacturing of sold products.

字段名	数据类型	可空	字段说明
Productid	integer	否	Primary key for Product records.（主键）
Name	character varying(50)	否	Name of the product.
Productnumber	character varying(25)	否	Unique product identification number.
Makeflag	boolean	否	0 = Product is purchased, 1 = Product is manufactured in-house.
Finishedgoodsflag	boolean	否	
Color	character varying(15)	是	
Safetystocklevel	smallint	否	Minimum inventory quantity.
Reorderpoint	smallint	否	Inventory level that triggers a purchase order or work order.
Standardcost	numeric	否	Standard cost of the product.
Listprice	numeric	否	
Size	character varying(5)	是	
Sizeunitmeasurecode	character(3)	是	Unit of measure for Size column.（外键→unitmeasure.unitmeasurecode）
Weightunitmeasurecode	character(3)	是	
Weight	numeric(8,2)	是	Product weight.

字段名	数据类型	可空	字段说明
Daystomanufacture	integer	否	Number of days required to manufacture the product.
Productline	character(2)	是	R = Road, M = Mountain, T = Touring, S = Standard
Class	character(2)	是	H = High, M = Medium, L = Low
Style	character(2)	是	W = Womens, M = Mens, U = Universal
Productsubcategoryid	integer	是	
Productmodelid	integer	是	Product is a member of this product model. Foreign key to ProductModel.ProductModelID.（外键→productmodel.productmodelid）
Sellstartdate	timestamp without time zone	否	Date the product was available for sale.
Sellenddate	timestamp without time zone	是	Date the product was no longer available for sale.
Discontinueddate	timestamp without time zone	是	Date the product was discontinued.
Rowguid	uuid	否	
Modifieddate	timestamp without time zone	否	

生产制造-productcategory (production.productcategory)

表说明：High-level product categorization.

字段名	数据类型	可空	字段说明
Productcategoryid	integer	否	Primary key for ProductCategory records.（主键）
Name	character varying(50)	否	Category description.
Rowguid	uuid	否	
Modifieddate	timestamp without time zone	否	待补充

Productcosthistory (production.productcosthistory)

表说明：Changes in the cost of a product over time.

字段名	数据类型	可空	字段说明
productid	integer	否	Product identification number. Foreign key to Product.ProductID（主键；外键→product.productid）
startdate	timestamp without time zone	否	Product cost start date.（主键）
enddate	timestamp without time zone	是	
standardcost	numeric	否	Standard cost of the product.
modifieddate	timestamp without time zone	否	

PRODUCTDESCRIPTION (production.productdescription)

表说明：Product descriptions in several languages.

Column	Type	Nullable	Description
PRODUCTDESCRIPTIONID	integer	否	
DESCRIPTION	character varying(400)	否	Description of the product.
ROWGUID	uuid	否	待补充
MODIFIEDDATE	timestamp without time zone	否	

生产制造-productdocument (production.productdocument)

表说明：Cross-reference table mapping products to related product documents.

字段 Field	类型 Type	可空	说明 Remarks
Productid	integer	否	Product identification number. Foreign key to Product.ProductID.（主键；外键→product.productid）
Modifieddate	timestamp without time zone	否	
Documentnode	character varying	否	Document identification number. Foreign key to Document.DocumentNode.（主键；外键→document.documentnode）

Productinventory (production.productinventory)

表说明：Product inventory information.

字段名	数据类型	可空	字段说明
productid	integer	否	
locationid	smallint	否	Inventory location identification number. Foreign key to Location.LocationID.（主键；外键→location.locationid）
shelf	character varying(10)	否	Storage compartment within an inventory location.
bin	smallint	否	Storage container on a shelf in an inventory location.
quantity	smallint	否	Quantity of products in the inventory location.
rowguid	uuid	否	
modifieddate	timestamp without time zone	否	待补充

Productlistpricehistory (production.productlistpricehistory)

表说明：Changes in the list price of a product over time.

Column	Type	Nullable	Description
Productid	integer	否	Product identification number. Foreign key to Product.ProductID（主键；外键→product.productid）
Startdate	timestamp without time zone	否	List price start date.（主键）
Enddate	timestamp without time zone	是	List price end date
Listprice	numeric	否	Product list price.
Modifieddate	timestamp without time zone	否	

PRODUCTMODEL (production.productmodel)

表说明：Product model classification.

字段 Field	类型 Type	可空	说明 Remarks
PRODUCTMODELID	integer	否	Primary key for ProductModel records.（主键）
NAME	character varying(50)	否	Product model description.
CATALOGDESCRIPTION	xml	是	Detailed product catalog information in xml format.
INSTRUCTIONS	xml	是	Manufacturing instructions in xml format.
ROWGUID	uuid	否	
MODIFIEDDATE	timestamp without time zone	否	

Productmodelillustration (production.productmodelillustration)

表说明：Cross-reference table mapping product models and illustrations.

字段 Field	类型 Type	可空	说明 Remarks
PRODUCTMODELID	integer	否	Primary key. Foreign key to ProductModel.ProductModelID.（主键；外键→productmodel.productmodelid）
ILLUSTRATIONID	integer	否	Primary key. Foreign key to Illustration.IllustrationID.（主键；外键→illustration.illustrationid）
MODIFIEDDATE	timestamp without time zone	否	

生产制造-productmodelproductdescriptionculture (production.productmodelproductdescriptionculture)

表说明：Cross-reference table mapping product descriptions and the language the description is written in.

Column	Type	Nullable	Description
PRODUCTMODELID	integer	否	Primary key. Foreign key to ProductModel.ProductModelID.（主键；外键→productmodel.productmodelid）
PRODUCTDESCRIPTIONID	integer	否	
CULTUREID	character(6)	否	Culture identification number. Foreign key to Culture.CultureID.（主键；外键→culture.cultureid）
MODIFIEDDATE	timestamp without time zone	否	

生产制造-productphoto (production.productphoto)

表说明：Product images.

字段名	数据类型	可空	字段说明
PRODUCTPHOTOID	integer	否	Primary key for ProductPhoto records.（主键）
THUMBNAILPHOTO	bytea	是	Small image of the product.
THUMBNAILPHOTOFILENAME	character varying(50)	是	Small image file name.
LARGEPHOTO	bytea	是	Large image of the product.
LARGEPHOTOFILENAME	character varying(50)	是	Large image file name.
MODIFIEDDATE	timestamp without time zone	否	

PRODUCTPRODUCTPHOTO (production.productproductphoto)

表说明：Cross-reference table mapping products and product photos.

Column	Type	Nullable	Description
PRODUCTID	integer	否	Product identification number. Foreign key to Product.ProductID.（主键；外键→product.productid）
PRODUCTPHOTOID	integer	否	Product photo identification number. Foreign key to ProductPhoto.ProductPhotoID.（主键；外键→productphoto.productphotoid）
PRIMARY	boolean	否	0 = Photo is not the principal image. 1 = Photo is the principal image.
MODIFIEDDATE	timestamp without time zone	否	待补充

PRODUCTREVIEW (production.productreview)

表说明：Customer reviews of products they have purchased.

字段 Field	类型 Type	可空	说明 Remarks
PRODUCTREVIEWID	integer	否	Primary key for ProductReview records.（主键）
PRODUCTID	integer	否	Product identification number. Foreign key to Product.ProductID.（外键→product.productid）
REVIEWERNAME	character varying(50)	否	Name of the reviewer.
REVIEWDATE	timestamp without time zone	否	
EMAILADDRESS	character varying(50)	否	Reviewer's e-mail address.
RATING	integer	否	Product rating given by the reviewer. Scale is 1 to 5 with 5 as the highest rating.
COMMENTS	character varying(3850)	是	Reviewer's comments
MODIFIEDDATE	timestamp without time zone	否	

生产制造-productsubcategory (production.productsubcategory)

表说明：Product subcategories. See ProductCategory table.

字段 Field	类型 Type	可空	说明 Remarks
Productsubcategoryid	integer	否	Primary key for ProductSubcategory records.（主键）
Productcategoryid	integer	否	Product category identification number. Foreign key to ProductCategory.ProductCategoryID.（外键→productcategory.productcategoryid）
Name	character varying(50)	否	Subcategory description.
Rowguid	uuid	否	待补充
Modifieddate	timestamp without time zone	否	

生产制造-scrapreason (production.scrapreason)

表说明：Manufacturing failure reasons lookup table.

字段名	数据类型	可空	字段说明
Scrapreasonid	integer	否	Primary key for ScrapReason records.（主键）
Name	character varying(50)	否	Failure description.
Modifieddate	timestamp without time zone	否	待补充

TRANSACTIONHISTORY (production.transactionhistory)

表说明：Record of each purchase order, sales order, or work order transaction year to date.

字段 Field	类型 Type	可空	说明 Remarks
transactionid	integer	否	Primary key for TransactionHistory records.（主键）
productid	integer	否	
referenceorderid	integer	否	
referenceorderlineid	integer	否	Line number associated with the purchase order, sales order, or work order.
transactiondate	timestamp without time zone	否	Date and time of the transaction.
transactiontype	character(1)	否	W = WorkOrder, S = SalesOrder, P = PurchaseOrder
quantity	integer	否	Product quantity.

字段 Field	类型 Type	可空	说明 Remarks
actualcost	numeric	否	Product cost.
modifieddate	timestamp without time zone	否	待补充

TRANSACTIONHISTORYARCHIVE (production.transactionhistoryarchive)

表说明：Transactions for previous years.

Column	Type	Nullable	Description
Transactionid	integer	否	Primary key for TransactionHistoryArchive records.（主键）
Productid	integer	否	Product identification number. Foreign key to Product.ProductID.
Referenceorderid	integer	否	
Referenceorderlineid	integer	否	Line number associated with the purchase order, sales order, or work order.
Transactiondate	timestamp without time zone	否	Date and time of the transaction.
Transactiontype	character(1)	否	
Quantity	integer	否	Product quantity.
Actualcost	numeric	否	Product cost.
Modifieddate	timestamp without time zone	否	

UNITMEASURE (production.unitmeasure)

表说明：Unit of measure lookup table.

Column	Type	Nullable	Description
unitmeasurecode	character(3)	否	Primary key.（主键）
name	character varying(50)	否	Unit of measure description.
modifieddate	timestamp without time zone	否	

生产制造-workorder (production.workorder)

表说明：Manufacturing work orders.

字段名	数据类型	可空	字段说明
Workorderid	integer	否	
Productid	integer	否	Product identification number. Foreign key to Product.ProductID.（外键→product.productid）
Orderqty	integer	否	
Scrappedqty	smallint	否	Quantity that failed inspection.
Startdate	timestamp without time zone	否	Work order start date.
Enddate	timestamp without time zone	是	
Duedate	timestamp without time zone	否	Work order due date.
Scrapreasonid	smallint	是	Reason for inspection failure.（外键→scrapreason.scrapreasonid）
Modifieddate	timestamp without time zone	否	

WORKORDERROUTING (production.workorderrouting)

表说明：Work order details.

Column	Type	Nullable	Description
Workorderid	integer	否	Primary key. Foreign key to WorkOrder.WorkOrderID.（主键；外键→workorder.workorderid）
Productid	integer	否	Primary key. Foreign key to Product.ProductID.（主键）
Operationsequence	smallint	否	Primary key. Indicates the manufacturing process sequence.（主键）
Locationid	smallint	否	
Scheduledstartdate	timestamp without time zone	否	
Scheduledenddate	timestamp without time zone	否	Planned manufacturing end date.
Actualstartdate	timestamp without time zone	是	Actual start date.
Actualenddate	timestamp without time zone	是	Actual end date.
Actualresourcehrs	numeric(9,4)	是	Number of manufacturing hours used.
Plannedcost	numeric	否	
Actualcost	numeric	是	
Modifieddate	timestamp without time zone	否	