

PfotenFreunde.Api

Overview

Paths

GET /Chatroom/{id} Get information of the specified chatroom

Parameters

Type	Name	Description	Schema
path	id <i>required</i>	Id of the chatroom	string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links
403	Insufficient permissions	No Links

POST /Chatroom Creates a new Chatroom

Responses

Code	Description	Links
200	Success	No Links

PATCH /Chatroom Updates information of a chatroom

Responses

Code	Description	Links
200	Success	No Links

Code	Description	Links
403	Insufficient permissions	No Links

POST /Chatroom/{id}/messages Adds a new message to the chatroom

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
403	Insufficient permissions	No Links

GET /Chronicle/{id} Gets information of the chronicle

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

POST /Chronicle/{id}/post Adds a new post to the chronicle

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
403	Insufficient permissions	No Links

GET /Friendship/{userId} Retrieves friend list of user

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

POST /Friendship/{userId} Sends a friend request to the specified user

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links

Code	Description	Links
400	User is already befriended	No Links

***DELETE* /Friendship/{userId} Removes a friendship**

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
400	User is not befriended	No Links

***GET* /Institution Gets information about the institution**

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

***POST* /Institution Creates a new institution**

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

PATCH /Institution/{id} Updates information of an institution

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
403	Insufficient permissions	No Links

POST /Login Creates a new login

Responses

Code	Description	Links
200	Success	No Links

DELETE /Login Removes a login and its associated data (User, Pets, ...)

Responses

Code	Description	Links
200	Success	No Links

GET /Me Returns information about the current session user

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

***GET* /Person/{id}** Gets information about the specified person

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

***PATCH* /Person/{id}** Updates information of the specified person

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
403	Insufficient permissions	No Links

POST /Person Adds a new person

Responses

Code	Description	Links
200	Success	No Links

GET /Person/{id}/Pets Gets the list of pets of the specified person

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /Pet/{id} Gets information about the specified pet

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

DELETE /Pet/{id} Deletes the specified pet

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
403	Insufficient permissions	No Links
404	Pet does not exist	No Links

PATCH /Pet/{id} Updates information about the specified pet

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links

POST /Pet Adds a new pet

Responses

Code	Description	Links
200	Success	No Links

GET /Reports Gets all open reports

Responses

Code	Description	Links
200	Success	No Links

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links
403	Insufficient permissions	No Links

DELETE /Reports/{id} Deletes a report

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links

GET /Search/user Searches for a user

Parameters

Type	Name	Description	Schema
query	query <i>optional</i>		string

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /Search/pet Searches for a pet

Parameters

Type	Name	Description	Schema
query	query <i>optional</i>		string

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

POST /Session Creates a new session

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

DELETE /Session/{id} Deletes the specified session

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success	No Links
404	Session does not exist	No Links

GET /User Gets all users

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /User/{id} Gets the specified user

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

DELETE /User/{id} Deletes the specified user

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links
403	Insufficient permissions	No Links
404	User does not exist	No Links

***POST* /User/{id}/pause** Pauses the subscription of the specified user

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links
403	Insufficient permissions	No Links
404	User does not exist	No Links

***POST* /User/{id}/report** Reports the specified user

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links
404	User does not exist	No Links

***POST* /User/{id}/lock** Locks the user for the specified time in milliseconds

Parameters

Type	Name	Description	Schema
query	time <i>optional</i>		integer (int64)
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links
403	Insufficient permissions	No Links
404	User does not exist	No Links

Components

Schemas

RatingType

Rating

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
sendAt <i>optional</i>		string (date-time)
ratingType <i>optional</i>		RatingType

Picture

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
name <i>optional</i>	<i>nullable</i>	string
path <i>optional</i>	<i>nullable</i>	string
uploadAt <i>optional</i>		string (date-time)

User

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
name <i>optional</i>	<i>nullable</i>	string
phone <i>optional</i>	<i>nullable</i>	string
mail <i>optional</i>	<i>nullable</i>	string
ratings <i>optional</i>	<i>nullable</i>	< Rating > array
pictures <i>optional</i>	<i>nullable</i>	< Picture > array

Message

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
sendAt <i>optional</i>		string (date-time)
seenAt <i>optional</i>		string (date-time)
text <i>optional</i>	<i>nullable</i>	string
sender <i>optional</i>		User

Chatroom

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
startedAt <i>optional</i>		string (date-time)
users <i>optional</i>	<i>nullable</i>	< User > array
messages <i>optional</i>	<i>nullable</i>	< Message > array

Post

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
postedAt <i>optional</i>		string (date-time)
message <i>optional</i>	<i>nullable</i>	string

Name	Description	Schema
user <i>optional</i>		User
picture <i>optional</i>		Picture

Chronicle

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
updatedAt <i>optional</i>		string (date-time)
type <i>optional</i>	<i>nullable</i>	< Post > array

FriendList

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
users <i>optional</i>	<i>nullable</i>	< User > array

Institution

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
name <i>optional</i>	<i>nullable</i>	string
phone <i>optional</i>	<i>nullable</i>	string
mail <i>optional</i>	<i>nullable</i>	string
ratings <i>optional</i>	<i>nullable</i>	< Rating > array

Name	Description	Schema
pictures <i>optional</i>	<i>nullable</i>	< Picture > array
homepage <i>optional</i>	<i>nullable</i>	string

LoginType

Login

Properties

Name	Description	Schema
username <i>optional</i>	<i>nullable</i>	string
password <i>optional</i>	<i>nullable</i>	string
type <i>optional</i>		LoginType

Me

Properties

Name	Description	Schema
userId <i>optional</i>		string (uuid)
type <i>optional</i>		LoginType
subscribedUntil <i>optional</i>		string (date-time)

Person

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
name <i>optional</i>	<i>nullable</i>	string

Name	Description	Schema
phone <i>optional</i>	<i>nullable</i>	string
mail <i>optional</i>	<i>nullable</i>	string
ratings <i>optional</i>	<i>nullable</i>	< Rating > array
pictures <i>optional</i>	<i>nullable</i>	< Picture > array
surname <i>optional</i>	<i>nullable</i>	string
age <i>optional</i>		integer (int32)
sex <i>optional</i>	<i>nullable</i>	string

PetSpecies

Pet

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
species <i>optional</i>		PetSpecies
attributes <i>optional</i>	<i>nullable</i>	object
preference <i>optional</i>	<i>nullable</i>	object
pictures <i>optional</i>	<i>nullable</i>	< Picture > array
owner <i>optional</i>		Person

ReportType

ReportStatus

Report

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
sendAt <i>optional</i>		string (date-time)
updatedAt <i>optional</i>		string (date-time)
comment <i>optional</i>	<i>nullable</i>	string
type <i>optional</i>		ReportType
status <i>optional</i>		ReportStatus
users <i>optional</i>	<i>nullable</i>	< User > array

Session

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
user <i>optional</i>		User
validUntil <i>optional</i>		string (date-time)