

OPERATION

PHANTOM STORE

OSINT & CTI INVESTIGATION OF A
RECRUITMENT-ENABLED ONLINE MERCHANT FRAUD CLUSTER


Public OSINT case study | Technical infrastructure analysis | No attribution claimed

TLP:CLEAR

PORTFOLIO

Prepared by: Hugh Chanetsa
Role: OSINT Analyst / CTI Researcher

Prepared: September 2026



Three judgments; three confidence levels

Recruitment-enabled fraud

MED

Job seekers were attracted with high-pay remote-work offers and routed toward merchant/task portals.

High-confidence cluster

HIGH

UnitelMatch portals shared one backend, API route family, custom header, DOM, assets, and visual content.

Rotation-resilient operations

MED

Public domains changed quickly, but the backend and application fingerprints persisted.

Intelligence Judgment

1. The campaign used recruitment-themed websites to direct job seekers toward online merchant/task workflows.
2. UnitelMatch[.]top, UnitelMatch[.]cc, and UnitelMatch[.]cyou are assessed with high confidence to be operationally linked through shared API, header, asset, and DOM evidence.
3. The exact payment-loss mechanism, wallet ownership, actor identity, and geographic origin remain unresolved.

Analytic Boundary

Payment-loss mechanics and possible cryptocurrency use are assessed from portal behaviour and an observed OKX Wallet reference; no victim transaction or wallet address was preserved.



HIGH = multiple independent technical artifacts



MEDIUM = supported assessment with remaining gaps



UNRESOLVED = insufficient evidence

What is known, what is assessed, and what remains unresolved

6 tracked domains

Recruitment, portal, and backend infrastructure observed across the investigation period.

3 UnitelMatch portals

UnitelMatch operational portals queried a common /tiny-shop/v1/ API namespace.

1 shared backend

All UnitelMatch portals queried the same /tiny-shop/v1/ API namespace.

0 malware indicators

No malware delivery or execution was observed during the investigation.

Directly Observed Campaign Components

- Recruitment-facing site: `occupationoasis[.]com`.
- Operational portal: `linkroles[.]my`.
- UnitelMatch portals: `[.]top`, `[.]cc`, `[.]cyou`.
- Shared backend: `ioutrankap[.]cyou`.
- Reused application/API artifacts.

Not Established

- Actor identity.
- Country of origin.
- Origin server behind CDN/proxy infrastructure.
- Confirmed victim payment or loss.
- Ownership of any cryptocurrency wallet.

Bottom Line

The technical cluster is stronger than the attribution or victim-impact evidence.

Recruitment Lure to Merchant Fraud

04

Observed workflow with confidence boundaries

1 Recruitment lure

Remote jobs, flexible work, online support, and data-entry claims.

2 Recruiter contact

Applicant receives guidance, registration instructions, or “training.”

3 Portal transition

Target is directed to LinkRoles or UnitelMatch-branded portals.



Assessment note

No transaction was performed

No victim loss record was preserved

4 Merchant workflow

TikTok Shop–styled pages display vendor, product, order, or profit information.


5 Payment pressure

The workflow requires upfront inventory or order funding. OKX Wallet reference suggests possible crypto use.

6 Withdrawal friction

A confirmed victim loss or withdrawal failure was not collected.

Workflow Evidence
EV-014-01




DIRECTLY OBSERVED

ASSESSED

UNRESOLVED

Campaign Evolution: June–July 2026


Registration chronology and observed portal changes




Campaign Infrastructure Architecture

06

Observed relationships and confidence boundaries



Repeated UnitelMatch application artifacts




Infrastructure caution


Cloudflare and CloudFront addresses are CDN/proxy observations. They are not presented as confirmed origin infrastructure.

High-Confidence Domain Cluster

Five independent artifact types support the UnitelMatch linkage



From public evidence to an evidence-backed infrastructure assessment



Collection Approach


Passive OSINT and direct browser interaction only. No exploitation, authentication bypass, or unauthorized access performed.

Recruitment Infrastructure Evidence


09

Supporting evidence for occupationoasis[.]com


occupationoasis[.]com




Google Safe Browsing warning




VirusTotal reports




DNSDumpster




URLScan




WHOIS lookup



Developer Tools Network tab



Certificate Transparency



Finding


OccupationOasis is assessed as the recruitment-facing layer; technical linkage to the UnitelMatch backend was not independently established on this slide.

LinkRoles Infrastructure Evidence


10

Supporting evidence for linkroles[.]my


linkroles[.]my




Google Safe Browsing warning




VirusTotal reports




DNSDumpster



URLScan




WHOIS lookup



Developer Tools Network tab

Not collected.
Analytic impact: Shared
API linkage to LinkRoles
remains unconfirmed.

Certificate Transparency



Finding


LinkRoles is associated with the campaign chronology and operational-portal role, but the strongest technical linkage applies to the UnitelMatch portals.

UnitelMatch[.]top Evidence


11

Supporting evidence for unitelmatch[.]top


unitelmatch[.]top




Google Safe Browsing warning




VirusTotal reports




DNSDumpster




URLScan




WHOIS lookup



Developer Tools Network tab



Certificate Transparency



Finding


UnitelMatch[.]top is part of the high-confidence UnitelMatch technical cluster and was later observed offline.

UnitelMatch[.]cc Evidence


12

Supporting evidence for unitelmatch[.]cc


unitelmatch[.]cc




Google Safe Browsing warning




VirusTotal reports




DNSDumpster



URLScan




WHOIS lookup



Developer Tools Network tab

No developer-tools capture available for this domain.

Certificate Transparency



Finding


UnitelMatch[.]cc is a confirmed portal in the UnitelMatch cluster; the Cloudflare address is not an origin-IP indicator.

UnitelMatch[.]cyou Evidence


13

Supporting evidence for unitelmatch[.]cyou


unitelmatch[.]cyou




Google Safe Browsing warning




VirusTotal reports




DNSDumpster




URLScan




WHOIS lookup



Developer Tools Network tab



Certificate Transparency



Finding


UnitelMatch[.]cyou is assessed as a successor or backup portal based on chronology and shared application artifacts; “backup” is an assessment, not a proven operator statement.

Backend Infrastructure Correlation


14

Supporting evidence for unitelmatch[.] ... pages


API requests to
ioutrankap[.]cyou




Linkroles[.]top DOM Tree




Request headers showing
merchant-id: 42




Unitelmatch[.]top DOM Tree




Unitelmatch[.]cyou
source page




Unitelmatch[.]cc DOM Tree



Unitelmatch[.]top
source page



Unitelmatch[.]cyou DOM Tree



Judgment



The convergence of backend, API, header, asset, DOM, and content evidence supports HIGH-CONFIDENCE operational linkage among the UnitelMatch portals.

Application Fingerprint Comparison



Shared Technology Stack

15



linkroles[.]my





unitelmatch[.]top



unitelmatch[.]cc



unitelmatch[.]cyou



Finding



The UnitelMatch portals share a common application build. LinkRoles remains an associated but less technically resolved domain.

Shared Backend Architecture

16

Independent portals converging on a common backend service

The architecture shows a durable shared backend beneath a replaceable public-facing portal layer.



— Solid green = observed API relationship

— Dashed amber = assessed association

— Gray = chronology/context only

Campaign Evolution: What Changed vs. What Persisted

Infrastructure evolved while core application characteristics remained consistent

WHAT CHANGED	WHAT PERSISTED
• Public domain and brand identity • Registrar and registration date • Portal availability and reputation status • Domain-specific CDN/proxy addresses • Potential presentation of recruitment stages	• Shared ioutrankap[.]cyou backend • /tiny-shop/v1/ API route family • merchant-id: 42 request header • Identical DOM, JS, CSS, Vue.js/Nuxt.js stack • TikTok Online Shop visual and workflow theme



Judgment	The lure layer changed quickly; the application and backend layer remained sufficiently stable for clustering. This supports infrastructure continuity—not attribution to a named actor.
----------	--

Candidate techniques limited to supported behaviour

ID	Technique	Assessment	Observed Evidence	Confidence
T1583.001	Acquire Infrastructure: Domains	Supported	Multiple campaign domains registered and used during the observation period.	High
T1036	Masquerading	Candidate	Deceptive recruitment and TikTok Shop–styled presentation.	Medium
T1566.002	Phishing: Spearphishing Link	Conditional	Recruitment lure observed; delivery channel not preserved.	Low–Medium
T1071.001	Application Layer Protocol: Web Protocols	Excluded as C2	Web/XHR traffic observed, but no malware C2 or compromised host.	N/A


Why the C2 technique is excluded	The observed web traffic supports application behaviour and technical linkage. It does not demonstrate malware command-and-control, exfiltration, or compromised-host communications. This constraint is intentional.
----------------------------------	---



ATT&CK describes observed adversary behavior. It does not establish fraud, attribution, or legal responsibility by itself.

Diamond Model Assessment

Campaign structure, assessed relationships, and confidence



Caveat	Pinyin WHOIS fields and AU country masking are anomalies only; they do not establish origin.
--------	--

HIGH MEDIUM LOW/UNRESOLVED

Focus detection on persistent infrastructure rather than rotating domains

Priority	Focus	Hunt logic	Data source
P1	Backend/API	ioutrankap[.]cyou and /tiny-shop/v1/ traffic	DNS, proxy, endpoint browser telemetry
P1	Known domains	Known lure and operational portal domains	DNS, secure web gateway, browser logs
P2	Application fingerprint	merchant-id: 42 with known domain/path context	Proxy / HTTP telemetry
P2	Successor discovery	New lookalike domains, shared JS/CSS, matching web content	CT, passive DNS, URLScan
P3	Fraud lures	Remote-job + merchant/order-profit patterns	Web filtering / user awareness

Illustrative KQL hunting logic

DeviceNetworkEvents
| where RemoteUrl has "ioutrankap.cyou"
 or RemoteUrl has "/tiny-shop/v1/"
| project Timestamp, DeviceName, RemoteUrl, RemoteIP
| order by Timestamp desc

Detection design caution

Do not block on merchant-id: 42 alone. Correlate it with a confirmed domain, API path, TLS/browser context, or another campaign fingerprint to reduce false positives.

Disclaimer	Illustrative hunting logic; validate against local telemetry before production use.
------------	---

Priority Indicators of Compromise

21

High-signal artifacts for blocking, hunting, and monitoring

Type	Indicator	Relationship / context	Confidence	Handling
Domain / API	www.ioutrankap[.]cyou/tiny-shop/v1/	Shared UnitelMatch backend	High	Block / hunt
Header	merchant-id: 42	Shared custom API artifact in backend context	High	Hunt
Asset	index-OfJM1Two.js / index-mD3hQ5f.css	Shared front-end fingerprint	High	Monitor
Domain	unitelmatch[.]top	Operational Portal; VT phishing 4/92 at collection	High	Monitor
Domain	unitelmatch[.]cc	Operational Portal; VT phishing 2/92 at collection	High	Monitor
Domain	unitelmatch[.]cyou	Operational Portal; shared application fingerprint	High	Monitor
Domain	linkroles[.]my	Operational portal / Safe Browsing warning observed	Medium	Monitor
Domain	occupationoasis[.]com	Initial recruitment lure	Medium	Monitor

Caveat	Shared CDN/proxy address do not establish origin.
---------------	---

Defend against the cluster, not just the current domains

1	Protect Users	- Block or warn on confirmed domains and backend paths. - Train job seekers and HR teams to recognize high-pay remote-work lures, merchant-task models, and upfront payment demands. - Route suspected recruitment fraud to security and fraud-response teams.	SOC / Web Security
2	Hunt and Monitor	- Search historical DNS/proxy/browser telemetry for known domains and ioutrankap[.]cyou. - Monitor CT, passive DNS, URLScan, and content fingerprints for successor portals. - Track DOM, JS/CSS assets, API routes, and header combinations.	CTI / Detection Engineering
3	Preserve Evidence	- Capture dated warnings, HTTP transactions, page/source code, certificates, and registration records. - Collect victim reports, wallet instructions, payment screens, and recruiter contact artifacts when lawfully available. - Avoid unsupported actor or origin attribution.	Fraud / Legal / Incident Response
Final Judgment		The UnitelMatch portals form a high-confidence technical cluster. The replaceable lure layer is volatile; the shared backend and application artifacts are the strongest defensive pivots.	

☐ SOC / Web Security

☐ CTI / Detection Engineering

☐ Fraud / Legal / Incident Response

Defanged indicators for portfolio publication

Type	Defanged indicator	Role	Confidence	Source
Recruitment	occupationoasis[.]com	Recruitment-facing website	Medium	Google Search; browser capture
Operational Portal	linkroles[.]my	Operational portal; campaign-associated.	Medium	Recruiter-provided URL; browser capture; Safe Browsing
Operational Portal	unitelmatch[.]top	Infrastructure migration	High	Recruiter-provided URL; DevTools/XHR; URLScan; VirusTotal
Operational Portal	unitelmatch[.]cc	Replacement portal	High	Recruiter-provided URL; DNSDumpster; URLScan; VirusTotal
Backup Portal	unitelmatch[.]cyou	Backup domain after browser warning	High	Recruiter-provided URL; DevTools/XHR; URLScan; VirusTotal
Backend API	ioutrankap[.]cyou	Shared API backend	High	Chrome DevTools Network/XHR analysis

Network Indicators

Indicator	Value
ASN	AS13335 (Cloudflare)
CDN	Cloudflare
Backend API	/tiny-shop/v1/
Merchant Identifier	merchant-id: 42

Infrastructure Characteristics	Detection Artifacts
• Shared Cloudflare name servers • Shared Vue.js application • Shared backend API • Shared JavaScript bundles • HTTP/3 + QUIC • Short-lived TLS certificates • WHOIS privacy enabled • No MX records • Cloudflare WAF	• Sigma rules • Splunk searches • Microsoft Sentinel (KQL) • Suricata IDS • STIX 2.1 bundle • MISP event
Repository Note	Complete machine-readable IoCs (CSV, JSON, TXT, STIX 2.1 and MISP) are available in the Operation Phantom Store repository.

Appendix A3 — Evidence Register

25

Collection Sources

ID	Evidence purpose	Source	Status
EV-044-01 - EV-044-64	Recruiter chat transcript	LINE	Collected
EV-001-01	OccupationOasis landing page	Browser capture	Collected
EV-006-01	LinkRoles portal	Browser capture	Collected
EV-013-01	UnitelMatch.top	Browser capture	Collected
EV-013-02	UnitelMatch.cc	Browser capture	Collected
EV-013-03	UnitelMatch.cyou	Browser capture	Collected
EV-066-01 - EV-070-04	VirusTotal reports	VirusTotal	Collected
EV-071-01 - EV-075-07	URLScan reports	URLScan.io	Collected
EV-022-01 - EV-025-09	WHOIS records	ICANN / Registrar	Collected
EV-032-01 - EV-032-19	DNS records	Passive DNS	Collected
EV-061-01 - EV-066-04	TLS certificates	crt.sh / Censys	Collected
EV-055-01 - EV-057-01	Developer Tools network captures	Chrome DevTools	Collected
EV-060-01 - EV-060-05	Backend API requests	Browser XHR	Collected
EV-058-01 - EV-059-04	Cloudflare configuration	HTTP headers	Collected
Campaign_Lifecycle.png	Campaign_Lifecycle	Analyst assessment	Derived artifact
Campaign Overview.png	Campaign Overview	Analyst assessment	Derived artifact
Certificate_Timeline.png	Certificate_Timeline	Analyst assessment	Derived artifact

Analytical Artifacts

ID	Evidence purpose	Source	Status
Diamond Model.png	Diamond Model	Analyst assessment	Derived artifact
Domain Relationships.png	Domain Relationships	Analyst assessment	Derived artifact
Infrastructure Relationship.png	Infrastructure Relationship	Analyst assessment	Derived artifact
Investigation Timeline.png	Investigation Timeline	Analyst assessment	Derived artifact
MITRE ATT&CK Matrix.png	MITRE ATT&CK mapping	Analyst assessment	Derived artifact

Evidence Integrity

- All evidence collected using passive OSINT or direct browser interaction.
- No exploitation, authentication bypass, or unauthorized access was performed.
- Findings are based solely on observable technical artifacts and documented interactions.

Operation Phantom Store demonstrates how seemingly unrelated recruitment websites can be correlated into a single campaign through infrastructure analysis, application fingerprinting, and threat intelligence methodologies.

Analytical assumptions, confidence judgments, and investigative limitations

High confidence

HIGH

UnitelMatch technical clustering: shared backend/API, custom merchant header, identical DOM, front-end assets, and operational portal content.

Medium confidence

MED

Recruitment-enabled merchant/task fraud model; LinkRoles association; likelihood of cryptocurrency payment use.

Low / unresolved

LOW

Singular actor identity, country of origin, true origin server, confirmed victim losses, and payment-wallet ownership.

Publication and analytic safeguards

- Use defanged IoCs and do not create clickable links to live fraudulent infrastructure.
- Treat Cloudflare and CloudFront IPs as shared CDN/proxy addresses unless origin evidence exists.
- Treat antivirus/reputation ratios as time-bound observations, not proof of benign or malicious status.
- Do not attribute activity based on Pinyin WHOIS text, country masking, registrar choice, or certificate issuer alone.
- Preserve original captures and record collection date/time, tool, URL, and analyst observations.