

OPERATION PHANTOM STORE

Cyber Threat Intelligence Investigation into a
Multi-Domain Recruitment Fraud Campaign

Case ID: OSINT-2026-001

Prepared by: Hugh Chanetsa

Role: OSINT Analyst | Cyber Threat Intelligence Researcher

Classification: Public OSINT / CTI Portfolio Case Study

Version: v1.0

Date: September 2026

GitHub: <https://github.com/Hugh-Kumbi>

LinkedIn: www.linkedin.com/in/hugh-chanetsa

This report is based on passive OSINT, direct browser interaction, and documented recruiter-provided URLs. It does not claim attribution to a named actor, country, or organization.

Table of Contents

1. Executive Summary	4
Table 1: Assessment Confidence	4
2. Investigation Scope	5
Objectives	5
Methodology	5
Evidence Sources	5
Intelligence Requirements	5
Table 2: Intelligence Requirements and Status	5
Scope Limitations	6
3. Campaign Overview and Timeline	7
Table 3: Campaign Timeline	7
Figure 1: IOC Timeline	7
Figure 2: Timeline Diagram	7
Figure 3: Reputation Timeline	8
Figure 4: Certificate Timeline	8
Figure 5: Investigation Timeline	8
4. Technical Infrastructure	9
Table 4: Technical Infrastructure Components	9
Figure 6: Infrastructure Model	9
Figure 7: Application Architecture	9
Figure 8: Campaign Infrastructure	9
Figure 9: Infrastructure Relationship	9
Figure 10: Domain Relationships	10
Figure 11: Campaign Overview	10
5. Social Engineering Assessment	11
Table 5: Social Engineering Workflow Stages	11
Figure 12: Infrastructure Model	11
Figure 13: Application Architecture	11
6. Threat Intelligence Analysis	12
Table 6: Threat Intelligence Frameworks Applied	12
Table 7: MITRE ATT&CK Alignment	12
Diamond Model Summary	12
Figure 14: MITRE ATT&CK Matrix	12
Figure 15: Diamond Model (v1.1)	12

7. Detection Opportunities 13

 Table 8: Detection Opportunities and Priorities..... 13

 Illustrative KQL Hunting Logic 13

8. Key Findings 14

9. Conclusion 15

10. About the Investigator 16

 Areas of Focus..... 16

 Selected Certifications..... 16

 Project Portfolio..... 16

 Professional Interest..... 16

Appendix A — Indicator and Evidence Summary 17

 Table 9: Indicator and Evidence Summary 17

1. Executive Summary

Operation Phantom Store is an OSINT and cyber threat intelligence investigation into a suspected recruitment-enabled online merchant fraud campaign that used multiple public-facing domains to guide job seekers through recruitment, registration, and task or merchant-style portal workflows.

The investigation identified a sequence of campaign-relevant domains: `occupationoasis[.]com`, `linkroles[.]my`, `unitelmatch[.]top`, `unitelmatch[.]cc`, and `unitelmatch[.]cyou`. The public-facing sites presented remote-work opportunities, including online support and data-entry roles, and were associated with recruiter-guided onboarding and access to web-based operational portals.

The strongest technical finding concerns the `UnitelMatch` portal family. `unitelmatch[.]top`, `unitelmatch[.]cc`, and `unitelmatch[.]cyou` are assessed with high confidence to be operationally linked. Each displayed matching application characteristics, including identical or closely matching `Vue.js/Nuxt.js` front-end structure, the JavaScript asset `index-OfJM1Two.js`, the stylesheet `index-mD3hQ5f.css`, and `TikTok Online Shop` themed content. Browser developer-tools analysis further identified repeated XHR requests to the shared application backend `ioutrankap[.]cyou/tiny-shop/v1/`, including `/site/config`, `/member/member/index`, and `/shop/product/my-product`. Requests included the custom `merchant-id: 42` header.

The campaign appears to rely primarily on social engineering and infrastructure rotation rather than malware delivery, exploit activity, or direct technical compromise. No malware, credential-theft payload, exploitation attempt, or confirmed origin server was observed during the investigation. A Google Safe Browsing warning was observed for `linkroles[.]my`, while `UnitelMatch` portal reputation results varied over time. Such reputation results are treated as time-bound indicators and not as attribution evidence.

The investigation assesses that changing public domains may have allowed the operators to retain access and user engagement while preserving reusable backend and application components. The most actionable defensive opportunities are therefore not limited to domain blocking: defenders should monitor the shared backend, the `/tiny-shop/v1/ API` route family, `merchant-id: 42` in relevant web-request context, recurring front-end asset names, and newly registered successor domains exhibiting the same application fingerprints.

Attribution remains unresolved. The available evidence does not establish a named actor, country of origin, true origin server, confirmed payment loss, or ownership of any cryptocurrency wallet.

Table 1

Assessment	Confidence
UnitelMatch portals form an operationally linked technical cluster	High
LinkRoles is campaign-associated	Medium
OccupationOasis functioned as the recruitment-facing site	Medium
Possible cryptocurrency-enabled payment workflow	Medium / assessed
Actor identity, location, and origin infrastructure	Unresolved

2. Investigation Scope

Objectives

- Document the public-facing recruitment and portal infrastructure associated with the campaign.
- Establish whether observed domains were technically or operationally linked.
- Identify reusable infrastructure, application, and web-request artifacts.
- Assess social-engineering behavior and the suspected merchant/task-fraud workflow.
- Produce actionable indicators, detection opportunities, and confidence-calibrated analytic judgments.

Methodology

The investigation used passive OSINT and direct browser interaction. Activities included search-based discovery, review of recruiter-provided URLs, WHOIS and registrar analysis, DNS and nameserver research, certificate-transparency review, URLScan and VirusTotal enrichment, Google Safe Browsing observations, web-technology profiling, and browser Developer Tools analysis of HTTP/XHR behavior.

Evidence Sources

- Recruiter-provided links and documented communications.
- Google Search discovery.
- Browser captures and Chrome Developer Tools.
- URLScan, VirusTotal, and Google Safe Browsing.
- WHOIS/RDAP, registrar records, certificate-transparency sources, and passive DNS.
- DNSDumpster and web-technology analysis tools.

Intelligence Requirements

The investigation was guided by the following Intelligence Requirements (IRs), which define the key analytical questions addressed throughout the assessment.

Table 2

ID	Intelligence Requirement	Status
IR-001	Identify the domains, infrastructure, and technologies supporting the recruitment platform.	Answered
IR-002	Determine how the recruitment workflow operates from initial contact through onboarding.	Answered
IR-003	Identify indicators of social engineering used to establish trust and encourage user interaction.	Answered
IR-004	Assess whether infrastructure was replaced or rotated during the investigation.	Answered
IR-005	Identify observable technical indicators that may support detection and threat hunting.	Answered
IR-006	Map observed behaviors to the MITRE ATT&CK Enterprise framework where appropriate.	Answered
IR-007	Identify intelligence gaps requiring additional collection or future monitoring.	Partially Answered
IR-008	Assess whether evidence supports the presence of malware, exploitation, or post-compromise activity.	Answered (No evidence observed)

Scope Limitations

- No exploitation, authentication bypass, or unauthorized access was performed.
- No confirmed victim payment, wallet transaction, or withdrawal failure was preserved.
- No origin server behind Cloudflare or CloudFront was identified.
- No actor, organization, country, or wallet ownership attribution is claimed.
- Reputation verdicts reflect the time of collection and may change.

Investigation Flow

Recruiter-provided URL / Google discovery → Browser review and evidence capture → OSINT enrichment and infrastructure analysis → Technical clustering and behavioral assessment → Detection opportunities and defensive intelligence

Collection boundary

Passive OSINT and direct browser interaction only.

3. Campaign Overview and Timeline

The following chronology uses domain registration dates unless otherwise stated. Registration does not independently prove first activation, operator control, or causation.

Table 3

Date	Domain / Event	Analyst interpretation
29 Jun 2026	occupationoasis[.]com registered via Amazon Registrar	Recruitment-facing website
19 Jul 2026	linkroles[.]my registered via Gname	Operational portal; Safe Browsing warning observed
23 Jul 2026	unitelmatch[.]top registered via Gdomains	UnitelMatch portal; phishing detections at collection; later offline
23 Jul 2026	unitelmatch[.]cc registered via Dynadot	Updated UnitelMatch portal; phishing detections at collection
24 Jul 2026	unitelmatch[.]cyou registered via Global Asset Domains	Apparent successor/backup portal; shared UnitelMatch application fingerprints
During analysis	ioutrankap[.]cyou identified	Shared /tiny-shop/v1/ API backend

Campaign progression

Recruitment site: occupationoasis[.]com → Operational portal: linkroles[.]my → UnitelMatch portal variants: .top → .cc → .cyou → Shared backend: ioutrankap[.]cyou/tiny-shop/v1/

The observed sequence indicates a transition from a recruitment-facing website to operational portals and then to multiple UnitelMatch-branded domains. The strongest linkage evidence exists among the **UnitelMatch** portals, which retain shared backend/API and application-level artifacts despite changes to the public domain layer.




Figure 1

Figure 1: IOC Timeline. Chronological registration and observation dates for the campaign's domain infrastructure.




Figure 2: Timeline Diagram. The observed sequence of application submission, recruiter contact, store registration, and platform migrations.



Figure 3: Reputation Timeline. Evolution of domain reputation statuses from legitimate to suspicious and malicious over the collection period.

Figure 4: Certificate Timeline. SSL/TLS certificate issuance history mapped to domain registrations.




Figure 5: Investigation Timeline. Progression of the analyst's OSINT and CTI investigation alongside the campaign's lifecycle.

4. Technical Infrastructure

Table 4

Component	Observation	Confidence	Notes
Public-facing domains	occupationoasis[.]com, linkroles[.]my, unitelmatch[.]top, .cc, .cyou	Medium–High	Roles differ by domain; UnitelMatch trio has strongest linkage
Shared backend	ioutrankap[.]cyou/tiny-shop/v1/	High	Repeated XHR/API requests from UnitelMatch portals
Application header	merchant-id: 42	High	Observed in UnitelMatch API request context
Front-end assets	index-OfJM1Two.js; index-mD3hQ5f.css	High	Shared UnitelMatch application fingerprint
Technology	Vue.js SPA, Nuxt.js, TikTok Online Shop theme	High for UnitelMatch	Application-level clustering evidence
CDN/proxy exposure	Cloudflare and CloudFront observed	Contextual	Not confirmed origin infrastructure
Certificates	Google Trust Services, Amazon RSA ACM, other observed issuers	Contextual	Issuer alone does not establish linkage




Figure 6: Infrastructure Model. The flow from the recruiter through the public-facing domains to the shared backend infrastructure.




Figure 7: Application Architecture. Technical stack observed for the UnitelMatch portals, including Cloudflare CDN, Vue.js frontend, and the backend API.




Figure 8: Campaign Infrastructure. Domain rotation and backend relationships across the campaign timeline.




Figure 9: Infrastructure Relationship. Linkages between recruitment domains, Google warnings, and successive UnitelMatch portals.




Figure 10: Domain Relationships. The progression from initial recruitment contact to the final backup portal, highlighting tech stack reuse.



Figure 11: Campaign Overview. High-level view of the multi-domain infrastructure and the cryptocurrency-based workflow.

Infrastructure caveat

Cloudflare and CloudFront addresses are CDN/proxy observations and must not be treated as confirmed origin-server infrastructure.

5. Social Engineering Assessment

Observed and assessed workflow

Remote-work opportunity → Recruiter engagement → Registration and “training” → Operational portal access → TikTok Shop-styled merchant/task workflow → Apparent pre-funding pressure → Potential cryptocurrency-related activity

Table 5

Stage	Observation	Assessment
Recruitment lure	Remote-work, data-entry, and online-support job offers with high-pay claims	Directly observed
Recruiter engagement	Recruiter-guided onboarding and training process	Directly observed / documented
Portal registration	Target directed to LinkRoles and UnitelMatch portals	Directly observed
Merchant workflow	Product/order values and nominal profit information displayed	Directly observed
Upfront payment	Workflow appears designed to encourage pre-funding of orders/inventory	Assessed
Cryptocurrency	OKX Wallet reference observed during lifecycle/training	Assessed / contextual
Victim loss	No preserved payment record or withdrawal failure	Unresolved

The campaign’s primary mechanism appears to be trust-building rather than technical exploitation. Recruitment-themed messaging, guided onboarding, training language, and branded merchant interfaces may reduce skepticism and increase user engagement. The observed workflow is consistent with recruitment-enabled merchant or task fraud; however, no confirmed financial loss was collected. Accordingly, financial-loss mechanics and cryptocurrency use remain assessed rather than conclusively established.




Figure 12: Attack Lifecycle. The 8-stage social engineering process from recruitment and initial contact to cryptocurrency workflows.




Figure 13: Campaign Lifecycle. Detailed application-to-investigation workflow highlighting browser warnings and domain migrations.

6. Threat Intelligence Analysis

Table 6

Framework	Purpose in this investigation	Key output
MITRE ATT&CK	Describe evidence-supported adversary behavior	Domain acquisition and deceptive presentation; no malware C2 mapping
Diamond Model	Relate adversary, infrastructure, capability, and victim	Unknown recruiter(s), shared infrastructure, merchant/task workflow, job seekers
Campaign lifecycle	Show chronology and domain migration	Recruitment → portal transition → UnitelMatch rotation → persistent backend
Infrastructure clustering	Correlate technical artifacts	Shared backend, API paths, header, assets, DOM, and content

MITRE ATT&CK Alignment

Table 7

ID	Technique	Assessment	Confidence
T1583.001	Acquire Infrastructure: Domains	Supported	High
T1036	Masquerading	Candidate	Medium
T1566.002	Phishing: Spearphishing Link	Conditional	Low–Medium
T1071.001	Application Layer Protocol: Web Protocols	Excluded as C2	N/A

Diamond Model Summary

Adversary: Unknown recruiter(s); no attribution established. Infrastructure: Rotating domains, Cloudflare-proxied portals, shared API backend, and reusable front-end assets. Capability: Recruitment lure and merchant/task workflow; possible cryptocurrency-related payment path. Victim: Job seekers seeking flexible or remote work, with Japanese and English audience indicators.

Intelligence judgment

The UnitelMatch domains form a high-confidence technical cluster. The broader relationship to OccupationOasis and LinkRoles is supported by chronology, recruitment workflow, and contextual infrastructure evidence but remains lower confidence than the UnitelMatch backend linkage.




Figure 14: MITRE ATT&CK Matrix. Mapping of observed adversary behaviors to initial access, credential access, collection, and impact tactics.




Figure 15: Diamond Model (v1.1). Relationship between the unknown adversary, the shared infrastructure, the social engineering capability, and the job seeker victims.

7. Detection Opportunities

Table 8

Detection opportunity	Priority	What to monitor	Rationale
Shared backend/API	High	ioutrankap[.]cyou; /tiny-shop/v1/	Strongest persistent technical pivot
Known portal domains	High	UnitelMatch and LinkRoles domains	Direct user protection and historical hunting
Successor domains	High	New UnitelMatch-like domains; CT records; passive DNS	Detect domain rotation
API request pattern	Medium	merchant-id: 42 with confirmed domain/path context	Distinctive but should not be used alone
Web-content fingerprints	Medium	JS/CSS assets; DOM; TikTok Shop content	Identifies cloned or successor portals
Browser/Safe Browsing events	Medium	Browser warnings and web-filter blocks	User-protection context and incident triage
Cryptocurrency references	Medium	Wallet/payment instructions in recruitment context	Fraud-risk enrichment
CDN/proxy IPs	Low	Cloudflare/CloudFront addresses	Context only; avoid IP-only blocking

Illustrative KQL Hunting Logic

```
DeviceNetworkEvents
| where RemoteUrl has "ioutrankap.cyou"
  or RemoteUrl has "/tiny-shop/v1/"
| project Timestamp, DeviceName, RemoteUrl, RemoteIP
| order by Timestamp desc
```

Detection disclaimer

Illustrative hunting logic only. Validate against local telemetry and do not block on merchant-id: 42 or shared CDN IPs alone.

8. Key Findings

- Six campaign-relevant domains were identified across recruitment, portal, and backend roles.
- `occupationoasis[.]com` functioned as a recruitment-facing website discovered through public search.
- `linkroles[.]my` functioned as a recruiter-provided operational portal and displayed a Google Safe Browsing warning at collection.
- `unitelmatch[.]top`, `unitelmatch[.]cc`, and `unitelmatch[.]cyou` form a high-confidence technical cluster.
- UnitelMatch portals shared `ioutrankap[.]cyou/tiny-shop/v1/` as an observed API backend.
- UnitelMatch portals reused `merchant-id: 42`, matching `DOM structure`, `JavaScript/CSS` assets, and TikTok Online Shop-styled content.
- The campaign relied primarily on social engineering, guided onboarding, and web-based merchant/task workflows.
- No malware delivery, exploit activity, credential-theft payload, or confirmed origin server was observed.
- Actor identity, geographic origin, wallet ownership, and confirmed victim financial loss remain unresolved.

9. Conclusion

Operation Phantom Store demonstrates an evidence-driven approach to investigating suspected recruitment-enabled fraud through passive OSINT, direct browser interaction, infrastructure analysis, and cyber threat intelligence methodologies. The investigation documented recruitment-facing infrastructure, recruiter-guided portal access, domain chronology, public reputation signals, application behavior, and reusable technical artifacts while maintaining a distinction between observation and assessment.

The strongest result is the high-confidence clustering of the **UnitelMatch** portals. Their repeated use of the **ioutrankap[.]cyou/tiny-shop/v1/** backend, **merchant-id: 42**, matching application assets, matching **DOM** structure, and shared visual content demonstrates how technical pivots can remain useful even when public domains rotate or change reputation status. The wider campaign appears to rely on structured social engineering and merchant/task workflows rather than malware or direct technical compromise.

Attribution is intentionally unresolved. The investigation does not establish a named actor, origin country, origin server, wallet owner, or confirmed financial loss.

Defensive takeaway

Track the durable application and backend artifacts, not only the current public-facing domains.

10. About the Investigator

Hugh Chanetsa

Cybersecurity Professional | OSINT Analyst | CTI Researcher

Areas of Focus

- Security Operations Center (SOC) operations
- Cyber Threat Intelligence
- Open Source Intelligence (OSINT)
- Detection Engineering
- SIEM and log analysis
- Windows Security
- Active Directory Security

Selected Certifications

- ISC² Certified in Cybersecurity (CC)
- Google Cybersecurity Professional Certificate
- CompTIA Security+ — In Progress

Project Portfolio

GitHub: <https://github.com/Hugh-Kumbi>

LinkedIn: www.linkedin.com/in/hugh-chanetsa

Professional Interest

Developing evidence-driven CTI investigations, detection content, and practical security analysis for public portfolio and professional-development purposes.

Appendix A — Indicator and Evidence Summary

Defanged indicators and evidence categories for portfolio publication. Source descriptions should be reconciled with the final evidence register before public release.

Table 9

Type	Indicator / Artifact	Role	Confidence	Source
Domain	occupationoasis[.]com	Recruitment-facing website	Medium	Google Search; browser capture
Domain	linkroles[.]my	Operational portal; campaign-associated	Medium	Recruiter-provided URL; browser capture; Safe Browsing
Domain	unitelmatch[.]top	UnitelMatch portal; shared technical cluster	High	Recruiter-provided URL; URLScan; VirusTotal; DevTools/XHR
Domain	unitelmatch[.]cc	UnitelMatch portal; shared technical cluster	High	Recruiter-provided URL; URLScan; VirusTotal; DNS analysis
Domain	unitelmatch[.]cyou	UnitelMatch portal; assessed successor/backup	High	Recruiter-provided URL; URLScan; VirusTotal; DevTools/XHR
Backend/API	ioutrankap[.]cyou	Shared /tiny-shop/v1/ backend	High	Chrome DevTools Network/XHR analysis
API path	/tiny-shop/v1/site/config	Shared configuration endpoint	High	Browser XHR analysis
API path	/tiny-shop/v1/member/member/index	Shared member endpoint	High	Browser XHR analysis
API path	/tiny-shop/v1/shop/product/my-product	Shared product endpoint	High	Browser XHR analysis
Header	merchant-id: 42	Shared request artifact in API context	High	Browser request-header capture
Asset	index-OfJM1Two.js	Shared JavaScript fingerprint	High	Page source / DevTools / URLScan
Asset	index-mD3hQ5f.css	Shared stylesheet fingerprint	High	Page source / DevTools / URLScan

CDN/proxy handling note

Cloudflare and CloudFront addresses are omitted from priority blocking recommendations because they represent shared CDN/proxy infrastructure and do not establish the true origin server.