The HPSPLIT Procedure


Performance Information	
Execution Mode	Single-Machine
Number of Threads	2

Data Access Information			
Data	**Engine**	**Role**	**Path**
SAS.SPINE_BINARY	V9	Input	On Client


Model Information	
Split Criterion Used	Entropy
Pruning Method	Cost-Complexity
Subtree Evaluation Criterion	Cost-Complexity
Number of Branches	2
Maximum Tree Depth Requested	10
Maximum Tree Depth Achieved	10
Tree Depth	9
Number of Leaves Before Pruning	29
Number of Leaves After Pruning	28
Model Event Level	1


Number of Observations Read	310
Number of Observations Used	310
Number of Training Observations Used	224
Number of Test Observations Used	86

The HPSPLIT Procedure



The HPSPLIT Procedure



Classification Tree for binary_target
0
1
2
3
4
5
6
7
8
9
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z
a
b
c
d
e
f
g
h
i
j
k
l
m
n
o
p
q
r
s
binary_target 1 0



The HPSPLIT Procedure

Model-Based Confusion Matrix			
	Predicted		Error
Actual	1	0	Rate
1	149	0	0.0000
0	4	71	0.0533
1	56	5	0.0820
0	10	15	0.4000

Model-Based Fit Statistics for Selected Tree								
N Leaves	ASE	Mis-class	Sensitivity	Specificity	Entropy	Gini	RSS	AUC
28	0.0107	0.0179	1.0000	0.9467	0.0433	0.0214	4.8000	0.9989
28	0	0.0000	0.0000	0.0000	0	0	0	0.0000



Variable Importance			
	Training		
Variable	Relative	Importance	Count
spondylolisthesis_grade	1.0000	6.4416	4
pelvic_radius	0.5707	3.6763	4
sacral_slope	0.5688	3.6639	3
pelvic_tilt	0.5676	3.6561	7
pelvic_incidence	0.4727	3.0447	6
lumbar_lordosis	0.3068	1.9763	3