The HPSPLIT Procedure


Performance Information	
Execution Mode	Single-Machine
Number of Threads	2


Data Access Information			
Data	Engine	Role	Path
SAS.SPINE_BINARY	V9	Input	On Client

Model Information	
Split Criterion Used	Entropy
Pruning Method	Cost-Complexity
Subtree Evaluation Criterion	Cost-Complexity
Number of Branches	2
Maximum Tree Depth Requested	5
Maximum Tree Depth Achieved	5
Tree Depth	4
Number of Leaves Before Pruning	16
Number of Leaves After Pruning	6
Model Event Level	1

Number of Observations Read	310
Number of Observations Used	310
Number of Training Observations Used	224
Number of Validation Observations Used	86

The HPSPLIT Procedure



Classification Tree for binary_target
0
1
2
3
4
5
6
7
8
9
A
binary_target 0 1




The HPSPLIT Procedure

Confusion Matrices				
		Predicted		Error
	Actual	0	1	Rate
Training	0	65	10	0.1333
	1	14	135	0.0940
Validation	0	19	6	0.2400
	1	6	55	0.0984

Fit Statistics for Selected Tree									
	N Leaves	ASE	Mis-class	Sensitivity	Specificity	Entropy	Gini	RSS	AUC
Training	6	0.0817	0.1071	0.9060	0.8667	0.3957	0.1635	36.6228	0.9402
Validation	6	0.1136	0.1395	0.9016	0.7600	0.4461	0.1950	19.5455	0.9026



Variable Importance						
	Training		Validation		Relative	
Variable	Relative	Importance	Relative	Importance	Ratio	Count
spondylolisthesis_grade	1.0000	6.0421	1.0000	4.0059	1.0000	1
sacral_slope	0.5904	3.5672	0.3464	1.3878	0.5868	2
pelvic_tilt	0.2991	1.8074	0.3350	1.3418	1.1198	1
pelvic_radius	0.5403	3.2644	0.0000	0	0.0000	1


Cost-Complexity Pruning for binary_target
Misclassification Rate
0.30
0.25
0.20
0.15
0.10
0.05
Selected Model
N Leaves 6
Validation Misclass Rate 0.140
0
5
10
15
Number of Leaves
Training
Validation