

Abbreviations

A

A/B	Air Bag
ABDC	After Bottom Dead Center
ABS	Anti-lock Brake System
AC	Alternating Current
A/C	Air Conditioning
A-ELR	Automatic-Emergency Locking Retractor
A/F	Air Fuel Ratio
ALR	Automatic Locking Retractor
API	American Petroleum Institute
APP	Accelerator Pedal Position Sensor
A/T	Automatic Transmission, Automatic Transaxle
ATDC	After Top Dead Center
ATF	Automatic Transmission Fluid, Automatic Transaxle Fluid
AWD	All Wheel Drive

B

B+	Battery Positive Voltage
BB+	Battery Positive Voltage for Backup
BBDC	Before Bottom Dead Center
BCM	Body Electrical Control Module
BDC	Bottom Dead Center
BTDC	Before Top Dead Center
BARO	Barometric Pressure

C

CAN	Controller Area Network
CKP	Crankshaft Position
CMP	Camshaft Position
CO	Carbon Monoxide
CO ₂	Carbon Dioxide
CPP	Clutch Pedal Position
CPU	Central Processing Unit
CVT	Continuously Variable Transaxle, Continuously Variable Transmission

D

DC	Direct Current
D/C	Driving Cycle
DLC	Data Link Connector
DOHC	Double Over Head Camshaft
DOJ	Double Offset Joint
DOT	Department of Transportation
DPF®	Diesel Particulate Filter
DRL	Daytime Running Light
DTC	Diagnostic Trouble Code

E

EBD	Electronic Brake Force Distribution
ECM	Engine Control Module
ECT	Engine Coolant Temperature
ECU	Electronic Control Unit
EEPROM	Electrically Erasable Programmable Read Only Memory
EFE Heater	Early Fuel Evaporation Heater
EGR	Exhaust Gas Recirculation
EGT	Exhaust Gas Temperature
ELR	Emergency Locking Retractor
EOP	Engine Oil Pressure
EPS	Electronic Power Steering
ESP®	Electronic Stability Program
EVAP	Evaporative Emission

F

FWD	Front Wheel Drive
-----	-------------------

G

GND	Ground
GPS	Global Positioning System

H

HVAC	Heating, Ventilating and Air Conditioning
HC	Hydrocarbons
HDD	Hard Disk Drive
HFC	Hydro Fluorocarbon
HI	High
HO2S	Heated Oxygen Sensor

I

IAC	Idle Air Control
IAT	Intake Air Temperature
IMT	Intake Manifold Tuning
ISC	Idle Speed Control
ISO	International Organization for Standardization

J

J/B	Junction Block
J/C	Junction Connector
JIS	Japan Industrial Standards

L

L	Left
LCD	Liquid Crystal Display
LED	Light Emitting Diode
LHD	Left Hand Drive Vehicle
LO	Low
LSD	Limited Slip Differential
LSPV	Load Sensing Proportioning Valve

M

MAF	Mass Air Flow
MAP	Manifold Absolute Pressure
Max	Maximum
MFI	Multiport Fuel Injection
Min	Minimum
MIL	Malfunction Indicator Lamp ("CHECK ENGINE" Light or "SERVICE ENGINE SOON" Light)
M/T	Manual Transmission, Manual Transaxle

N

NOx	Nitrogen Oxides
-----	-----------------

O

OBD	On-Board Diagnostic System
OCM	Occupant Classification Module
OCV	Oil Control Valve
O/D	Overdrive
OHC	Over Head Camshaft
O2S	Oxygen Sensor

P

PCM	Powertrain Control Module
PCV	Positive Crankcase Ventilation
PM	Particulate Matter
PNP	Park / Neutral Position
P/S	Power Steering
PSP	Power Steering Pressure Switch

R

R	Right
RAM	Random Access Memory
RHD	Right Hand Drive Vehicle
ROM	Read Only Memory
RPM	Engine Speed

S

SAE	Society of Automotive Engineers
SDM	Sensing and Diagnostic Module (Air Bag Controller, Air bag Control Module)
SDT	Smart Diagnostic Tester
SFI	Sequential Multiport Fuel Injection
SI	System International
SOHC	Single Over Head Camshaft
SRS	Supplemental Restraint System

T

TCC	Torque Converter Clutch
TCM	Transmission Control Module
TCSS	Traction Control Support System
TDC	Top Dead Center
TP	Throttle Position
TPMS	Tire Pressure Monitoring System
TWC	Three Way Catalytic Converter

U

USB	Universal Serial Bus
-----	----------------------

V

VIN	Vehicle Identification Number
VSS	Vehicle Speed Sensor
VVT	Variable Valve Timing

W

WU-OC	Warm Up Oxidation Catalytic Converter
WU-TWC	Warm Up Three Way Catalytic Converter

Other

2WD	2 Wheel Drive
4WD	4 Wheel Drive

NOTE:

- DPF® is a trademark of HJS Fahrzeugtechnik GmbH & Co KG and Suzuki is the trade mark licensee.
- ESP® is registered trademark of Daimler AG.