



SUMMARIZER

31.01.2023

Rui Godinho

#POWrangers
Lisboa



Method Signature

Enum

Variables

Void

Method Overloading

Reference Types

Return

Objects

Wrappers

Static

Composition

Classes

Constructor

This

Methods

Instance

Primitive Types

Loops

Pair Programming

Encapsulation



Composition

Composition (OOP) {

Complex Objects *splits* into smaller and simpler objects;

HAS-A relationship in classes;

object delegates responsibility;

for () {

Reusing code;

Increase productivity && quality of the program;

}

}


[HAS-A]



Hotel Simulation



EXPECTATIONS vs REALITY



Me understanding the problem!
Great logic! Nice pseudo-code!
Time to Code!!



Halp me pliz, I can't exit vim!!!!

Hotel.java × Main.java × Person.java × Room.java ×

```
1 package org.academiadecodigo.powrangers;
2
3 public class Hotel {
4
5     private String hotelName;
6     private int maxRooms;
7     private Room[] rooms;
8
9     public Hotel(String hotelName, int maxRooms) {
10         this.hotelName = hotelName;
11         this.maxRooms = maxRooms;
12         this.rooms = new Room[maxRooms];
13     }
```

```
14     public int getMaxRooms() {
15         return maxRooms;
16     }
17     public String getHotelName() {
18         return hotelName;
19     }
20     public Room[] getRooms() {
21         for (int i = 1; i < rooms.length+1; i++) {
22             System.out.println("Room number: " + i);
23         }
24         return rooms;
25     }
26 }
```

Hotel.java x Main.java x Person.java x Room.java x

```
1 package org.academiadecodigo.powrangers;
2
3 public class Room {
4
5     private int roomNumber;
6     private boolean availability;
7     private Hotel hotel;
8
9     public Room (int roomNumber, boolean status){
10         this.roomNumber = roomNumber;
11         this.availability = status;
12     }
13
14     public int getRoomNumber() {
15         return roomNumber;
16     }
17
18     /*
19     public void setAvailability(rooms) {
20         for(int x = 0; x < hotel.getMaxRooms().)
21             return isAvailability();
22     }
23     */
```

Hotel.java × Main.java × Person.java × Room.java ×

```
1 package org.academiadecodigo.powrangers;
2
3 public class Person {
4
5     private String name;
6     public Person (String name){
7         this.name = name;
8     }
9
10    public String getName() {
11        return name;
12    }
13    /**
14     public void enterHotel() {
15     }
16
17     public void exitHotel() {
18     }
19     */
20 }
```



```
Hotel.java x Main.java x Person.java x Room.java x
1 package org.academiadecodigo.powrangers;
2
3 public class Main {
4     public static void main(String[] args) {
5         Person person = new Person( name: "Rui");
6         Hotel hotel = new Hotel( hotelName: "Gran Hotel" , maxRooms: 9);
7         Hotel hotel1 = new Hotel( hotelName: "PikiHotel", maxRooms: 2);
8
9         System.out.println(hotel.getHotelName());
10        System.out.println(hotel.getMaxRooms());
11        System.out.println(hotel.getRooms());
12
13        System.out.println(hotel1.getHotelName());
14        System.out.println(hotel1.getMaxRooms());
15        System.out.println(hotel1.getRooms());
16
17    }
18 }
```

Gran Hotel

9

Room number: 1

Room number: 2

Room number: 3

Room number: 4

Room number: 5

Room number: 6

Room number: 7

Room number: 8

Room number: 9

[Lorg.academiadecodigo.powrangers.Room;@54bedef2

PikiHotel

2

Room number: 1

Room number: 2

[Lorg.academiadecodigo.powrangers.Room;@5caf905d

**Thank
you!**



