



SUMMARIZER


24_01_2023

DIOGO CARVALHO
#81 Bootcamp{LisBOA}




Version Control Systems (VCS)


Centralized Version Control Systems (CVCS)



Distributed Version Control Systems (DVCS)




"I'm an egotistical bastard, and I name all my projects after myself.
First Linux, now git."
- Linus Torvalds



Git Workflow



```
$ git init
$ git add (filename)
$ git commit -m "message"
$ git push origin master
```



```
$ git version
$ git config --config global user.name "Your Name"
$ git config --config global user.email "you@something.com"

$ git remote add origin (url)
$ git status
$ git log

$ git pull origin master
```




Java Programming Language

Java is a object-oriented programming language

Statically typed language

Compiled/interpreted language

(Java is compiled into byte code which is interpreted by the JVM)



Java Programming Language

Variables

Primitive Data Types	Reference Data Types
When we declare a variable of primitive type , It is known as Primitive Data Type.	When we declare a variable of any class type, it is known as Reference Data Type.
Eg: int, byte, char, short, float, double, long and Boolean.	Eg: Test t1 Test t2
In primitive datatypes the memory allocated depends on the size of the datatype Eg : int = 4 bytes char = 4 bytes double = 8 bytes	Jvm allocates 8 bytes by default for every reference variable in a class.



Java Programming Language



{Exercise}

String: Front Back

Given a string, print a new string where the first and last characters have been exchanged.

```
public class Exercise3 {  
    public static void main(String[] args) {  
        String word = "heisenberg";  
        String newWord = word.charAt(word.length()-1) + word.substring(1, word.length()-1) + word.charAt(0);  
        System.out.println(newWord);  
    }  
}
```

// This code takes the original string "heisenberg" and creates a new string by concatenating the last character of the original string, the substring of the original string from the second character to the second to last character, and the first character of the original string.



/ Visual representation of the programming language Java, Disney Style

By: **Midjourney**



Thank you!

