








SUMMARIZER #4



INTRODUCTION TO COMPUTER
PROGRAMMING




Ana Rita Pinto



COMPILED VS INTERPRETED


Source code:

hello.c



→ COMPILER →

Machine code:



Program (also
called binary,
executable ...)


run the
program

result





Source code:

hello.py




→ INTERPRETER → result




LINEAR SEARCH, BINARY SEARCH

Find "J"



Find: 37





SELECTION SORT, INSERTION SORT

original
1 st
2 nd
3 rd
4 th
5 th
6 th

5	3	7	8	<u>5</u>	0	4
0	3	7	8	<u>5</u>	5	4
0	3	7	8	<u>5</u>	5	4
0	3	4	8	<u>5</u>	5	7
0	3	4	5	<u>5</u>	8	7
0	3	4	5	<u>5</u>	8	7
0	3	4	5	<u>5</u>	7	8

5	3	7	8	<u>5</u>	0	4
3	5	7	8	<u>5</u>	0	4
3	5	7	8	<u>5</u>	0	4
3	5	7	8	<u>5</u>	0	4
3	5	<u>5</u>	7	8	0	4
0	3	5	<u>5</u>	7	8	4
0	3	4	5	<u>5</u>	7	8



Session Scripts Profiles Toolbelt Window Help



```
1 // LINEAR SEARCH
2
3 var baralho = [6,4,9,1,2,5,8,7];
4 var carta=7;
5
6
7 for (var i=0 ; i< baralho.length ; i++){
8     if ( baralho[i]==carta) {
9         console.log ('Congrats! You found the card number 7! :~');
10
11 }
12 };
```





**THANK “CODE” IT’S
FRIDAAAAAAAAAYYYYY**

