

codeConventions

<anaVicente> aka <vice>


code cadet @ #81_POWrangers {LisBOA}

80 %
maintenance

@Code Conventions for
the Java Programming Language






Code Quality Measurement: WTFs/Minute





POW!

**NOT SURE IF I WRITE
CONFUSING CODE**

**OR MY CO-WORKERS ARE
FREQUENTLY CONFUSED**



why?



Declarations

1. Class or interface statement
2. Class (static) variables
3. Instance variables
4. Constructors
5. Methods



Classes

- PascalCase

- Nouns

- ✗ single letter names

- ✗ acronyms

- ✗ abbreviations

- ✗ meaningless names

POW!



Interfaces

(& ENUM)

- PascalCase

- Adjective

- ✗ single letter names

- ✗ acronyms

- ✗ abbreviations


- ✗ meaningless names

POW!



variables

When you try to choose
a meaningful variable name.



variables

exception

`VARIABLES_WITH_CONSTANT_VALUE`

the enum entries
and also
public static final variables



- `camelCase`

✗ single letter names

✗ acronyms

✗ abbreviations

✗ meaningless names

BOOLEANS


prefix it with *is* , *has* , or *can*

Me: I'm afraid of booleans. My friend said that you can help.

Therapist: That's true.

Me:





methods

- camelCase

- Verb

✗ single letter names

✗ acronyms

✗ abbreviations

✗ meaningless names



pow!

RULES THAT YOU WILL NOT POSSIBLY RETAIN

Indentation

- Break after a comma.
- Break before an operator.
- Prefer higher-level breaks to lower-level breaks.
- Align the new line with the beginning of the expression at the same level on the previous line.

Blank Lines

- Between methods
- Between the local variables in a method and its first statement
- Before a block or single-line comment
- Between logical sections inside a method to improve readability

CONCLUSION

***CLEAN* CODE**



**“In life everything
changes, nothing stays
the same.”**

from the original
**“Na vida tudo muda, nada
fica igual.”**

- ORTINS aka OLINDA 02/02/2023





THANKS!