

Homework



toString

<Code Cadet_>
Luis Reis



06-02-2023

toString



*“I’m the only one that
can help you transform
a memory
representation into a
car.”*

– (Ruth Marlene, 2019)



theCarIsHiddenBehindTheAdressMemory@6d03e736
theCarIsHiddenBehindTheAdressMemory@6d03e736
theCarIsHiddenBehindTheAdressMemory@6d03e736
theCarIsHiddenBehindTheAdressMemory@6d03e736
theCarIsHiddenBehindTheAdressMemory@6d03e736
theCarIsHiddenBehindTheAdressMemory@6d03e736
theCarIsHiddenBehindTheAdressMemory@6d03e736





Definition

- It is used to return a string representation of an object.
- By default, the toString method returns a string of the form:

`“className@hashCode”`



- This can be useful when you want to print information about an object.
- To store the object's state (variables) in a string form.



```
Public class Students {  
  
    //Properties  
  
    public String name;  
    public String history;  
    public boolean wasReallyTrue = true;  
  
    //Methods  
  
    public Students(String name, String history, boolean  
wasReallyTrue){  
  
        this.name = name;  
        this.history = history;  
        this.wasReallyTrue = wasReallyTrue;  
  
    }  
}
```



```
public class AcademiaDeCodigo {  
    public static void main(String[] args) {  
  
        Students student1 = new Students("Zé Custodio", "Teeth out!",true);  
        Students student2 = new Students("Roberto Horácio", "Robbed three times",true);  
  
        System.out.println(student1);  
        System.out.println(student2);  
  
    }  
}
```



```
public class AcademiaDeCodigo {  
    public static void main(String[] args) {  
  
        Students student1 = new Students("Zé Custodio", "Teeth out!",true);  
        Students student2 = new Students("Roberto Horácio", "Robbed three times",true);  
  
        System.out.println(student1);  
        System.out.println(student2);  
    }  
}
```



```
Students@6d03e736  
Students@568db2f2
```




```
Public class Students {  
  
    //Properties  
  
    public String name;  
    public String history;  
    public boolean wasReallyTrue = true;  
  
    //Methods  
  
    public Students(String name, String history, boolean wasReallyTrue){  
  
        this.name = name;  
        this.history = history;  
        this.wasReallyTrue = wasReallyTrue;  
    }  
    @Override  
    public String toString(){  
        return "Hi, my name is " + name + " and my story is about " + "'" + history + "'" + ".  
I wish it had been a dream, but it was f***** " + wasReallyTrue;  
    }  
}
```





```
public class AcademiaDeCodigo {  
    public static void main(String[] args) {  
  
        Students student1 = new Students("Zé Custodio", "Teeth out!",true);  
        Students student2 = new Students("Roberto Horácio", "Robbed three times",true);  
  
        System.out.println(student1);  
        System.out.println(student2);  
  
    }  
}
```



Hi, my name is Zé Custodio and my story is about 'Teeth out!'. I wish it had been a dream, but it was f***** true

Hi, my name is Roberto Horácio and my story is about 'Robbed three times'. I wish it had been a dream, but it was f***** true



Quiz Time!



Thank you all!

