

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <title> Workfluido </title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">
    <!-- Styles -->

    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.cs

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 67, column 9; to line 67, column 38](#)

```
>...      <section id = 'notifications'>...
```

Document checking completed.

Source

```

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4.   <head>↵
5.     <title> Workfluido </title>↵
6.     <meta charset="utf-8">↵
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵

```

```

8.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
11.    <!-- Styles -->↵
12.    ↵
13.    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous"> ↵
14.    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.3.0/font/bootstrap-icons.css">↵
15.    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcxpD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>↵
16.    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.mi
n.css" integrity="sha384-
gg0YR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">↵
17.    ↵
18.    </head>↵
19.    <body>↵
20.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>↵
21.    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.j
s" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>↵
22.    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>↵
23.    <header>↵
24.    <link href="http://localhost:8000/css/header.css"
rel="stylesheet">↵
25.    <script src=http://localhost:8000/js/ajax.js defer></script>↵
26.    <script src=http://localhost:8000/js/search.js defer></script>↵
27.    <script src=http://localhost:8000/js/notification.js defer></script>↵
28.    ↵
29.    ↵
30.    ↵
31.    <div class="row justify-content-between headerContainer"
id="headerContainer">↵
32.    <div class="col-4">↵
33.    <a href = "http://localhost:8000"></a>↵
34.    </div>↵
35.    <div class="col-4">↵
36.    <input type="search" class="form-control" placeholder="Search..."
aria-label="Search" id="searchbar">↵
37.    <section>↵
38.    <link href="http://localhost:8000/css/header.css"
rel="stylesheet">↵
39.    ↵
40.    <div class="dropdown" id="searchDiv">↵
41.    <ul class="searchDrop dropdown-menu dropdown-menu-center">↵
42.    <li>↵
43.    <h2>Projects</h2>↵
44.    <div id = "divResultProjects"></div>↵
45.    </li>↵
46.    <li>↵
47.    <h2>Users</h2>↵
48.    <div id = "divResultUsers"></div>↵
49.    </li>↵
50.    <li>↵
51.    <h2 class = "tasksFromProjectH2">Tasks from this project</h2>↵

```

```

52.         <div id = "divResultTasks"></div>↵
53.     </li>↵
54. </ul>↵
55. </div>↵
56.         </section>↵
57.     </div>↵
58.     <div class="col-4 btn-toolbar allButtons text-right">↵
59.         <div class = "btn-group" role = "group">↵
60.             <button type = "button" class = "btn btn-secondary btn-light
rounded" id = "sideNavButton"><i class="bi bi-list"></i></button>↵
61.         </div>↵
62.         <div class = "btn-group" role = "group">↵
63.             <a href = "http://localhost:8000/profile" class = "btn btn-
secondary btn-light rounded" id="profileButton"><i class="bi bi-person">
</i></a>↵
64.         </div>↵
65.         <div class = "btn-group" role = "group">↵
66.             <button class="btn btn-secondary btn-light rounded"
type="button" id="dropdownMenuButton" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"><i class="bi bi-bell" ></i>
</button>↵
67.             <section id = 'notifications'>↵
68.                 <link href="http://localhost:8000/css/notifications.css"
rel="stylesheet">↵
69.             <div class="dropdown">↵
70.                 <ul class="not dropdown-menu dropdown-menu-right">↵
71.                     <li>↵
72.                         <div class ="col" style="width: 18rem;">↵
73.                             <ul class="list-group list-group-flush">↵
74.                                 <li class="list-group-item">↵
75.                                     <span class="text">Notifications empty</span>↵
76.                                 </li>↵
77.                             </ul>↵
78.                         </div>↵
79.                     </li>↵
80.                 </ul>↵
81.             </div>↵
82.             </section>↵
83.         </div> ↵
84.         <div class = "btn-group" role = "group">↵
85.             <a href = "http://localhost:8000/logout" class = "btn btn-
secondary btn-light rounded" id="logoutButton"><i class="bi bi-box-
arrow-right"></i></a>↵
86.         </div>↵
87.     </div>↵
88. </div>↵
89. </header>↵
90. ↵
91. <link href="http://localhost:8000/css/project.css" rel="stylesheet">↵
92. <link href="http://localhost:8000/css/edit_task_side_nav.css"
rel="stylesheet">↵
93. <script src=http://localhost:8000/js/favorite.js defer></script>↵
94. <script src=http://localhost:8000/js/task.js defer></script>↵
95. ↵
96. <main>↵
97.     <section id="projectSide">↵
98.         <link href="http://localhost:8000/css/project_side.css"
rel="stylesheet">↵
99.         <script src=http://localhost:8000/js/sideNav.js defer></script>↵
100.         <nav class="navbar-fixed-left d-block bg-white">↵
101.             <ul class="list-unstyled ps-0">↵
102.                 <li class="mb-1">↵
103.                     <button id="favoriteProjectsTitle" class="btn btn-toggle
align-items-center rounded collapsed" data-bs-toggle="collapse" data-bs-
target="#favoriteProjects-collapse" aria-expanded="true">↵
104.                         <i class="bi bi-chevron-down"></i><span class="">Favorite
Projects</span>↵
105.                     </button>↵
106.                     <a href='http://localhost:8000/project/create'
id="newProject" class="btn btn-toggle align-items-center rounded
collapsed btn-secondary" aria-expanded="true">↵
107.                         New↵
108.                     </a>↵
109.                     <div class="collapse show" id="favoriteProjects-
collapse">↵

```

```

110.         <ul class=" favoriteProjects nav-pills btn-toggle-nav list-
unstyled fw-normal pb-1 large">
111.             <li id = "proj8" ><a
href="http://localhost:8000/project/8" class="nav-link link-dark rounded
font-weight-bold">rffff</a></li>
112.             <li id = "proj10" ><a
href="http://localhost:8000/project/10" class="nav-link link-dark
rounded font-weight-bold">llllllllllllllllllllllll</a></li>
113.             <li id = "proj13" ><a
href="http://localhost:8000/project/13" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffff</a></li>
114.             <li id = "proj15" ><a
href="http://localhost:8000/project/15" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffff</a></li>
115.             <li id = "proj16" ><a
href="http://localhost:8000/project/16" class="nav-link link-dark
rounded font-weight-bold">ffffffffffff</a></li>
116.             <li id = "proj18" ><a
href="http://localhost:8000/project/18" class="nav-link link-dark
rounded font-weight-bold">llllllllllllllll</a></li>
117.             <li id = "proj19" ><a
href="http://localhost:8000/project/19" class="nav-link link-dark
rounded font-weight-bold">ccccc</a></li>
118.             <li id = "proj1" ><a
href="http://localhost:8000/project/1" class="nav-link link-dark rounded
font-weight-bold">Trabalho de LBAW</a></li>
119.             <li id = "proj14" ><a
href="http://localhost:8000/project/14" class="nav-link link-dark
rounded font-weight-bold">mmmmmmmmmmmmmm</a></li>
120.         </ul>
121.     </div>
122. </li>
123. <li class="border-top my-3">
124.     <ul class = "nav nav-pills flex-sm-column mb-auto ">
125.         <li class = "nav-item">
126.             <a href = "http://localhost:8000/project/8" class="nav-link
link-dark" id="boardProjectButton">Board</a>
127.         </li>
128.         <li class = "nav-item">
129.             <a href = "http://localhost:8000/project/8/edit" class="nav-
link link-dark" id="editProjectButton">General Settings</a>
130.         </li>
131.         <li class = "nav-item">
132.             <a href = "http://localhost:8000/project/8/members"
class="nav-link link-dark " id="teamMembersProjectButton">Project
Members</a>
133.         </li>
134.         <li class = "nav-item">
135.             <button type="button" class="btn btn-outline-danger nav-
link btn-block text-left" data-bs-toggle="modal" data-bs-
target="#leaveModal">Leave Project</button>
136.         </li>
137.         <li class = "nav-item">
138.             <button type="button" class="btn btn-outline-danger nav-
link btn-block text-left" data-bs-toggle="modal" data-bs-
target="#archiveModal">Archive Project</button>
139.         </li>
140.     </ul>
141. </li>
142. </ul>
143. </nav>
144. <div class="modal " id="leaveModal" tabindex="-1" role="dialog"
aria-hidden="true">
145.     <div class="modal-dialog modal-dialog-centered" role="document">
146.         <div class="modal-content">
147.             <div class="modal-header">
148.                 <h5 class="modal-title">Danger - Leaving project</h5>
149.                 <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">
150.             </button>
151.         </div>
152.         <div class="modal-body">
153.             <p>Are you sure you want to leave the project?</p>
154.         </div>
155.         <div class="modal-footer">

```

```

156.         <form method="POST" action =
157. "http://localhost:8000/project/8/leave" >
158.         <input type="hidden" name=" token"
159. value="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">         <button
160. type="submit" class="btn btn-outline-danger nav-link btn-block text-
161. left" id="leaveProjectButton">Leave Project</button>
162.     </form>
163. </div>
164. </div>
165. </div>
166. </div>
167. <div class="modal " id="archiveModal" tabindex="-1" role="dialog"
168. aria-hidden="true">
169.     <div class="modal-dialog modal-dialog-centered" role="document">
170.         <div class="modal-content">
171.             <div class="modal-header">
172.                 <h5 class="modal-title">Danger - Archive Project</h5>
173.                 <button type="button" class="btn-close" data-bs-
174. dismiss="modal" aria-label="Close">
175.             </button>
176.         </div>
177.         <div class="modal-body">
178.             <p>This project will become read-only</p>
179.         </div>
180.         <div class="modal-footer">
181.             <form method="POST" action =
182. "http://localhost:8000/project/8/archive" >
183.             <input type="hidden" name=" token"
184. value="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">         <button
185. type="submit" class="btn btn-outline-danger nav-link btn-block text-
186. left" id="archiveProjectButton">Archive Project</button>
187.             </form>
188.         </div>
189.     </div>
190. </div>
191. </div>
192. </div>
193. </div>
194. </section>
195. <div class="container text-center boardView" id="boardView">
196.     <div class="row justify-content-between boardViewHeader">
197.         <div class="col-6">
198.             <h2>Board View - rffff</h2>
199.         </div>
200.         <div class="col-4">
201.             <button type = "submit" class="btn btn-outline-
202. danger btn-sm favoriteButton Button">REMOVE FAVORITE</button>
203.         </div>
204.     </div>
205.     <div class="row">
206.         <div class="col task tasksToDo">
207.             <div class="tasksToDoHeader">
208.                 <h3>To do</h3>
209.                 <button class="addTaskToDo btn btn-outline-dark rounded
210. addTask" data-bs-toggle="modal" data-bs-target="#createTask">
211.                 <svg xmlns="http://www.w3.org/2000/svg" width="16"
212. height="16" fill="currentColor" class="bi bi-plus-lg" viewBox="0 0 16
213. 16">
214.                     <path fill-rule="evenodd" d="M8 2a.5.5 0 0 1
215. .5.5v5h5a.5.5 0 0 1 0 1h-5v5a.5.5 0 0 1-1 0v-5h-5a.5.5 0 0 1 0-1h5v-
216. 5A.5.5 0 0 1 8 2Z"/>
217.                 </svg>
218.             </button>
219.         </div>
220.         <a id = 16 class = "taskLink" >
221.             <div class="tasks">llllllllll</div>
222.         </a>
223.         <a id = 17 class = "taskLink" >
224.             <div class="tasks">aaaa</div>
225.         </a>
226.         <a id = 20 class = "taskLink" >
227.             <div class="tasks">DADA</div>
228.         </a>
229.         <a id = 21 class = "taskLink" >
230.             <div class="tasks">test</div>
231.         </a>
232.         <a id = 25 class = "taskLink" >
233.             <div class="tasks">dada</div>

```

```

216.         </a>↵
217.             <a id = 27 class = "taskLink" >↵
218.                 <div class="tasks">ddddddd</div>↵
219.         </a>↵
220.             <a id = 29 class = "taskLink" >↵
221.                 <div class="tasks">ddadaada</div>↵
222.         </a>↵
223.             <div class = " pagination justify-content-center">↵
224.                 ↵
225.             </div>↵
226.         </div>↵
227.         <div class="col task tasksDoing">↵
228.             <h3>Doing</h3>↵
229.                 <a id = 30 class = "taskLink" >↵
230.                     <div class="tasks">ddddddd</div>↵
231.                 </a>↵
232.                     <div class = " pagination justify-content-
center">↵
233.                         ↵
234.                     </div>↵
235.                 </div>↵
236.                 <div class="col task tasksDone">↵
237.                     <h3>Done</h3>↵
238.                         <a id = 33 class = "taskLink" >↵
239.                             <div class="tasks">dadadad</div>↵
240.                         </a>↵
241.                             <a id = 24 class = "taskLink" >↵
242.                                 <div class="tasks">dada</div>↵
243.                             </a>↵
244.                                 <a id = 32 class = "taskLink" >↵
245.                                     <div class="tasks">dddddd</div>↵
246.                                 </a>↵
247.                                     <a id = 31 class = "taskLink" >↵
248.                                         <div class="tasks">dddddd</div>↵
249.                                     </a>↵
250.                                         <a id = 28 class = "taskLink" >↵
251.                                             <div class="tasks">dadada</div>↵
252.                                         </a>↵
253.                                             <a id = 26 class = "taskLink" >↵
254.                                                 <div class="tasks">dadadada</div>↵
255.                                             </a>↵
256.                                                 <a id = 23 class = "taskLink" >↵
257.                                                     <div class="tasks">adaadada</div>↵
258.                                                 </a>↵
259.                                                     <a id = 22 class = "taskLink" >↵
260.                                                         <div class="tasks">adaad</div>↵
261.                                                         </a>↵
262.                                                         <div class = " pagination justify-content-
center">↵
263.                                                             <nav>↵
264.                                                                 <ul class="pagination">↵
265.                                                                     ↵
266.                                                                 <li class="page-item disabled" aria-
disabled="true">↵
267.                                                                     <span class="page-link">&laquo; Previous</span>↵
268.                                                                     </li>↵
269.                                                                     ↵
270.                                                                     ↵
271.                                                                 <li class="page-item">↵
272.                                                                     <a class="page-link"
href="http://localhost:8000/project/8?tasksDone=2" rel="next">Next
&raquo;</a>↵
273.                                                                     </li>↵
274.                                                                 </ul>↵
275.                                                             </nav>↵
276.                 ↵
277.                 </div>↵
278.             </div>↵
279.         </div>↵
280.     </div>↵
281.     <div class = "modal" id="createTask">↵
282.         <div class="modal-dialog modal-dialog-centered modal-xl">↵
283.             <div class="modal-content">↵
284.                 <div class="modal-header">↵
285.                     <h4 class="modal-title">Create Task</h4>↵

```



```

286.         <button type="button" class="btn-close" data-bs-
dismiss="modal"></button>↵
287.     </div>↵
288.     <div class="modal-body">↵
289.         <form method="POST" action =
"http://localhost:8000/task/create?id=8" class="createTaskForm">↵
290.             <input type="hidden" name="token"
value="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">         <div
class="form-group newTask">↵
291.                 <input type="text" name="name" class="form-control"
id="taskName" placeholder="Name" required>↵
292.                 </div>↵
293.                 <div class="form-group newTask">↵
294.                     <textarea name="details" class="form-control" rows = "3"
id="projectDetails" placeholder="Details"></textarea>↵
295.                 </div>↵
296.                 <div class="form_select newTaskSelect">↵
297.                     <select name="userAssigned" class="optionsUserAssigned
custom-select">↵
298.                         <option selected>User assigned</option>↵
299.                         <option value="João
Araújo">João Araújo</option>↵
300.                         <option
value="liaVieira">liaVieira</option>↵
301.                         <option
value="Diogo Neves">Diogo Neves</option>↵
302.                         <option value="Tiago
Aleixo">Tiago Aleixo</option>↵
303.                         <option value="Diogo
Babo">Diogo Babo</option>↵
304.                         <option value="Tiago
Branquinho">Tiago Branquinho</option>↵
305.                         <option value="Alexandre
Correia">Alexandre Correia</option>↵
306.                         <option value="Henrique
Silva">Henrique Silva</option>↵
307.                         <option value="Tiago
Martins">Tiago Martins</option>↵
308.                         <option value="Helena
Coelho">Helena Coelho</option>↵
309.                         <option value="Rui
Silveira">Rui Silveira</option>↵
310.                     </select>↵
311.                 </div>↵
312.                 <div class="form_select newTaskSelect">↵
313.                     <select name="priority" class="optionsPriority custom-
select">↵
314.                         <option selected>Priority</option>↵
315.                         <option value="Low">Low</option>↵
316.                         <option value="Medium">Medium</option>↵
317.                         <option value="High">High</option>↵
318.                     </select>↵
319.                 </div>↵
320.                 <button type="submit" class="btn btn-outline-dark"
id="createTaskButton">Create task</button>↵
321.             </form>↵
322.         </div>↵
323.     </div>↵
324. </div>↵
325. </div>↵
326.     <div class = "offcanvasDiv"></div>↵
327. </main>↵
328.     <footer class="footer container" id = "footerEnd">↵
329.         <link href="http://localhost:8000/css/footer.css"
rel="stylesheet">↵
330.         <div class="d-flex flex-wrap justify-content-between align-items-
center py-3 my-4 border-top"> ↵
331.             <p class="col-md-4 mb-0 text-muted">&copy; 2022 Company, Inc</p>↵
332.             <ul class="nav col-md-4 justify-content-end">↵
333.                 <li class="nav-item"><a href="/" class="nav-link px-2 text-
muted">Home</a></li>↵
334.                 <li class="nav-item"><a href="http://localhost:8000/contact"
class="nav-link px-2 text-muted">Contacts</a></li>↵
335.                 <li class="nav-item"><a href="http://localhost:8000/faq"
class="nav-link px-2 text-muted">FAQ</a></li>↵

```

```
336.         <li class="nav-item"><a href="http://localhost:8000/about"  
      class="nav-link px-2 text-muted">About</a></li>  
337.     </ul>  
338. </div>  
339.   
340. </footer>  
341. </body>  
342. </html>  
343.
```

Used the HTML parser.

Total execution time 44 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <title> Workfluido </title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">
    <!-- Styles -->

    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.cs

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning

Section lacks heading. Consider using h2 - h6 elements to [add identifying headings to all sections](#), or else use a div element instead for any cases where no heading is needed.

[From line 67, column 9; to line 67, column 38](#)

```

>...      <section id = 'notifications'>...

```

Document checking completed.

Source

```

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4.   <head>↵
5.     <title> Workfluido </title>↵
6.     <meta charset="utf-8">↵
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵

```

```

8.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
11.    <!-- Styles -->↵
12.    ↵
13.    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous"> ↵
14.    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.3.0/font/bootstrap-icons.css">↵
15.    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcxpD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>↵
16.    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.mi
n.css" integrity="sha384-
gg0YR0iXcBMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">↵
17.    ↵
18.    </head>↵
19.    <body>↵
20.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>↵
21.    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.j
s" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>↵
22.    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>↵
23.    <header>↵
24.    <link href="http://localhost:8000/css/header.css"
rel="stylesheet">↵
25.    <script src=http://localhost:8000/js/ajax.js defer></script>↵
26.    <script src=http://localhost:8000/js/search.js defer></script>↵
27.    <script src=http://localhost:8000/js/notification.js defer></script>↵
28.    ↵
29.    ↵
30.    ↵
31.    <div class="row justify-content-between headerContainer"
id="headerContainer">↵
32.    <div class="col-4">↵
33.    <a href = "http://localhost:8000"></a>↵
34.    </div>↵
35.    <div class="col-4">↵
36.    <input type="search" class="form-control" placeholder="Search..."
aria-label="Search" id="searchbar">↵
37.    <section>↵
38.    <link href="http://localhost:8000/css/header.css"
rel="stylesheet">↵
39.    ↵
40.    <div class="dropdown" id="searchDiv">↵
41.    <ul class="searchDrop dropdown-menu dropdown-menu-center">↵
42.    <li>↵
43.    <h2>Projects</h2>↵
44.    <div id = "divResultProjects"></div>↵
45.    </li>↵
46.    <li>↵
47.    <h2>Users</h2>↵
48.    <div id = "divResultUsers"></div>↵
49.    </li>↵
50.    <li>↵
51.    <h2 class = "tasksFromProjectH2">Tasks from this project</h2>↵

```

```

52.         <div id = "divResultTasks"></div>↵
53.     </li>↵
54. </ul>↵
55. </div>↵
56.         </section>↵
57.     </div>↵
58.     <div class="col-4 btn-toolbar allButtons text-right">↵
59.         <div class = "btn-group" role = "group">↵
60.             <button type = "button" class = "btn btn-secondary btn-light
rounded" id = "sideNavButton"><i class="bi bi-list"></i></button>↵
61.         </div>↵
62.         <div class = "btn-group" role = "group">↵
63.             <a href = "http://localhost:8000/profile" class = "btn btn-
secondary btn-light rounded" id="profileButton"><i class="bi bi-person">
</i></a>↵
64.         </div>↵
65.         <div class = "btn-group" role = "group">↵
66.             <button class="btn btn-secondary btn-light rounded"
type="button" id="dropdownMenuButton" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"><i class="bi bi-bell" ></i>
</button>↵
67.             <section id = 'notifications'>↵
68.                 <link href="http://localhost:8000/css/notifications.css"
rel="stylesheet">↵
69.             <div class="dropdown">↵
70.                 <ul class="not dropdown-menu dropdown-menu-right">↵
71.                     <li>↵
72.                         <div class ="col" style="width: 18rem;">↵
73.                             <ul class="list-group list-group-flush">↵
74.                                 <li class="list-group-item">↵
75.                                     <span class="text">Notifications empty</span>↵
76.                                 </li>↵
77.                             </ul>↵
78.                         </div>↵
79.                     </li>↵
80.                 </ul>↵
81.             </div>↵
82.             </section>↵
83.         </div> ↵
84.         <div class = "btn-group" role = "group">↵
85.             <a href = "http://localhost:8000/logout" class = "btn btn-
secondary btn-light rounded" id="logoutButton"><i class="bi bi-box-
arrow-right"></i></a>↵
86.         </div>↵
87.     </div>↵
88. </div>↵
89. </header>↵
90. ↵
91. <link href="http://localhost:8000/css/create_edit_proj_task.css"
rel="stylesheet">↵
92. ↵
93. <main>↵
94.     <section id="projectSide">↵
95.         <link href="http://localhost:8000/css/project_side.css"
rel="stylesheet">↵
96.         <script src=http://localhost:8000/js/sideNav.js defer></script>↵
97.         <nav class="navbar-fixed-left d-block bg-white">↵
98.             <ul class="list-unstyled ps-0">↵
99.                 <li class="mb-1">↵
100.                     <button id="favoriteProjectsTitle" class="btn btn-toggle
align-items-center rounded collapsed" data-bs-toggle="collapse" data-bs-
target="#favoriteProjects-collapse" aria-expanded="true">↵
101.                         <i class="bi bi-chevron-down"></i><span class="">Favorite
Projects</span>↵
102.                     </button>↵
103.                     <a href='http://localhost:8000/project/create'
id="newProject" class="btn btn-toggle align-items-center rounded
collapsed btn-secondary" aria-expanded="true">↵
104.                         New↵
105.                     </a>↵
106.                     <div class="collapse show" id="favoriteProjects-
collapse">↵
107.                         <ul class=" favoriteProjects nav-pills btn-toggle-nav list-
unstyled fw-normal pb-1 large">↵
108.                             <li id = "proj8" ><a
href="http://localhost:8000/project/8" class="nav-link link-dark rounded

```

```
font-weight-bold">rffff</a></li>↵
109.     <li id = "proj10" ><a
href="http://localhost:8000/project/10" class="nav-link link-dark
rounded font-weight-bold">llllllllllllllllllllll</a></li>↵
110.     <li id = "proj13" ><a
href="http://localhost:8000/project/13" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffff</a></li>↵
111.     <li id = "proj15" ><a
href="http://localhost:8000/project/15" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffff</a></li>↵
112.     <li id = "proj16" ><a
href="http://localhost:8000/project/16" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffff</a></li>↵
113.     <li id = "proj18" ><a
href="http://localhost:8000/project/18" class="nav-link link-dark
rounded font-weight-bold">llllllllllllllll</a></li>↵
114.     <li id = "proj19" ><a
href="http://localhost:8000/project/19" class="nav-link link-dark
rounded font-weight-bold">ccccc</a></li>↵
115.     <li id = "proj1" ><a
href="http://localhost:8000/project/1" class="nav-link link-dark rounded
font-weight-bold">Trabalho de LBAW</a></li>↵
116.     <li id = "proj14" ><a
href="http://localhost:8000/project/14" class="nav-link link-dark
rounded font-weight-bold">mmmmmmmmmmmmmm</a></li>↵
117.     </ul>↵
118. </div>↵
119. </li>↵
120. <li class="border-top my-3">↵
121. <ul class = "nav nav-pills flex-sm-column mb-auto ">↵
122.     <li class = "nav-item">↵
123.         <a href = "http://localhost:8000/project/8" class="nav-link
link-dark" id="boardProjectButton">Board</a>↵
124.     </li>↵
125.         <li class = "nav-item">↵
126.             <a href = "http://localhost:8000/project/8/edit" class="nav-
link link-dark" id="editProjectButton">General Settings</a>↵
127.         </li>↵
128.             <li class = "nav-item">↵
129.                 <a href = "http://localhost:8000/project/8/members"
class="nav-link link-dark " id="teamMembersProjectButton">Project
Members</a>↵
130.             </li>↵
131.                 <li class = "nav-item">↵
132.                     <button type="button" class="btn btn-outline-danger nav-
link btn-block text-left" data-bs-toggle="modal" data-bs-
target="#leaveModal">Leave Project</button>↵
133.                 </li>↵
134.                     <li class = "nav-item">↵
135.                         <button type="button" class="btn btn-outline-danger nav-
link btn-block text-left" data-bs-toggle="modal" data-bs-
target="#archiveModal">Archive Project</button>↵
136.                     </li>↵
137.                 </ul>↵
138.             </li>↵
139. </ul>↵
140. </nav>↵
141. <div class="modal " id="leaveModal" tabindex="-1" role="dialog"
aria-hidden="true">↵
142.     <div class="modal-dialog modal-dialog-centered" role="document">↵
143.         <div class="modal-content">↵
144.             <div class="modal-header">↵
145.                 <h5 class="modal-title">Danger - Leaving project</h5>↵
146.                 <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
147.             </button>↵
148.             </div>↵
149.             <div class="modal-body">↵
150.                 <p>Are you sure you want to leave the project?</p>↵
151.             </div>↵
152.             <div class="modal-footer">↵
153.                 <form method="POST" action =
"http://localhost:8000/project/8/leave" >↵
154.                     <input type="hidden" name=" token"
value="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
```

<button

```

type="submit" class="btn btn-outline-danger nav-link btn-block text-
left" id="leaveProjectButton">Leave Project</button>↵
155.     </form>↵
156.     </div>↵
157. </div>↵
158. </div>↵
159. </div>↵
160.     <div class="modal " id="archiveModal" tabindex="-1" role="dialog"
aria-hidden="true">↵
161.         <div class="modal-dialog modal-dialog-centered" role="document">↵
162.             <div class="modal-content">↵
163.                 <div class="modal-header">↵
164.                     <h5 class="modal-title">Danger - Archive Project</h5>↵
165.                     <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
166.                         </button>↵
167.                 </div>↵
168.                 <div class="modal-body">↵
169.                     <p>This project will become read-only</p>↵
170.                 </div>↵
171.                 <div class="modal-footer">↵
172.                     <form method="POST" action =
"http://localhost:8000/project/8/archive" >↵
173.                         <input type="hidden" name=" token"
value="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">↵ <button
type="submit" class="btn btn-outline-danger nav-link btn-block text-
left" id="archiveProjectButton">Archive Project</button>↵
174.                         </form>↵
175.                     </div>↵
176.                 </div>↵
177.             </div>↵
178.         </div>↵
179.     </section>↵
180. ↵
181.     <div id="projectUpdate">↵
182.         <form method="POST" action = "http://localhost:8000/project/8/edit"
class="editProjectForm"> <!-- METER SLUG CORRETA -->↵
183.             <input type="hidden" name="_token"
value="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">↵ <div
class="projectUpdateForm form-group">↵
184.                 <label for="projectNewName">Name</label>↵
185.                 <input type="text" name="name" class="form-control"
id="projectNewName" placeholder="rffff" autofocus>↵
186.                 </div>↵
187.                 <div class="projectUpdateForm form-group">↵
188.                     <label for="projectNewDetails">Description</label>↵
189.                     <textarea name="details" class="form-control" rows = "3"
id="projectNewDetails" placeholder="ffffffffffff"></textarea>↵
190.                 </div>↵
191.                 <button type="submit" class="btn btn-outline-dark"
id="updateProjectButton">Update Project</button>↵
192.             </form>↵
193.         </div>↵
194. </main>↵
195.     <footer class="footer container" id = "footerEnd">↵
196.         <link href="http://localhost:8000/css/footer.css"
rel="stylesheet">↵
197.         <div class="d-flex flex-wrap justify-content-between align-items-
center py-3 my-4 border-top">↵
198.             <p class="col-md-4 mb-0 text-muted">&copy; 2022 Company, Inc</p>↵
199.             <ul class="nav col-md-4 justify-content-end">↵
200.                 <li class="nav-item"><a href="/" class="nav-link px-2 text-
muted">Home</a></li>↵
201.                 <li class="nav-item"><a href="http://localhost:8000/contact"
class="nav-link px-2 text-muted">Contacts</a></li>↵
202.                 <li class="nav-item"><a href="http://localhost:8000/faq"
class="nav-link px-2 text-muted">FAQ</a></li>↵
203.                 <li class="nav-item"><a href="http://localhost:8000/about"
class="nav-link px-2 text-muted">About</a></li>↵
204.             </ul>↵
205.         </div>↵
206.     ↵
207. </footer>↵
208. </body>↵
209. </html>↵
210.

```

Used the HTML parser.

Total execution time 39 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <title> Workfluido </title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">
    <!-- Styles -->

    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.cs

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning

Section lacks heading. Consider using h2 - h6 elements to [add identifying headings to all sections](#), or else use a div element instead for any cases where no heading is needed.

[From line 67, column 9; to line 67, column 38](#)

```

>...      <section id = 'notifications'>...

```

Document checking completed.

Source

```

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4.   <head>↵
5.     <title> Workfluido </title>↵
6.     <meta charset="utf-8">↵
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵

```

```

8.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
11.    <!-- Styles -->↵
12.    ↵
13.    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous"> ↵
14.    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.3.0/font/bootstrap-icons.css">↵
15.    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcxpD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>↵
16.    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.mi
n.css" integrity="sha384-
gg0YR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxt2MZw1T"
crossorigin="anonymous">↵
17.    ↵
18.    </head>↵
19.    <body>↵
20.    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>↵
21.    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.j
s" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>↵
22.    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>↵
23.    <header>↵
24.    <link href="http://localhost:8000/css/header.css"
rel="stylesheet">↵
25.    <script src=http://localhost:8000/js/ajax.js defer></script>↵
26.    <script src=http://localhost:8000/js/search.js defer></script>↵
27.    <script src=http://localhost:8000/js/notification.js defer></script>↵
28.    ↵
29.    ↵
30.    ↵
31.    <div class="row justify-content-between headerContainer"
id="headerContainer">↵
32.    <div class="col-4">↵
33.    <a href = "http://localhost:8000"></a>↵
34.    </div>↵
35.    <div class="col-4">↵
36.    <input type="search" class="form-control" placeholder="Search..."
aria-label="Search" id="searchbar">↵
37.    <section>↵
38.    <link href="http://localhost:8000/css/header.css"
rel="stylesheet">↵
39.    ↵
40.    <div class="dropdown" id="searchDiv">↵
41.    <ul class="searchDrop dropdown-menu dropdown-menu-center">↵
42.    <li>↵
43.    <h2>Projects</h2>↵
44.    <div id = "divResultProjects"></div>↵
45.    </li>↵
46.    <li>↵
47.    <h2>Users</h2>↵
48.    <div id = "divResultUsers"></div>↵
49.    </li>↵
50.    <li>↵
51.    <h2 class = "tasksFromProjectH2">Tasks from this project</h2>↵

```

```

52.         <div id = "divResultTasks"></div>↵
53.     </li>↵
54. </ul>↵
55. </div>↵
56.         </section>↵
57.     </div>↵
58.     <div class="col-4 btn-toolbar allButtons text-right">↵
59.         <div class = "btn-group" role = "group">↵
60.             <button type = "button" class = "btn btn-secondary btn-light
rounded" id = "sideNavButton"><i class="bi bi-list"></i></button>↵
61.         </div>↵
62.         <div class = "btn-group" role = "group">↵
63.             <a href = "http://localhost:8000/profile" class = "btn btn-
secondary btn-light rounded" id="profileButton"><i class="bi bi-person">
</i></a>↵
64.         </div>↵
65.         <div class = "btn-group" role = "group">↵
66.             <button class="btn btn-secondary btn-light rounded"
type="button" id="dropdownMenuButton" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"><i class="bi bi-bell" ></i>
</button>↵
67.             <section id = 'notifications'>↵
68.                 <link href="http://localhost:8000/css/notifications.css"
rel="stylesheet">↵
69.             <div class="dropdown">↵
70.                 <ul class="not dropdown-menu dropdown-menu-right">↵
71.                     <li>↵
72.                         <div class ="col" style="width: 18rem;">↵
73.                             <ul class="list-group list-group-flush">↵
74.                                 <li class="list-group-item">↵
75.                                     <span class="text">Notifications empty</span>↵
76.                                 </li>↵
77.                             </ul>↵
78.                         </div>↵
79.                     </li>↵
80.                 </ul>↵
81.             </div>↵
82.             </section>↵
83.         </div> ↵
84.         <div class = "btn-group" role = "group">↵
85.             <a href = "http://localhost:8000/logout" class = "btn btn-
secondary btn-light rounded" id="logoutButton"><i class="bi bi-box-
arrow-right"></i></a>↵
86.         </div>↵
87.     </div>↵
88. </div>↵
89. </header>↵
90. ↵
91. <link href="http://localhost:8000/css/profile.css" rel="stylesheet">↵
92. ↵
93. <main>↵
94. <section style="background-color: #eee;">↵
95.     <div class="container py-5">↵
96.         <div class="row">↵
97.             <div class="col-lg-4">↵
98.                 <div class="card mb-4">↵
99.                     <div class="card-body text-center" id="profile">↵
100.                         <img src=http://localhost:8000/avatars/user1.png
alt="avatar" class="rounded-circle img-fluid" style="width: 150px;
height: 150px;">↵
101.                         <form method="POST" action =
"http://localhost:8000/profile/avatar" enctype="multipart/form-data">↵
102.                             <input type="hidden" name="token"
value="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6Xcor">↵
103.                             <div class="form-control" name = "avatar"
type="file" accept="image/png, image/gif, image/jpeg" id='fileAvatar'>↵
104.                             <button class="btn btn-outline-secondary"
type="submit" id='saveAvatar'><i class="bi bi-check"></i></button>↵
105.                             </div>↵
106.                         </form>↵
107.                     <h5 class="my-3">João Araújo</h5>↵
108.                     <p class="text-muted mb-1">joaoraujo@gmail.com</p>↵
109.                 </div>↵
110.             </div>↵
111.         </div>↵

```

```

112.     <div class="col-lg-8">↵
113.         <div class="card mb-4">↵
114.             <div class="card-body" id="form">↵
115.                 <div class="row">↵
116.                     <form method="POST" action = "http://localhost:8000/profile"
id="userInf">↵
117.                         <h3 id = "change_profile_title"> Edit Profile</h3>↵
118.                         <input type="hidden" name=" token"
value="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
class="form-group formsName">↵
119.                             <div class="col-sm-3">↵
120.                                 <label for="userName" class="mb-0">Name</label>↵
121.                             </div>↵
122.                             <div class="col-sm-9">↵
123.                                 <input type="text" name = "name" placeholder= "João
Araújo" id="userName" class="form-control text-muted mb-0">↵
124.                             </div>↵
125.                         </div>↵
126.                     ↵
127.                         <div class="form-group formsUsername">↵
128.                             <div class="col-sm-3">↵
129.                                 <label for="userUsername" class="mb-
0">Username</label>↵
130.                             </div>↵
131.                             <div class="col-sm-9">↵
132.                                 <input type="text" name = "username" placeholder=
"joaraujo78" id="userUsername" class="form-control text-muted mb-0">↵
133.                             </div>↵
134.                         </div>↵
135.                     ↵
136.                         <div class="form-group formsEmail">↵
137.                             <div class="col-sm-3">↵
138.                                 <label for="userEmail" class="mb-0">Email</label>↵
139.                             </div>↵
140.                             <div class="col-sm-9">↵
141.                                 <input type="text" name = "email" placeholder=
"joaoaraujo@gmail.com" id="userEmail" class="form-control text-muted mb-
0">↵
142.                             </div>↵
143.                         </div>↵
144.                     ↵
145.                         <div class="form-group formsPhone">↵
146.                             <div class="col-sm-3">↵
147.                                 <label for="userPhone" class="mb-0">Phone
Number</label>↵
148.                             </div>↵
149.                             <div class="col-sm-9">↵
150.                                 <input pattern = "(9[1236]\d) ?(\d{3}) ?(\d{3})" name
= "phone_number" placeholder= "934212314" id="userPhone" class="form-
control text-muted mb-0">↵
151.                             </div>↵
152.                         </div>↵
153.                     ↵
154.                         <div class="form-group formsPassword">↵
155.                             <div class="col-sm-3">↵
156.                                 <label for="password" class="mb-0">Password</label>↵
157.                             </div>↵
158.                             <div class="col-sm-9">↵
159.                                 <input type="password" name = "password" placeholder=
"User's password" id="password" class="form-control text-muted mb-0">↵
160.                             </div>↵
161.                         </div>↵
162.                     ↵
163.                         <div class="form-group formsNewPassword">↵
164.                             <div class="col-sm-3">↵
165.                                 <label for="new_password" class="mb-0">New
Password</label>↵
166.                             </div>↵
167.                             <div class="col-sm-9">↵
168.                                 <input type="password" name = "new_password"
placeholder= "User's new password" id="new_password" class="form-control
text-muted mb-0">↵
169.                             </div>↵
170.                         </div>↵
171.                         <button type="submit" data-href="/profile/joaraujo78"
class="btn btn-outline-dark btn-lg"

```

```

172.     id="updateProfileButton">Update</button>↵
        <button type="button" class="btn btn-outline-danger" data-
bs-toggle="modal" data-bs-target="#deleteAccountModal"
173.     id="deleteAccountButton">Delete Account</button>↵
174.         </form>↵
175.     </div>↵
176. </div>↵
177. </div>↵
178. </div>↵
179. </div>↵
180. </section>↵
181. <div class="modal " id="deleteAccountModal" tabindex="-1" role="dialog"
aria-hidden="true">↵
182.     <div class="modal-dialog modal-dialog-centered" role="document">↵
183.         <div class="modal-content">↵
184.             <div class="modal-header">↵
185.                 <h5 class="modal-title" id="exampleModalLabel">Danger -
Deleting Account</h5>↵
186.                 <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
187.                     </button>↵
188.             </div>↵
189.             <div class="modal-body">↵
190.                 <p>↵
191.                     You are the only coordinator at one or more projects. ↵
192.                 </p>↵
193.             </div>↵
194.         </div>↵
195.     </div>↵
196. </div>↵
197. </main>↵
198.     <footer class="footer container" id = "footerEnd">↵
199.         <link href="http://localhost:8000/css/footer.css"
rel="stylesheet">↵
200.         <div class="d-flex flex-wrap justify-content-between align-items-
center py-3 my-4 border-top"> ↵
201.             <p class="col-md-4 mb-0 text-muted">&copy; 2022 Company, Inc</p>↵
202.             <ul class="nav col-md-4 justify-content-end">↵
203.                 <li class="nav-item"><a href="/" class="nav-link px-2 text-
muted">Home</a></li>↵
204.                 <li class="nav-item"><a href="http://localhost:8000/contact"
class="nav-link px-2 text-muted">Contacts</a></li>↵
205.                 <li class="nav-item"><a href="http://localhost:8000/faq"
class="nav-link px-2 text-muted">FAQ</a></li>↵
206.                 <li class="nav-item"><a href="http://localhost:8000/about"
class="nav-link px-2 text-muted">About</a></li>↵
207.             </ul>↵
208.         </div>↵
209.     ↵
210. </footer>↵
211. </body>↵
212. </html>↵
213.

```

Used the HTML parser.

Total execution time 32 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▾

Enter the URL for an HTML, CSS,

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
- [From line 67, column 9; to line 67, column 38](#)
- ```
><
 <section id = 'notifications'><
```

Document checking completed.

## Source

```

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4. <head>↵
5. <title> Workfluido </title>↵
6. <meta charset="utf-8">↵
7. <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8. <meta name="viewport" content="width=device-width, initial-
scale=1">↵
9. <!-- CSRF Token -->↵
10. <meta name="csrf-token"
content="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
11. <!-- Styles -->↵
12. ↵
13. <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous"> ↵
14. <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-
icons@1.3.0/font/bootstrap-icons.css">↵
15. <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bund
le.min.js" integrity="sha384-

```



```

kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
16. <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.mi
n.css" integrity="sha384-
gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
17.
18. </head>
19. <body>
20. <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
21. <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.j
s" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
22. <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
23. <header>
24. <link href="http://localhost:8000/css/header.css"
rel="stylesheet">
25. <script src=http://localhost:8000/js/ajax.js defer></script>
26. <script src=http://localhost:8000/js/search.js defer></script>
27. <script src=http://localhost:8000/js/notification.js defer></script>
28.
29.
30.
31. <div class="row justify-content-between headerContainer"
id="headerContainer">
32. <div class="col-4">
33.
34. </div>
35. <div class="col-4">
36. <input type="search" class="form-control" placeholder="Search..."
aria-label="Search" id="searchbar">
37. <section>
38. <link href="http://localhost:8000/css/header.css"
rel="stylesheet">
39.
40. <div class="dropdown" id="searchDiv">
41. <ul class="searchDrop dropdown-menu dropdown-menu-center">
42.
43. <h2>Projects</h2>
44. <div id = "divResultProjects"></div>
45.
46.
47. <h2>Users</h2>
48. <div id = "divResultUsers"></div>
49.
50.
51. <h2 class = "tasksFromProjectH2">Tasks from this project</h2>
52. <div id = "divResultTasks"></div>
53.
54.
55. </div>
56. </section>
57. </div>
58. <div class="col-4 btn-toolbar allButtons text-right">
59. <div class = "btn-group" role = "group">
60. <button type = "button" class = "btn btn-secondary btn-light
rounded" id = "sideNavButton"><i class="bi bi-list"></i></button>
61. </div>
62. <div class = "btn-group" role = "group">
63. <a href = "http://localhost:8000/profile" class = "btn btn-
secondary btn-light rounded" id="profileButton"><i class="bi bi-person">
</i>
64. </div>
65. <div class = "btn-group" role = "group">

```

```

66. <button class="btn btn-secondary btn-light rounded"
type="button" id="dropdownMenuButton" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"><i class="bi bi-bell" ></i>
</button>
67. <section id = 'notifications'>
68. <link href="http://localhost:8000/css/notifications.css"
rel="stylesheet">
69. <div class="dropdown">
70. <ul class="not dropdown-menu dropdown-menu-right">
71.
72. <div class ="col" style="width: 18rem;">
73. <ul class="list-group list-group-flush">
74. <li class="list-group-item">
75. Notifications empty
76.
77.
78. </div>
79.
80.
81. </div>
82. </section>
83. </div>
84. <div class = "btn-group" role = "group">
85. <a href = "http://localhost:8000/logout" class = "btn btn-
secondary btn-light rounded" id="logoutButton"><i class="bi bi-box-
arrow-right"></i>
86. </div>
87. </div>
88. </div>
89. </header>
90.
91. <link href="http://localhost:8000/css/team_members.css"
rel="stylesheet">
92. <script src=http://localhost:8000/js/teamMembers.js defer></script>
93.
94. <main>
95. <section id="projectSide">
96. <link href="http://localhost:8000/css/project_side.css"
rel="stylesheet">
97. <script src=http://localhost:8000/js/sideNav.js defer></script>
98. <nav class="navbar-fixed-left d-block bg-white">
99. <ul class="list-unstyled ps-0">
100. <li class="mb-1">
101. <button id="favoriteProjectsTitle" class="btn btn-toggle
align-items-center rounded collapsed" data-bs-toggle="collapse" data-bs-
target="#favoriteProjects-collapse" aria-expanded="true">
102. <i class="bi bi-chevron-down"></i>Favorite
Projects
103. </button>
104. <a href='http://localhost:8000/project/create'
id="newProject" class="btn btn-toggle align-items-center rounded
collapsed btn-secondary" aria-expanded="true">
105. New
106.
107. <div class="collapse show" id="favoriteProjects-
collapse">
108. <ul class=" favoriteProjects nav-pills btn-toggle-nav list-
unstyled fw-normal pb-1 large">
109. <li id = "proj8" ><a
href="http://localhost:8000/project/8" class="nav-link link-dark rounded
font-weight-bold">rffff
110. <li id = "proj10" ><a
href="http://localhost:8000/project/10" class="nav-link link-dark
rounded font-weight-bold">llllllllllllllllllllll
111. <li id = "proj13" ><a
href="http://localhost:8000/project/13" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffffffff
112. <li id = "proj15" ><a
href="http://localhost:8000/project/15" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffffffffffff
113. <li id = "proj16" ><a
href="http://localhost:8000/project/16" class="nav-link link-dark
rounded font-weight-bold">ffffffffffffffff
114. <li id = "proj18" ><a
href="http://localhost:8000/project/18" class="nav-link link-dark
rounded font-weight-bold">llllllllllllllllll

```

```

115. <li id = "proj19" ><a
href="http://localhost:8000/project/19" class="nav-link link-dark
rounded font-weight-bold">cccccc↵
116. <li id = "proj1" ><a
href="http://localhost:8000/project/1" class="nav-link link-dark rounded
font-weight-bold">Trabalho de LBAW↵
117. <li id = "proj14" ><a
href="http://localhost:8000/project/14" class="nav-link link-dark
rounded font-weight-bold">mmmmmmmmmmmmmmmm↵
118. ↵
119. </div>↵
120. ↵
121. <li class="border-top my-3">↵
122. <ul class = "nav nav-pills flex-sm-column mb-auto ">↵
123. <li class = "nav-item">↵
124. <a href = "http://localhost:8000/project/8" class="nav-link
link-dark" id="boardProjectButton">Board↵
125. ↵
126. <li class = "nav-item">↵
127. <a href = "http://localhost:8000/project/8/edit" class="nav-
link link-dark" id="editProjectButton">General Settings↵
128. ↵
129. <li class = "nav-item">↵
130. <a href = "http://localhost:8000/project/8/members"
class="nav-link link-dark " id="teamMembersProjectButton">Project
Members↵
131. ↵
132. <li class = "nav-item">↵
133. <button type="button" class="btn btn-outline-danger nav-
link btn-block text-left" data-bs-toggle="modal" data-bs-
target="#leaveModal">Leave Project</button>↵
134. ↵
135. <li class = "nav-item">↵
136. <button type="button" class="btn btn-outline-danger nav-
link btn-block text-left" data-bs-toggle="modal" data-bs-
target="#archiveModal">Archive Project</button>↵
137. ↵
138. ↵
139. ↵
140. ↵
141. </nav>↵
142. <div class="modal " id="leaveModal" tabindex="-1" role="dialog"
aria-hidden="true">↵
143. <div class="modal-dialog modal-dialog-centered" role="document">↵
144. <div class="modal-content">↵
145. <div class="modal-header">↵
146. <h5 class="modal-title">Danger - Leaving project</h5>↵
147. <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
148. </button>↵
149. </div>↵
150. <div class="modal-body">↵
151. <p>Are you sure you want to leave the project?</p>↵
152. </div>↵
153. <div class="modal-footer">↵
154. <form method="POST" action =
"http://localhost:8000/project/8/leave" >↵
155. <input type="hidden" name=" token"
value="dyc3CvTIuiPBuWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
156. <button
type="submit" class="btn btn-outline-danger nav-link btn-block text-
left" id="leaveProjectButton">Leave Project</button>↵
157. </form>↵
158. </div>↵
159. </div>↵
160. </div>↵
161. <div class="modal " id="archiveModal" tabindex="-1" role="dialog"
aria-hidden="true">↵
162. <div class="modal-dialog modal-dialog-centered" role="document">↵
163. <div class="modal-content">↵
164. <div class="modal-header">↵
165. <h5 class="modal-title">Danger - Archive Project</h5>↵
166. <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
167. </button>↵
168. </div>↵

```

```

169. <div class="modal-body">↵
170. <p>This project will become read-only</p>↵
171. </div>↵
172. <div class="modal-footer">↵
173. <form method="POST" action =
174. "http://localhost:8000/project/8/archive" >↵
175. <input type="hidden" name=" token"
176. value="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor">↵
177. <button type="submit" class="btn btn-outline-danger nav-link btn-block text-
178. left" id="archiveProjectButton">Archive Project</button>↵
179. </form>↵
180. </div>↵
181. </div>↵
182. </div>↵
183. </div>↵
184. </div>↵
185. </div>↵
186. </div>↵
187. </div>↵
188. </div>↵
189. </div>↵
190. </div>↵
191. </div>↵
192. </div>↵
193. </div>↵
194. </div>↵
195. </div>↵
196. </div>↵
197. </div>↵
198. </div>↵
199. </div>↵
200. </div>↵
201. </div>↵
202. </div>↵
203. </div>↵
204. </div>↵
205. </div>↵
206. </div>↵
207. </div>↵
208. </div>↵
209. </div>↵
210. </div>↵
211. </div>↵
212. </div>↵
213. </div>↵
214. </div>↵
215. </div>↵
216. </div>↵
217. </div>↵
218. </div>↵
219. </div>↵
220. </div>↵
221. </div>↵
222. </div>↵
223. </div>↵
224. </div>↵

```

```
225. <a href = "/profile/aleixo02" class =
"usernameCollaborator nav-item" aria-current="page">aleixo02↵
226. Collaborator↵
227. </div>↵
228. <div class="memberButtons">↵
229. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
230. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
231. </div>↵
232. </div>↵
233. ↵
234. <div class="items">↵
235. <div class="memberInfo">↵
236. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
237. ↵
238. <a href = "/profile/diogo_babo07" class =
"usernameCollaborator nav-item" aria-current="page">diogo_babo07↵
239. Collaborator↵
240. </div>↵
241. <div class="memberButtons">↵
242. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
243. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
244. </div>↵
245. </div>↵
246. ↵
247. <div class="items">↵
248. <div class="memberInfo">↵
249. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
250. ↵
251. <a href = "/profile/branquinho82" class =
"usernameCollaborator nav-item" aria-current="page">branquinho82↵
252. Collaborator↵
253. </div>↵
254. <div class="memberButtons">↵
255. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
256. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
257. </div>↵
258. </div>↵
259. ↵
260. <div class="items">↵
261. <div class="memberInfo">↵
262. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
263. ↵
264. <a href = "/profile/alex_correia76" class =
"usernameCollaborator nav-item" aria-current="page">alex_correia76↵
265. Collaborator↵
266. </div>↵
267. <div class="memberButtons">↵
268. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
269. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
270. </div>↵
271. </div>↵
272. ↵
273. <div class="items">↵
274. <div class="memberInfo">↵
275. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
276. ↵
277. <a href = "/profile/henriquesilva02" class =
"usernameCollaborator nav-item" aria-current="page">henriquesilva02↵
278. Collaborator↵
279. </div>↵
```



```

280. <div class="memberButtons">↵
281. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
282. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
283. </div>↵
284. </div>↵
285. ↵
286. <div class="items">↵
287. <div class="memberInfo">↵
288. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
289. ↵
290. <a href = "/profile/tiagomartins07" class =
"usernameCollaborator nav-item" aria-current="page">tiagomartins07↵
291. Collaborator↵
292. </div>↵
293. <div class="memberButtons">↵
294. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
295. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
296. </div>↵
297. </div>↵
298. ↵
299. <div class="items">↵
300. <div class="memberInfo">↵
301. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
302. ↵
303. <a href = "/profile/helenacoelho82" class =
"usernameCollaborator nav-item" aria-current="page">helenacoelho82↵
304. Collaborator↵
305. </div>↵
306. <div class="memberButtons">↵
307. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
308. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
309. </div>↵
310. </div>↵
311. ↵
312. <div class="items">↵
313. <div class="memberInfo">↵
314. <img
src=http://localhost:8000/avatars/default.png alt="avatar"
class="rounded-circle img-fluid" style="width: 40px; height:40px;">↵
315. ↵
316. <a href = "/profile/ruisilveira82" class =
"usernameCollaborator nav-item" aria-current="page">ruisilveira82↵
317. Collaborator↵
318. </div>↵
319. <div class="memberButtons">↵
320. <button class = "btn btn-outline-secondary
removeMember">Remove</button>↵
321. <button class = "btn btn-outline-secondary
upgradeMember">Promote to coordinator</button>↵
322. </div>↵
323. </div>↵
324. ↵
325. </div>↵
326. </div>↵
327. </div>↵
328. <div class = "modal" id="addMembers">↵
329. <div class="modal-dialog modal-dialog-centered modal-xl">↵
330. <div class="modal-content">↵
331. <div class="modal-header">↵
332. <h4 class="modal-title">Add Member</h4>↵
333. <button type="button" class="btn-close" data-bs-
dismiss="modal"></button>↵
334. </div>↵
335. <div class="modal-body">↵
336. <div class="addToProject" >↵

```



```
337. <input type="hidden" name=" token"
value="dyc3CvTIuiPBUWPXaRrMlpAQUkrCzBsp0NF6xcor"> <label
for="chooseProfile">Choose a profile</label>↵
338. <div class="add">↵
339. <input type="text" name="username" class="form-control"
id="chooseProfile" placeholder="username" >↵
340. <div class="errorMember"></div>↵
341. <button class="btn btn-outline-dark
addMemberButtonModal">Add member</button>↵
342. </div>↵
343. </div>↵
344. </div>↵
345. </div>↵
346. </div>↵
347. </div> ↵
348. </main>↵
349. ↵
350. <footer class="footer container" id = "footerEnd">↵
351. <link href="http://localhost:8000/css/footer.css"
rel="stylesheet">↵
352. <div class="d-flex flex-wrap justify-content-between align-items-
center py-3 my-4 border-top"> ↵
353. <p class="col-md-4 mb-0 text-muted">© 2022 Company, Inc</p>↵
354. <ul class="nav col-md-4 justify-content-end">↵
355. <li class="nav-item"><a href="/" class="nav-link px-2 text-
muted">Home↵
356. <li class="nav-item"><a href="http://localhost:8000/contact"
class="nav-link px-2 text-muted">Contacts↵
357. <li class="nav-item"><a href="http://localhost:8000/faq"
class="nav-link px-2 text-muted">FAQ↵
358. <li class="nav-item"><a href="http://localhost:8000/about"
class="nav-link px-2 text-muted">About↵
359. ↵
360. </div>↵
361. ↵
362. </footer>↵
363. </body>↵
364. </html>↵
365.
```

Used the HTML parser.

Total execution time 72 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.12.5