

2

usuário: [hugoteste@qa.com](mailto:hugoteste@qa.com)

senha: teste

4

GET https://serverest.dev/usuarios

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (12) Test Results

Status: 200 OK Time: 645 ms Size: 122.02 KB

```
1 {
2   "quantidade": 554,
3   "usuarios": [
4     {
5       "nome": "Jenaina Garsive",
6       "email": "Mariana.Melo29@hotmail.com",
7       "password": "cBfls0RLGV3zKeg",
8       "administrador": "true",
9       "_id": "600NhmK2zraepoz"
10    },
11    {
12      "nome": "Gustavo Costa Jr.",
13      "email": "Valentine_draga76@hotmail.com.br",
14      "password": "3hcm_evDtQ884j",
15      "administrador": "true",
16      "_id": "8066d4027189WkL2"
17    },
18    {
19      "nome": "Terry Bezniez",
20      "email": "Quinn678y@koo.com",
21      "password": "3266d2MYg6om_",
22      "administrador": "true",
23      "_id": "8Epc9a1wXPH08P"
24    },
25    {
26      "nome": "Ricardo Silva Neto",
27      "email": "Kiebez_Costa@live.com",
28      "password": "ah4p0883ofc_C0",
29      "administrador": "true",
30      "_id": "8F2igmfcTet7kkc"
31    }
32  ]
33 }
```

5

GET https://serverest.dev/usuarios/OygcSYUPmk50xnx

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (12) Test Results

Status: 200 OK Time: 318 ms Size: 606 B

```
1 {
2   "nome": "Hugo Almeida",
3   "email": "hugoteste@qa.com",
4   "password": "teste",
5   "administrador": "true",
6   "_id": "OygcSYUPmk50xnx"
7 }
```

6

Postman interface showing a PUT request to `https://serverst.dev/usuarios/OyggSYUPmk50vnx`. The request body is a JSON object:

```
1 {
2   "nome": "JOPE",
3   "email": "hugoteste@ps.com",
4   "password": "teste",
5   "administrador": "true"
6 }
```

The response is a JSON object:

```
1 {
2   "message": "Registro alterado com sucesso"
3 }
```

7

Postman interface showing a POST request to `https://serverst.dev/carrinhos`. The request body is a JSON object:

```
1 {
2   "produtos": [
3     {
4       "idProduto": "T359dc32kgu6EL97",
5       "quantidade": 1
6     }
7   ]
8 }
9
10
11
```

The response is a JSON object:

```
1 {
2   "message": "Cadastro realizado com sucesso",
3   "_id": "8esSz12v4ui3kg"
4 }
```

8

The screenshot shows the Postman interface with a GET request to `https://serverest.dev/carrinhos/0srRzi0v4uJAg`. The response is a JSON object with the following structure:

```
1 {
2   "produtos": [
3     {
4       "idProduto": "T359dz12hgd6L97",
5       "quantidade": 1,
6       "precoUnitario": 7700
7     }
8   ],
9   "precoTotal": 7700,
10  "quantidadeTotal": 1,
11  "idUsuario": "Oygd8VUIPhd8Kxx",
12  "_id": "8u8z11z0v4uJAg"
13 }
```

The status bar indicates a 200 OK response with a time of 316 ms and a size of 731 B.

9

The screenshot shows the Postman interface with a DELETE request to `https://serverest.dev/carrinhos/concluir-compra/`. The response is a JSON object with the following structure:

```
1 {
2   "message": "Registro excluído com sucesso"
3 }
```

The status bar indicates a 200 OK response with a time of 165 ms and a size of 508 B.