

ACQUISITIONOS · PAYMENT CONFIGURATION

# Payment Configuration Master

Cross-provider reference for AcquisitionOS payments — category tables, Stripe Price ID master table, Razorpay Plan ID master table, webhook master tables, environment-variable inventory, and the single end-to-end setup checklist.

[Master tables](#)[TO\\_BE\\_CREATED policy](#)[Env inventory](#)[Webhook maps](#)[Setup flow](#)

**Version 1.0** · September 23, 2026 · Documentation only — verified against the current codebase


The cross-provider reference for configuring payments in the current AcquisitionOS codebase. It consolidates: the payment category inventory, the Stripe Price ID master table, the Razorpay Plan ID master table, the webhook master tables, the full environment-variable inventory, and the single end-to-end setup checklist. Provider-specific step-by-step detail lives in `STRIPE-SETUP-GUIDE.md` and `RAZORPAY-SETUP-GUIDE.md`; this document never contradicts them.

**Current configuration status (verified against the live workspace):** no payment environment variables are set yet. Every paid plan/cycle therefore renders a "Coming Soon" button and checkout is never initiated — this is the codebase's designed, fail-safe behavior. The tables below use `TO_BE_CREATED` wherever a dashboard object must be created manually. No IDs are fabricated.

## 1. Architecture Overview

AcquisitionOS routes all payments through a provider abstraction ( `src/lib/payments/` ) with two implementations — Stripe and Razorpay — behind one contract ( `PaymentProvider` ): `isConfigured` / `getMode` / `supportedCurrencies` / `canCheckout` / `createCheckout` / `verifyPayment` . Shared services own everything else so neither provider duplicates business logic:

- **Activation:** `confirmPaymentAndActivate()` (subscription-service) — one atomic DB transaction: order → `completed` , subscription upsert (plan, status, period, provider IDs), user plan + credits update, `CreditsLedger` entry, invoice generation + email, audit logs, coupon usage increment. Idempotent by design (pending-order check inside the transaction + webhook dedup table).
- **Idempotency:** every webhook/verification event is recorded in the `PaymentWebhook` table ( `eventId` unique) before processing; duplicates return "Already processed".
- **Amount authority:** Stripe — the Price object (created GST-inclusive); Razorpay — server-computed base + 18% GST from `PLAN_PRICING` . The browser never sets amounts.
- **UI gating:** `GET /api/payments/provider-status` returns per-plan/cycle availability; the pricing/billing/upgrade UIs render "Coming Soon" (disabled, Clock icon) for anything unavailable, and never start checkout.
- **Plan source of truth:** `PLAN_PRICING` (plan-config) ↔ entitlement-service credits — Free 50, Starter 150, Pro 750, Elite 2,000 credits/month; lead discovery limits 10 / 25 / unlimited / unlimited.



## 2. Payment Category Master Table — Subscriptions

### 2a. Commercial view (what the customer buys)

| # | Provider | Product · Plan        | Billing type | Cycle   | Amount charged            | GST          | Purpose                            |
|---|----------|-----------------------|--------------|---------|---------------------------|--------------|------------------------------------|
| 1 | Stripe   | AcquisitionOS Starter | Recurring    | Monthly | ₹589 (base 499 + 90 GST)  | 18% in Price | Sell Starter monthly               |
| 2 | Stripe   | AcquisitionOS Starter | Recurring    | Yearly  | ₹5,899 (base 4,999 + 900) | 18% in Price | Sell Starter yearly (Save ₹989/yr) |

|     |          |                     |                                                     |         |                                        |                 |                                                    |
|-----|----------|---------------------|-----------------------------------------------------|---------|----------------------------------------|-----------------|----------------------------------------------------|
| 3   | Stripe   | AcquisitionOS Pro   | Recurring                                           | Monthly | ₹1,887 (base 1,599 + 288)              | 18% in Price    | Sell Pro monthly                                   |
| 4   | Stripe   | AcquisitionOS Pro   | Recurring                                           | Yearly  | ₹17,699 (base 14,999 + 2,700)          | 18% in Price    | Sell Pro yearly (Save ₹4,189/yr)                   |
| 5   | Stripe   | AcquisitionOS Elite | Recurring                                           | Monthly | ₹6,135 (base 5,199 + 936)              | 18% in Price    | Sell Elite monthly                                 |
| 6   | Stripe   | AcquisitionOS Elite | Recurring                                           | Yearly  | ₹53,099 (base 44,999 + 8,100)          | 18% in Price    | Sell Elite yearly (Save ₹17,389/yr)                |
| 7   | Razorpay | AcquisitionOS Pro   | One-time order (default) or Recurring (if Plan set) | Monthly | ₹1,887 (server-computed, paise 188700) | 18% server-side | Sell Pro monthly in India (UPI/cards/netbanking)   |
| 8   | Razorpay | AcquisitionOS Pro   | One-time / Recurring                                | Yearly  | ₹17,699                                | 18% server-side | Sell Pro yearly in India                           |
| 9   | Razorpay | AcquisitionOS Elite | One-time / Recurring                                | Monthly | ₹6,135                                 | 18% server-side | Sell Elite monthly in India                        |
| 10  | Razorpay | AcquisitionOS Elite | One-time / Recurring                                | Yearly  | ₹53,099                                | 18% server-side | Sell Elite yearly in India                         |
| n/a | n/a      | (no purchase) Free  | n/a                                                 | n/a     | ₹0                                     | n/a             | Free tier (50 credits/mo, 10 leads) granted in-app |

## 2b. Configuration view (IDs, env vars, webhooks, surfaces)

| #   | Product ID        | Price ID / Plan ID                          | Environment variable                                               | Key webhook events                                                | Where used in the app                           |
|-----|-------------------|---------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------|
| 1   | TO_BE_CREATED     | TO_BE_CREATED (price,...)                   | STRIPE_PRICE_STARTER_MONTHLY_ID                                    | checkout.session.completed; invoice.paid; customer.subscription.* | Pricing page; Settings → Billing; upgrade modal |
| 2   | TO_BE_CREATED     | TO_BE_CREATED                               | STRIPE_PRICE_STARTER_YEARLY_ID                                     | same                                                              | same                                            |
| 3   | TO_BE_CREATED     | TO_BE_CREATED                               | STRIPE_PRICE_PRO_MONTHLY_ID (aliases accepted — Stripe guide Pt 9) | same                                                              | same                                            |
| 4   | TO_BE_CREATED     | TO_BE_CREATED                               | STRIPE_PRICE_PRO_YEARLY_ID                                         | same                                                              | same                                            |
| 5   | TO_BE_CREATED     | TO_BE_CREATED                               | STRIPE_PRICE_ELITE_MONTHLY_ID                                      | same                                                              | same                                            |
| 6   | TO_BE_CREATED     | TO_BE_CREATED                               | STRIPE_PRICE_ELITE_YEARLY_ID                                       | same                                                              | same                                            |
| 7   | n/a (order-based) | TO_BE_CREATED only if recurring ( plan... ) | RAZORPAY_PLAN_PRO_MONTHLY (optional)                               | payment.captured; subscription.charged                            | Pricing page; checkout modal                    |
| 8   | n/a               | TO_BE_CREATED (optional)                    | RAZORPAY_PLAN_PRO_YEARLY                                           | payment.captured; subscription.charged                            | same                                            |
| 9   | n/a               | TO_BE_CREATED (optional)                    | RAZORPAY_PLAN_ELITE_MONTHLY                                        | payment.captured; subscription.charged                            | same                                            |
| 10  | n/a               | TO_BE_CREATED (optional)                    | RAZORPAY_PLAN_ELITE_YEARLY                                         | payment.captured; subscription.charged                            | same                                            |
| n/a | none              | none                                        | none                                                               | none                                                              | Signup; plan gating                             |

Starter via Razorpay is **not purchasable in the current code** (provider validates Pro/Elite only). Starter sells through Stripe rows 1–2.

### 3. Payment Category Master Table — Additional Credit Purchases

Credit packs are one-time purchases, fulfilled by `fulfillCreditAddon` (credits added atomically + ledger + email/notification). Catalog verified in `src/app/api/payments/credit-addons/route.ts` — these three packs are the **only** ones that exist; nothing else may be invented.

#### 3a. Commercial view

| Provider | Pack (in-app ID)          | Credits | Billing type   | Amount charged            | GST             |
|----------|---------------------------|---------|----------------|---------------------------|-----------------|
| Stripe   | <code>credits_100</code>  | 100     | One-time       | ₹589 (base 499 + 90)      | 18% in Price    |
| Stripe   | <code>credits_500</code>  | 500     | One-time       | ₹2,359 (base 1,999 + 360) | 18% in Price    |
| Stripe   | <code>credits_1000</code> | 1,000   | One-time       | ₹4,129 (base 3,499 + 630) | 18% in Price    |
| Razorpay | <code>credits_100</code>  | 100     | One-time order | ₹589 (server-computed)    | 18% server-side |
| Razorpay | <code>credits_500</code>  | 500     | One-time order | ₹2,359                    | 18% server-side |
| Razorpay | <code>credits_1000</code> | 1,000   | One-time order | ₹4,129                    | 18% server-side |

#### 3b. Configuration view

| Pack                      | Provider | Product ID                 | Price ID / Plan ID                     | Environment variable                       | Webhook events                              | Where used                                 |
|---------------------------|----------|----------------------------|----------------------------------------|--------------------------------------------|---------------------------------------------|--------------------------------------------|
| <code>credits_100</code>  | Stripe   | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> (price,...) | <code>STRIPE_PRICE_CREDIT_S_100_ID</code>  | checkout.session.completed (type='credits') | Billing page "Add credits"; checkout modal |
| <code>credits_500</code>  | Stripe   | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code>             | <code>STRIPE_PRICE_CREDIT_S_500_ID</code>  | same                                        | same                                       |
| <code>credits_1000</code> | Stripe   | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code>             | <code>STRIPE_PRICE_CREDIT_S_1000_ID</code> | same                                        | same                                       |
| <code>credits_100</code>  | Razorpay | n/a (order-based)          | n/a                                    | none required                              | payment.captured                            | same                                       |
| <code>credits_500</code>  | Razorpay | n/a                        | n/a                                    | none required                              | payment.captured                            | same                                       |
| <code>credits_1000</code> | Razorpay | n/a                        | n/a                                    | none required                              | payment.captured                            | same                                       |

### 4. Other Payment Types Present in the Implementation

| Type                      | Provider | Status        | Notes                                                                                                                                                                                                                            |
|---------------------------|----------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Billing Portal session    | Stripe   | Implemented   | <code>POST /api/payments/stripe-portal</code> → Stripe Billing Portal ( <code>ensureStripeCustomer</code> creates the Customer); return URL <code>STRIPE_PORTAL_RETURN_URL</code> or <code>{APP_URL}/settings?tab=billing</code> |
| Refunds (full/partial)    | Both     | Implemented   | Dashboard refunds and super-admin <code>POST /api/admin/refund</code> ; webhook-driven credit reversal + plan downgrade on full refund                                                                                           |
| Coupons / promotion codes | Both     | Implemented   | In-app <code>Coupon</code> table + <code>/api/payments/validate-coupon</code> ; Stripe sessions enable <code>allow_promotion_codes</code> when a code is entered; Razorpay records the code for audit                            |
| Trials                    | In-app   | App-side only | <code>POST /api/subscriptions/trial</code> ; no gateway billing object involved                                                                                                                                                  |

|                            |        |             |                                                                                                                                            |
|----------------------------|--------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Payment recovery / dunning | In-app | Implemented | past-due banner, <code>payment-failed-modal</code> , <code>POST /api/payments/retry</code> , <code>/api/cron/payment-reconciliation</code> |
| SSE payment status         | In-app | Implemented | <code>GET /api/payments/sse</code> + <code>GET /api/events/payments</code> push live payment status to the dashboard                       |
| Webhook replay (operator)  | In-app | Implemented | <code>POST /api/payments/webhook-replay</code> ; safe due to event dedup                                                                   |

## 5. Stripe Price ID Master Table (copy-paste friendly)

| Plan             | Billing  | Stripe Product ID          | Stripe Price ID            | Environment Variable                         |
|------------------|----------|----------------------------|----------------------------|----------------------------------------------|
| Starter          | Monthly  | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_STARTER_MONTHLY_ID</code> |
| Starter          | Yearly   | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_STARTER_YEARLY_ID</code>  |
| Pro              | Monthly  | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_PRO_MONTHLY_ID</code>     |
| Pro              | Yearly   | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_PRO_YEARLY_ID</code>      |
| Elite            | Monthly  | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_ELITE_MONTHLY_ID</code>   |
| Elite            | Yearly   | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_ELITE_YEARLY_ID</code>    |
| Credit Pack 100  | One-time | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_CREDITS_100_ID</code>     |
| Credit Pack 500  | One-time | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_CREDITS_500_ID</code>     |
| Credit Pack 1000 | One-time | <code>TO_BE_CREATED</code> | <code>TO_BE_CREATED</code> | <code>STRIPE_PRICE_CREDITS_1000_ID</code>    |

Amounts for each row: Part 2/3 tables above (GST-inclusive). Legacy alias variable names accepted by the resolver are listed in the Stripe guide Part 9 — the canonical column above is the recommended set. **Never invent or hand-type `price` values; copy them from the Stripe Dashboard.**

## 6. Razorpay Plan/ID Master Table

| Plan           | Billing        | Razorpay Product/Plan ID                                                             | Environment Variable                     |
|----------------|----------------|--------------------------------------------------------------------------------------|------------------------------------------|
| Pro            | Monthly        | <code>TO_BE_CREATED</code> (only if recurring desired; one-time orders need nothing) | <code>RAZORPAY_PLAN_PRO_MONTHLY</code>   |
| Pro            | Yearly         | <code>TO_BE_CREATED</code> (optional)                                                | <code>RAZORPAY_PLAN_PRO_YEARLY</code>    |
| Elite          | Monthly        | <code>TO_BE_CREATED</code> (optional)                                                | <code>RAZORPAY_PLAN_ELITE_MONTHLY</code> |
| Elite          | Yearly         | <code>TO_BE_CREATED</code> (optional)                                                | <code>RAZORPAY_PLAN_ELITE_YEARLY</code>  |
| Starter        | Monthly/Yearly | n/a (not supported via Razorpay in current code)                                     | n/a                                      |
| Credit packs   | One-time       | n/a (order-based; no Plan objects)                                                   | n/a                                      |
| Webhook secret | n/a            | self-chosen value (same on both sides)                                               | <code>RAZORPAY_WEBHOOK_SECRET</code>     |

## 7. Webhook Master Tables

Stripe — endpoint `POST /api/payments/webhook/stripe`

| Provider | Event | Endpoint | Purpose | Required |
|----------|-------|----------|---------|----------|
|----------|-------|----------|---------|----------|

|        |                               |                              |                                                               |          |
|--------|-------------------------------|------------------------------|---------------------------------------------------------------|----------|
| Stripe | checkout.session.completed    | /api/payments/webhook/stripe | Activate subscription / fulfill credit pack; generate invoice | Yes      |
| Stripe | checkout.session.expired      | /api/payments/webhook/stripe | Mark abandoned order failed                                   | Yes      |
| Stripe | charge.refunded               | /api/payments/webhook/stripe | Credit reversal; plan downgrade on full refund                | Yes      |
| Stripe | charge.dispute.created        | /api/payments/webhook/stripe | Chargeback alerting                                           | Yes      |
| Stripe | customer.subscription.created | /api/payments/webhook/stripe | Recorded; no dedicated logic                                  | Optional |
| Stripe | customer.subscription.updated | /api/payments/webhook/stripe | Status/period/cancel-flag sync                                | Yes      |
| Stripe | customer.subscription.deleted | /api/payments/webhook/stripe | Cancellation handling                                         | Yes      |
| Stripe | invoice.payment_succeeded     | /api/payments/webhook/stripe | Renewal: extend period + reset credits                        | Yes      |
| Stripe | invoice.paid                  | /api/payments/webhook/stripe | Renewal duplicate-safety net                                  | Yes      |
| Stripe | invoice.payment_failed        | /api/payments/webhook/stripe | past_due + recovery flow                                      | Yes      |
| Stripe | payment_intent.succeeded      | /api/payments/webhook/stripe | Fallback activation by PaymentIntent ID                       | Yes      |

Secret env var: `STRIPE_WEBHOOK_SECRET` (per mode). Test + Live endpoints are configured separately in each mode.

## Razorpay — endpoint `POST /api/payments/webhook/razorpay`

| Provider | Event                  | Endpoint                       | Purpose                                     | Required       |
|----------|------------------------|--------------------------------|---------------------------------------------|----------------|
| Razorpay | payment.captured       | /api/payments/webhook/razorpay | Activate subscription / fulfill credit pack | Yes            |
| Razorpay | payment.failed         | /api/payments/webhook/razorpay | Mark order failed + logging                 | Yes            |
| Razorpay | refund.created         | /api/payments/webhook/razorpay | Refund initiated tracking                   | Yes            |
| Razorpay | refund.processed       | /api/payments/webhook/razorpay | Credit reversal; downgrade on full refund   | Yes            |
| Razorpay | subscription.cancelled | /api/payments/webhook/razorpay | Cancel sync (recurring mode)                | With recurring |
| Razorpay | subscription.charged   | /api/payments/webhook/razorpay | Renewal: extend + reset credits             | With recurring |
| Razorpay | subscription.halted    | /api/payments/webhook/razorpay | Past-due / dunning state                    | With recurring |
| Razorpay | subscription.completed | /api/payments/webhook/razorpay | Tenure finished handling                    | With recurring |

Secret env var: `RAZORPAY_WEBHOOK_SECRET` (value you choose; identical in Dashboard and env; **mandatory in production** — unsigned webhooks are rejected).

## 8. Environment Variable Master (Safe Inventory — No Secret Values)

Placeholder convention: values shown as `<...>` must be filled from the provider dashboards. **Never commit real values;** `.env` is gitignored — keep it that way.

| Variable | Provider | Purpose | Test/Live | Where used (verified) | Required/Optional | Where to obtain |
|----------|----------|---------|-----------|-----------------------|-------------------|-----------------|
|----------|----------|---------|-----------|-----------------------|-------------------|-----------------|

|                                                                               |          |                                                                          |                                                                               |                                                                                                             |                                     |                                                          |
|-------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------------------|
| <code>STRIPE_SECRET_KEY</code>                                                | Stripe   | Server SDK auth for checkout, portal, refunds, invoices, webhook client  | <code>sk_test...</code> / <code>sk_live...</code> (prefix sets reported mode) | payment-service, stripe-portal-service, refund-service, invoice-pdf-service, webhook route, provider checks | <b>Required for Stripe</b>          | Stripe → Developers → API keys                           |
| <code>NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY</code>                               | Stripe   | Browser-safe publishable key surfaced by provider-status                 | <code>pk_test...</code> / <code>pk_live...</code>                             | provider-status; env-validation                                                                             | Optional but recommended            | Stripe → Developers → API keys → Publishable             |
| <code>STRIPE_PUBLISHABLE_KEY</code>                                           | Stripe   | Server-side alias of the publishable key                                 | public-safe                                                                   | env-validation                                                                                              | Optional                            | Same                                                     |
| <code>STRIPE_WEBHOOK_SECRET</code>                                            | Stripe   | Webhook signature verification                                           | <code>whsec...</code> per mode                                                | webhook route (constructEvent; placeholders rejected)                                                       | <b>Required in production</b>       | Stripe → Developers → Webhooks → endpoint signing secret |
| <code>STRIPE_PRICE_PLAN_{CYCLE}_ID × 6</code>                                 | Stripe   | Plan Price IDs (canonical convention; 3 alias conventions auto-resolved) | <code>price...</code> per mode                                                | resolvePlanPriceId → checkout line_items; KNOWN_PRICE_IDS validation                                        | <b>Required per sold plan/cycle</b> | Stripe → Products → Price ID                             |
| <code>STRIPE_PRICE_CREDITS_{100,500,1000}_ID</code>                           | Stripe   | Credit pack one-time Price IDs                                           | <code>price...</code>                                                         | CREDIT_ADDON_PRICE_IDS → mode:'payment' checkout                                                            | Required for Stripe credit packs    | Stripe → Products                                        |
| <code>STRIPE_SUCCESS_URL</code> / <code>STRIPE_CANCEL_URL</code>              | Stripe   | Checkout redirect overrides                                              | URLs                                                                          | createStripeCheckoutSession defaults                                                                        | Optional (defaults exist)           | Your URLs                                                |
| <code>STRIPE_PORTAL_RETURN_URL</code>                                         | Stripe   | Billing Portal return URL                                                | URL                                                                           | stripe-portal-service (default <code>{APP_URL}/settings?tab=billing</code> )                                | Optional                            | Your URL                                                 |
| <code>RAZORPAY_KEY_ID</code>                                                  | Razorpay | Server SDK auth + fallback public key for Checkout.js                    | <code>rzp_test...</code> / <code>rzp_live...</code>                           | razorpay-provider, payment-service, razorpay-service, refund-service                                        | <b>Required for Razorpay</b>        | Razorpay → Account & Settings → API Keys                 |
| <code>RAZORPAY_KEY_SECRET</code>                                              | Razorpay | Payment signature verification + refund API + gateway fetch              | secret                                                                        | razorpay verify route, razorpay-service, refund-service                                                     | <b>Required with key ID</b>         | Same (shown once)                                        |
| <code>NEXT_PUBLIC_RAZORPAY_KEY_ID</code>                                      | Razorpay | Public Key ID for the browser modal                                      | public-safe                                                                   | getPublicKeyId() → checkout response                                                                        | Optional                            | Same as Key ID                                           |
| <code>RAZORPAY_WEBHOOK_SECRET</code>                                          | Razorpay | Webhook HMAC-SHA256 verification                                         | secret                                                                        | webhook route (constant-time compare; mandatory outside dev)                                                | <b>Required in production</b>       | Your chosen value, set in Dashboard → Webhooks           |
| <code>RAZORPAY_PLAN_{PRO,ELITE}_{MONTHLY,YEARLY}</code>                       | Razorpay | Recurring Plan IDs (one-time fallback without them)                      | <code>plan...</code>                                                          | plan-config getRazorpayPlanId (must start with <code>plan_</code> )                                         | Optional                            | Razorpay → Subscriptions → Plans                         |
| <code>RAZORPAY_SUBSCRIPTION_TOTAL_COUNT_MONTHLY</code> / <code>_YEARLY</code> | Razorpay | Mandate tenure (defaults 12 / 5)                                         | config                                                                        | razorpay-provider getSubscriptionTotalCount                                                                 | Optional                            | Your choice                                              |
| <code>RAZORPAY_SUPPORTED_CURRENCIES</code>                                    | Razorpay | Advertised currencies (default <code>INR</code> )                        | config                                                                        | razorpay-provider supportedCurrencies                                                                       | Optional                            | Set only if international enabled                        |

|                                                    |     |                                                                      |        |                                           |                                 |                                 |
|----------------------------------------------------|-----|----------------------------------------------------------------------|--------|-------------------------------------------|---------------------------------|---------------------------------|
| APP_URL /<br>NEXT_PUBLIC_APP_URL /<br>NEXTAUTH_URL | App | Public origin for<br>success/cancel/portal redirect URLs             | URL    | app-url.ts; checkout<br>redirect builders | Required in<br>production       | Your domain                     |
| CRON_SECRET                                        | App | Bearer auth for cron/diagnostic<br>routes (renewals, reconciliation) | secret | cron routes; email-<br>diagnostic         | Required for<br>cron operations | Self-generated<br>strong random |

## 9. Beginner Setup Flow (Single End-to-End Checklist)

```

Create Stripe/Razorpay account
↓
Activate business/account (KYC)
↓
Enable Test Mode
↓
Create products
↓
Create monthly prices/plans (GST-inclusive amounts)
↓
Create yearly prices/plans (GST-inclusive amounts)
↓
Create additional-credit products
↓
Copy Product/Price/Plan IDs
↓
Configure environment variables (exact names from §8)
↓
Create webhook (both providers)
↓
Configure webhook secret
↓
Run test payment
↓
Verify webhook (PaymentWebhook table + provider deliveries)
↓
Verify subscription (plan + period + provider IDs)
↓
Verify credits (PLAN_CREDITS + CreditsLedger)
↓
Verify payment history (/api/payments/history + invoices)
↓
Verify refund (credits reversed; full refund downgrades)
↓
Repeat in Live Mode (new objects, new keys, new webhook secret)

```

## 10. What the Current Codebase Does NOT Use (Avoid Ghost Configuration)

- **Free plan:** no product, no price, no gateway object — granted in-app (50 credits/month, 10 lead discoveries).
- **Stripe PaymentIntents:** never created directly by the app (Checkout creates them internally; only the fallback webhook listens).
- **Stripe Tax / automatic\_tax:** not enabled in session creation — tax must be baked into Price amounts (GST-inclusive).
- **Razorpay Invoices / Invoice IDs:** not used — the app generates its own numbered GST invoices (PDF + email) from the `Invoice` table.
- **Razorpay Merchant ID:** not referenced anywhere in the integration.
- **Embedded card fields / tokenization:** not used — hosted Checkout (Stripe) and Checkout.js modal (Razorpay) only.
- **Starter on Razorpay:** rejected by the provider's plan validation in the current code — Stripe only.

## 11. Verification & Admin Endpoints Reference

| Endpoint                                                                   | Auth         | Purpose                                                                          |
|----------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------|
| GET /api/payments/provider-status                                          | Public       | Gateway availability + mode + per-plan/cycle availability (drives "Coming Soon") |
| POST /api/payments/create-checkout-session                                 | Session      | Canonical checkout entry (both gateways; plans + credit packs)                   |
| POST /api/payments/create-order · POST /api/payments/create-stripe-session | Session      | Legacy/alias checkout entries (same underlying services)                         |
| POST /api/payments/razorpay/verify                                         | Session      | Razorpay signature + gateway + amount verification → activation                  |
| POST /api/payments/verify-session                                          | Session      | Stripe post-redirect session reconciliation → activation                         |
| POST /api/payments/webhook/stripe · /razorpay                              | Signature    | Provider webhooks (activation source of truth)                                   |
| GET /api/payments/history                                                  | Session      | User's payment orders + invoice info (billing UI)                                |
| GET /api/payments/invoices · /api/billing/invoices/{id}/download           | Session      | Invoice list + PDF download                                                      |
| POST /api/payments/stripe-portal                                           | Session      | Stripe Billing Portal session                                                    |
| POST /api/payments/cancel · /api/subscriptions/cancel                      | Session      | Cancel (cancelAtPeriodEnd=true)                                                  |
| POST /api/payments/retry · GET /api/payments/status                        | Session      | Retry / poll a pending order                                                     |
| POST /api/admin/refund                                                     | Super-admin  | Initiate full/partial refund via provider API                                    |
| GET /api/admin/billing/webhooks                                            | Admin        | Inspect webhook records ( PaymentWebhook )                                       |
| POST /api/payments/webhook-replay                                          | Internal     | Safe event replay (dedup-protected)                                              |
| GET /api/cron/renew-subscriptions · /api/cron/payment-reconciliation       | CRON_SEC RET | Periodic credit resets / renewal + stale-payment reconciliation                  |

## 12. Immediate Next Actions (Operator)

1. Choose gateway per market: **Stripe** (cards; all four plans + packs) and/or **Razorpay** (India: UPI/netbanking; Pro/Elite + packs).
2. Create the dashboard objects from \$5 and \$6 in Test Mode; copy IDs into the \$8 env vars.
3. Register both webhook endpoints (\$7) and set the secrets.
4. Set APP\_URL / NEXT\_PUBLIC\_APP\_URL to the public domain so redirect URLs are correct.
5. Walk the \$9 checklist once in Test Mode; then repeat in Live Mode.
6. Verify with GET /api/payments/provider-status : every sold plan/cycle should report available: true before announcing pricing.

End of Payment Configuration Master Guide. See STRIPE-SETUP-GUIDE.md and RAZORPAY-SETUP-GUIDE.md for step-by-step dashboard walkthroughs.

# Configuration complete.

Every environment variable name, endpoint, webhook event, and amount in this guide was verified against the current AcquisitionOS source code. Configure objects in Test Mode first, verify the full checklist, then repeat in Live Mode.

Companion guides: [Stripe Setup Guide](#) · [Razorpay Setup Guide](#)