*E*conometrics

of *H*uman

*C*apital

Philipp Eisenhauer

UNIVERSITÄT BONN

Generalized Roy Model

Philipp Eisenhauer

Rising wage inequality

- changes in distribution of skills

- changes in relative prices of skills, prices identical across sectors

- comparative advantage, different skills priced different across sectors $\implies$ Roy models

- Does the pursuit of comparative advantage increase or decrease earnings inequality within sectors and in the overall economy?

- Do the people with the highest i skill actually work in sector i?

- As people enter a sector in response to an increase in the demand for its services, does the average skill level employed there rise or fall?

Roy (1951) Model

- ▶ Individuals are income maximizing, act under perfect information, and possess skills S_1 and S_2.

- ▶ The economy offers two employment opportunities associated with skill prices π_1 and π_2 and skill i is only useful in sector i.

An individual chooses sector one if earnings are greater there:

$$w_1 > w_2 \quad \Longleftrightarrow \quad \pi_1 S_1 > \pi_2 S_2$$

Econometric Problems

- **Evaluation Problem** We only observe an individual's wage in the sector they are working in.

- **Selection Problem** As individuals pursue their comparative advantage, we only observe selected samples from the latent skill distribution in either sector.

Key Questions

- ▶ What economic concepts are accounted for, which are not?

- ▶ What does the individual, what does the econometrician know?

- ▶ What gives rise to heterogeneity in skills?

- Skills follow a bivariate normal distribution denoted by $F(s_1, s_2)$.

$$\begin{pmatrix} \ln S_1 \\ \ln S_2 \end{pmatrix} \sim \mathcal{N}\left(\begin{pmatrix} \mu_1 \\ \mu_2 \end{pmatrix}, \begin{pmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{21} & \sigma_{22} \end{pmatrix} \right)$$

Figure: Joint Distribution of Skills

Figure: Marginal Distribution of Skill

The proportion of the population working in sector one P_1

$$P_1 = \int_0^\infty \int_0^{\pi_1 s_1/\pi_2} f(s_1, s_s) ds_1 ds_2$$

The density of skills employed in sector one differs from the population density of skills.

$$f(s_1) = \int_0^\infty f(s_1, s_2) ds_2$$

$$g_1(s_1 \mid \pi_1 S_1 > \pi_2 S_2) = \frac{1}{P_1} \int_0^{\pi_1 s_1/\pi_2} f(s_1, s_2) ds_2$$

The distribution of skills employed in sector 1 differs from the population distribution of skills due to comparative advantage.

Figure: Latent and Observed Distribution of Skill

Truncation and Censoring

Setup

$$\begin{pmatrix} Z \\ I \end{pmatrix} \sim \mathcal{N}\left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} 1.0 & \rho \\ \rho & 1.0 \end{pmatrix} \right)$$

Figure: Density of truncated standard Normal distribution

Figure: Expectation of truncated standard Normal distribution

Figure: Variance of truncated standard Normal distribution

Figure: Density of censored standard Normal distribution

Sorting and selection

Wage Equations

$$\ln W_1 = \ln \pi_1 + \mu_1 + U_1$$
$$\ln W_2 = \ln \pi_2 + \mu_2 + U_2,$$

where $U_i = \ln S_i - \mu_i$.

Some notation

$$\sigma^* = \sigma_{U_1 - U_0}$$
$$= \sqrt{(\sigma_{11} - \sigma_{12}) + (\sigma_{22} - \sigma_{12})}$$

$$c_1^* = (\ln(\pi_1/\pi_2) + \mu_1 - \mu_2)/\sigma^*$$

$$L = U_1 - U_0$$

Selection bias

$$E[\ln W_1 \mid \ln W_1 > \ln W_2] = \ln \pi_1 + \mu_1 + E[U_1 \mid L > -c_1^*]$$
$$= \ldots + E[U_1 \mid U_1 - U_0 > -c_1^*]$$

- ▶ What about identification at infinity arguments?

Sorting

$$E[\ln S_1 \mid \ln W_1 > \ln W_2] = \mu_1 + \frac{\sigma_{11} - \sigma_{12}}{\sigma^*}\lambda(-c_1)$$

$$E[\ln S_2 \mid \ln W_2 > \ln W_1] = \mu_2 + \frac{\sigma_{22} - \sigma_{12}}{\sigma^*}\lambda(-c_2)$$

We know the following:

$$\sigma^* = (\sigma_{11} - \sigma_{12}) + (\sigma_{22} - \sigma_{12}) > 0$$

$$\lambda, \lambda' > 0$$

▶ There must be positive selection into one of the occupations and there can be positive selection into both.

Figure: Marginal Distributions of Skills

$\sigma_{22} < \sigma_{12} < \sigma_{11}$

S_1
S_2

What do we know?

- There is positive selection in Sector 1 as $\sigma_{11} > \sigma_{12}$.

- There is negative selection in Sector 2 as $\sigma_{22} < \sigma_{12}$.

We gain further insights into the effect of self-selection on the distribution of earnings for workers in sector 1 by looking at the distribution of $\ln S_1$ conditional on $\ln S_2$.

$$\ln S_1 \mid \ln S_2 \sim \mathbb{N}(\mu, \sigma),$$

where

$$\mu = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}\bigg(\ln S_2 - \mu_2\bigg) \quad \text{and} \quad \sigma = \sigma_{11}\bigg(1 - \bigg(\frac{\sigma_{12}}{\sigma_1 \sigma_2}\bigg)^2\bigg)$$

Heckman Productions

Marginal Probability Density Function (PDF) of $\ln S_1$, $\ln S_2$

$$\ln S_1 = \ln(\mu_1) + U_1; \ \ln S_2 = \ln(\mu_2) + U_2;$$
$$\begin{bmatrix} U_1 \\ U_2 \end{bmatrix} \sim N\left(\begin{matrix} 0 \\ 0 \end{matrix}, \begin{bmatrix} 4 & \sigma_{12} \\ \sigma_{12} & 1 \end{bmatrix}\right); \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income $\ln(\pi_1) = 0, \ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 0.5$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.9$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$: $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\ \sigma_{12} \\ \sigma_{12}\ \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & \sigma_{12} \\ \sigma_{12} & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \ \ \sigma_{12} = 0.5,\ \ 1.9;$$

48

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & \sigma_{12} \\ \sigma_{12} & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}; \ \ \sigma_{12} = 0.5, \ \ 1.9;$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:
$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:
$$\begin{bmatrix} \sigma_{11} \ \sigma_{12} \\ \sigma_{12} \ \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \ 1.9 \\ 1.9 \ 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$
Parameters:
$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
$ln(\pi_1) = -0.5$ and $ln(\pi_1) = +0.5$
Parameters:
$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1.9 \\ 1 \, 1.9 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix};$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$
Parameters:
$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\;1 \\ 1\;1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:
$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\,1.9 \\ 1\,1.9 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix};$$

58

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \ \sigma_{12} \\ \sigma_{12} \ \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \ 0.5 \\ 0.5 \ 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\,1 \\ 1\,1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$


$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$ln(\pi_1) = -0.5 \quad \text{and} \quad ln(\pi_1) = +0.5$$
Parameters:
$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\,1.9 \\ 1\,1.9 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.8 \\ 1.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.6 \\ 1.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.4$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 1.4$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \;\; 1.4 \\ 1.4 \;\; 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} ;$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.2$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 1.2$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.2 \\ 1.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \; 1.0 \\ 1.0 \; 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.8 \\ 0.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.6 \\ 0.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.4 \\ 0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.2 \\ 0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 0 \\ 0 \, 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = -0.2$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = -0.2$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.2 \\ -0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

72

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.4 \\ -0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln\pi_1 \\ \ln\pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \; 1.8 \\ 1.8 \; 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Plot legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = -0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.6$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 1.6$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \ \sigma_{12} \\ \sigma_{12} \ \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \ 1.6 \\ 1.6 \ 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \;\; 1.4 \\ 1.4 \;\; 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.2 \\ 1.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \ 1.0 \\ 1.0 \ 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.8 \\ 0.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.6 \\ 0.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.4 \\ 0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = -0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 0.2$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 0.2$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \ \sigma_{12} \\ \sigma_{12} \ \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \ 0.2 \\ 0.2 \ 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\,0 \\ 0\,1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.2 \\ -0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = -0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = -0.4$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = -0.4$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.4 \\ -0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.8$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 1.8$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.8 \\ 1.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.6 \\ 1.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.4$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 1.4$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.4 \\ 1.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\ \ 1.2 \\ 1.2\ \ 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 1$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \; 1.0 \\ 1.0 \; 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Parameters of the figure (axes and legend):

- y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$
- x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 0.8$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 0.8$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.8 \\ 0.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

91

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 0.6$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 0.6$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.6 \\ 0.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.4 \\ 0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 0.2$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = 0.2$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\,\sigma_{12} \\ \sigma_{12}\,\sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.2 \\ 0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0 \\ 0 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- $\ln(S_1) = \ln(S_2)$
- Equal Income $\ln(\pi_1) = 0.5$, $\ln(\pi_2) = 0$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = -0.2$
- v_1 at $\ln S_2 = 1.5$
- v_1 at $\ln S_2 = 2$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; $\mu_2 = 0$, $\mu_1 = 0$ $\sigma_{11} = 4$ $\sigma_{22} = 1$ $\sigma_{12} = -0.2$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.2 \\ -0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

- ln(S$_1$) = ln(S$_2$)
- Equal Income ln(π_1) =0.5, ln(π_2) =0
- Cond. Exp. σ_{12}/σ_{22} =-0.4
- v_1 at lnS$_2$ = 1.5
- v_1 at lnS$_2$ = 2

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$; μ_2 =0 , μ_1 =0 σ_{11} =4 σ_{22} =1 σ_{12} =-0.4

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.4 \\ -0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$
$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -8) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -8) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \text{Pr}(W_1 > W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \text{Pr}(W_1 < W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income and $\ln(S_1) = \ln(S_2)$
- Cond. Exp. σ_{12}/σ_{22} =0.5
- sec. 1 at $\ln S_2$ =-5, Prob$_1$ =0.89802
- sec. 2 at $\ln S_2$ =-5, Prob$_2$ =0.10198

x-axis: $\ln S_2$; μ_2 =0, μ_1 =0, σ_{11} =4, σ_{22} =1, σ_{12} =0.5, $\ln(\pi_1)$ =0, $\ln(\pi_2)$ =0

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 1}$
$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

101

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \text{Pr}(W_1 > W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \text{Pr}(W_1 < W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -2) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -2) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2|\ln S_2 = -1) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2|\ln S_2 = -1) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 0) \Rightarrow \Pr. \text{ of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 0) \Rightarrow \Pr. \text{ of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$
$$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 2) \Rightarrow \text{Pr. of Working at Sector 1}$$
$$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 2) \Rightarrow \text{Pr. of Working at Sector 2}$$

Parameters:
$$\begin{bmatrix} \sigma_{11} \ \sigma_{12} \\ \sigma_{12} \ \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \ 0.5 \\ 0.5 \ 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr\left(W_1 > W_2 \middle| \ln S_2 = 3\right) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr\left(W_1 < W_2 \middle| \ln S_2 = 3\right) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$

$\text{Prob}_1 = \Pr(W_1 > W_2 \mid \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 \mid \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \text{Pr}(W_1 > W_2 \,|\, \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \text{Pr}(W_1 < W_2 \,|\, \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income and $\ln(S_1) = \ln(S_2)$
- Cond. Exp. σ_{12}/σ_{22} =0.5
- sec. 1 at $\ln S_2$ =7, Prob$_1$ =0.037664
- sec. 2 at $\ln S_2$ =7, Prob$_2$ =0.96234

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2 : \mu_2$ =0, μ_1 =4, σ_{11} =4, σ_{22} =1, σ_{12} =0.5,$\ln(\pi_1)$ =0, $\ln(\pi_2)$ =0

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

Prob$_1 = \Pr(W_1 > W_2 \,|\, \ln S_2 = 7) \Rightarrow$ Pr. of Working at Sector 1
Prob$_2 = \Pr(W_1 < W_2 \,|\, \ln S_2 = 7) \Rightarrow$ Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

113

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income and $\ln(S_1) = \ln(S_2)$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 0.5$
- sec. 1 at $\ln S_2 = 8$, $\text{Prob}_1 = 0.02105$
- sec. 2 at $\ln S_2 = 8$, $\text{Prob}_2 = 0.97895$

Y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

X-axis: $\ln S_2$: $\mu_2 = 0$, $\mu_1 = 0$, $\sigma_{11} = 4$, $\sigma_{22} = 1$, $\sigma_{12} = 0.5$, $\ln(\pi_1) = 0$, $\ln(\pi_2) = 0$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 8) \Rightarrow \text{Pr. of Working at Sector 1}$
$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 8) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

114

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -8) \Rightarrow \Pr.$ of Working at Sector 1

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -8) \Rightarrow \Pr.$ of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}; \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}; \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

116

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}; \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \sigma_{12} \\ \sigma_{12} \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -2) \Rightarrow \Pr.$ of Working at Sector 1
$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -2) \Rightarrow \Pr.$ of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -1) \Rightarrow \Pr.$ of Working at Sector 1

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -1) \Rightarrow \Pr.$ of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$

$\text{Prob}_1 = \Pr(W_1 > W_2 \mid \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 \mid \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} \left(\ln S_2 - \mu_2 \right) + \nu_1$$

$\text{Prob}_1 = \Pr\left(W_1 > W_2 \mid \ln S_2 = 2\right) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr\left(W_1 < W_2 \mid \ln S_2 = 2\right) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}; \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

126

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \text{Pr}(W_1 > W_2 \mid \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \text{Pr}(W_1 < W_2 \mid \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\mathrm{Prob}_1 = \Pr(W_1 > W_2 \mid \ln S_2 = 5) \Rightarrow \Pr.$ of Working at Sector 1

$\mathrm{Prob}_2 = \Pr(W_1 < W_2 \mid \ln S_2 = 5) \Rightarrow \Pr.$ of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\ 1 \\ 1\ 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + \nu_1$$

$\text{Prob}_1 = \Pr\left(W_1 > W_2 | \ln S_2 = 6\right) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr\left(W_1 < W_2 | \ln S_2 = 6\right) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix} ; \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} ; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} ;$$

129

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$

$\mathrm{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 7) \Rightarrow \Pr. \text{ of Working at Sector 1}$

$\mathrm{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 7) \Rightarrow \Pr. \text{ of Working at Sector 2}$

Parameters:

$\begin{bmatrix} \sigma_{11}\, \sigma_{12} \\ \sigma_{12}\, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4\ 1 \\ 1\ 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr\left(W_1 > W_2 | \ln S_2 = 8\right) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr\left(W_1 < W_2 | \ln S_2 = 8\right) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 \, 1 \\ 1 \, 1 \end{bmatrix}; \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

131

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 \mid \ln S_2 = -8) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 \mid \ln S_2 = -8) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

132

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income and $\ln(S_1) = \ln(S_2)$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.9$
- sec. 1 at $\ln S_2 = -7$, Prob$_1 = 8.6445\text{e-}009$
- sec. 2 at $\ln S_2 = -7$, Prob$_2 = 1$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$: $\mu_2 = 0$, $\mu_1 = 0$, $\sigma_{11} = 4$, $\sigma_{22} = 1$, $\sigma_{12} = 1.9$, $\ln(\pi_1) = 0$, $\ln(\pi_2) = 0$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income and $\ln(S_1) = \ln(S_2)$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.9$
- sec. 1 at $\ln S_2 = -5$, Prob$_1 = 2.8303\text{e-}005$
- sec. 2 at $\ln S_2 = -5$, Prob$_2 = 0.99997$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2 : \mu_2 = 0, \mu_1 = 0, \sigma_{11} = 4, \sigma_{22} = 1, \sigma_{12} = 1.9, \ln(\pi_1) = 0, \ln(\pi_2) = 0$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -2) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -2) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \text{Pr}(W_1 > W_2 | \ln S_2 = -1) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \text{Pr}(W_1 < W_2 | \ln S_2 = -1) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

139

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \tfrac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 \,|\, \ln S_2 = 0) \Rightarrow \Pr. \text{ of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 \,|\, \ln S_2 = 0) \Rightarrow \Pr. \text{ of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

Legend:
- Equal Income and $\ln(S_1) = \ln(S_2)$
- Cond. Exp. $\sigma_{12}/\sigma_{22} = 1.9$
- sec. 1 at $\ln S_2 = 1$, $\text{Prob}_1 = 0.78968$
- sec. 2 at $\ln S_2 = 1$, $\text{Prob}_2 = 0.21032$

y-axis: $\ln S_1 = \mu_1 + (\sigma_{12}/\sigma_{22})(\ln S_2 - \mu_2) + v_1$

x-axis: $\ln S_2$: $\mu_2 = 0$, $\mu_1 = 0$, $\sigma_{11} = 4$, $\sigma_{22} = 1$, $\sigma_{12} = 1.9$, $\ln(\pi_1) = 0$, $\ln(\pi_2) = 0$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr\left(W_1 > W_2 \middle| \ln S_2 = 1\right) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr\left(W_1 < W_2 \middle| \ln S_2 = 1\right) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 2) \Rightarrow \Pr.\text{ of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 2) \Rightarrow \Pr.\text{ of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr\left(W_1 > W_2 \middle| \ln S_2 = 3\right) \Rightarrow \Pr.\ \text{of Working at Sector 1}$

$\text{Prob}_2 = \Pr\left(W_1 < W_2 \middle| \ln S_2 = 3\right) \Rightarrow \Pr.\ \text{of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} \, \sigma_{12} \\ \sigma_{12} \, \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$

$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Change in skill prices

$$E[\ln S_1 \mid \ln W_1 > \ln W_2] = \mu_1 + \frac{\sigma_{11} - \sigma_{12}}{\sigma^*}\lambda(-c_1) > \mu_1$$
$$\rightarrow \text{positive selection}$$

$$E[\ln S_2 \mid \ln W_2 > \ln W_1] = \mu_2 + \frac{\sigma_{22} - \sigma_{12}}{\sigma^*}\lambda(-c_2) < \mu_2$$
$$\rightarrow \text{negative selection}$$

, where $c_i = \ln(\pi_i/\pi_j) + \mu_i - \mu_j$

How does the skill composition react to a change in prices?

$$\frac{E[\ln S_1 \mid \ln W_1 > \ln W_2]}{\partial \ln \pi_1} < 0$$

$$\frac{E[\ln S_2 \mid \ln W_2 > \ln W_1]}{\partial \ln \pi_2} > 0$$

▶ What are the underlying economics?

Importance of Assignment Mechanism

Heckman and Honore (1990) show that ...

For a log normal Roy economy, any random assignment of persons to sectors with the same proportion of persons in each sector as in the Roy economy has higher variance of log earnings provided the proportions lie strictly in the unit interval. This is true whether or not skill prices in the two economies are the same.

Choices over Time

Incarnations of the Roy Model

Original Roy model

Potential Outcomes Cost

$$W_1 = \pi_1 S_1 \qquad C = 0$$
$$W_2 = \pi_2 S_2$$

Observed Outcomes Choice

$$W = DW_1 + (1 - D)W_2 \qquad S = W_1 - W_2$$
$$D = I[S > 0]$$

Figure: Occupational sorting in the original Roy model

Extended Roy model

Potential Outcomes

$$Y_1 = \mu_1(X) + U_1$$
$$Y_0 = \mu_0(X) + U_0$$

Cost

$$C = \mu_D(Z)$$

Observed Outcomes

$$Y = DY_1 + (1 - D)Y_0$$

Choice

$$S = Y_1 - Y_0 - C$$
$$D = I[S > 0]$$

Figure: Occupational sorting in the extended Roy model

Generalized Roy model

Potential Outcomes

$Y_1 = \mu_1(X) + U_1$

$Y_0 = \mu_0(X) + U_0$

Observed Outcome

$Y = DY_1 + (1-D)Y_0$

Choice

$D = I[\mu_D(X, Z) - V > 0]$

Figure: Occupational sorting in the generalized Roy model

Appendix

References

Carneiro, P., Heckman, J. J., & Vytlacil, E. J. (2011). Estimating marginal returns to education. *American Economic Review*, *101*(6), 2754–2781.

Heckman, J. J. (1990). Selection bias and self-selection. In J. Eatwell, M. Milgate, & P. Newman (Eds.), *Econometrics* (pp. 201–224). London: Palgrave Macmillan.

Heckman, J. J., & Honore, B. E. (1990). The empirical content of the Roy model. *Econometrica*, *58*(5), 1121–1149.

Heckman, J. J., & Taber, C. (2010). Roy model. In L. E. Blume & S. N. Durlauf (Eds.), *Microeconometrics* (pp. 221–228). London: Palgrave Macmillan.

Roy, A. D. (1951). Some thoughts on the distribution of earnings. *Oxford Economic Papers*, *3*(2), 135–146.