

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

The recipient of this Safety Data Sheet is urged to study it carefully to become aware of hazards, if any, of the product involved. In the interest of safety you should (1) notify your employees, agents and contractors of the information on this sheet, (2) furnish a copy to each of your customers for the product, and (3) request your customers to inform their employees and customers as well.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: AQUA CHEM® OPTIMUM DUAL LAYER CHLOR. TAB

Product Use Description: Recreational Water Product

Chemical nature: Chlorinated Isocyanurates

EPA Registration Number: 67262-37

Company: Recreational Water Products
AquaChem
P.O. Box 1449
Buford, GA
30515-1449

Emergency telephone: CHEMTREC (US Transportation) :
(800) 424-9300
(703) 527-3887
Poison Control Center (Medical) :
(877) 800-5553

Customer Service: (800) 859-7946

Prepared by: Product Safety Department
(US) +1 866-430-2775
(EU) +44 (0) 1753.603.000
Email: MSDSRequest@chemtura.com

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

DANGER!

Form: tablet
Colour: white and blue
Odour: Chlorine

Corrosive
Oxidizer
Causes severe eye damage.
Causes skin burns.
Harmful if swallowed.

OSHA Hazards:
THIS MATERIAL IS HAZARDOUS UNDER THE
CRITERIA OF THE FEDERAL OSHA HAZARD
COMMUNICATION STANDARD 29CFR 1910.1200.

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

Harmful if absorbed through skin.
Harmful if inhaled.
Avoid breathing dust or vapor.
Do not get in eyes, on skin, or on clothing.

Potential Health Effects

Primary Routes of Entry : Eye contact
Skin contact
Inhalation
Ingestion

Inhalation : Harmful if inhaled.

Skin : Causes skin irritation.
On contact with moisture, this material readily hydrolyzes to acid which may result in burns if not promptly removed.
May cause allergic skin reaction.

Eyes : Causes severe eye damage.

Ingestion : Harmful if swallowed.

Chronic Exposure : This product contains a boron compound. This boron compound when fed to test animals at very high doses, has shown reproductive and developmental toxicity. When this product is used according to label directions, the boron compound in this product does not represent a practical risk to man.

SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.	Concentration
Trichloro-s-triazinetriene	87-90-1	70.54 %
Sodium dichloro-s-triazinetriene	2893-78-9	14.55 %
Trade secret 141		< 5 %
Inorganic salt		< 5 %
Trade Secret 001		< 5 %
Trade Secret 016		< 5 %
Trade secret 002		< 5 %

SECTION 4. FIRST AID MEASURES

First aid procedures

MSDS Number: AQUA_4500313

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

- Inhalation : Remove to fresh air.
If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
Call a POISON CENTRE or doctor/physician.
- Skin contact : Remove contaminated clothing and shoes.
Rinse immediately with plenty of water for at least 15 minutes.
Call a POISON CENTRE or doctor/physician.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.
Call a POISON CENTRE or doctor/physician.
- Ingestion : Call a physician or poison control centre immediately.
Have person sip a glass of water if able to swallow.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Do not give anything by mouth to a convulsing or unconscious person.

Notes to physician

- Treatment : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

- Flash point : not applicable

Protective equipment and precautions for firefighters


- Suitable extinguishing media : Flood with large volumes of water.
- Unsuitable extinguishing media : ABC powder
Dry powder
Risk of violent reaction.
- Hazardous decomposition products : Chlorine containing gases can be produced.
- Further information : Do not let fire burn.
- Specific hazards during fire fighting : Under extreme heat (greater than 400F), this product will evolve noxious chlorine containing gases.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Thoroughly decontaminate fire fighting equipment including all fire fighting wearing apparel after the incident.

Further information

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

NFPA Classification : Health Hazard: 3
Fire Hazard: 0
Reactivity Hazard: 1
Specific hazards: OX Class
1 Oxidizer.



Additional advice : Nitrogen trichloride can be generated slowly by the reaction of small quantities of water with a high concentration of this product. Nitrogen trichloride can present an explosion hazard. Immediately after a fire has been extinguished, check for wet or damp material. Any spilled material from burned or broken containers should be assumed contaminated. Neutralize to a non-oxidizing material for safe disposal. Do not attempt to re-close broken containers, even for movement to the disposal area. They should be left open to disperse any nitrogen trichloride that may form. Material which appears undamaged except for being damp on the outside, should be opened and inspected immediately. If the plastic liner (where applicable) of the container is damaged or the material is damp, the material should be chemically treated if allowable, to a non-oxidizing material for safe disposal. Bulging containers require extreme care. Contact the fire department.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods for containment /
Methods for cleaning up : Using appropriate protective clothing and safety equipment, contain spilled material.
Do not add water to spilled material.
Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry containers for disposal.
Do not close containers containing wet or damp material. They should be left open to disperse any hazardous gases that may form.

Additional advice : Do not use floor sweeping compounds to clean up spills.
Do not transport wet or damp material.
Treat recovered material as described in the section "Disposal considerations".
Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

SECTION 7. HANDLING AND STORAGE

Handling

Advice on safe handling : Contains a strong oxidizing agent.
Avoid contact with skin, eyes and clothing.
Avoid breathing dust.
Avoid breathing vapors.
Do not mix with other chemicals.
Mix only with water.
Never add water to this product.
Always add product to large quantities of water.
Use only clean and dry utensils.
Do not add this product to any dispensing devices containing remnants of any

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

other product. Such use may cause a violent reaction leading to fire or explosion.
Contamination with moisture, organic matter or other chemicals may start a chemical reaction and generate heat, hazardous gas, possible fire and explosion.
In case of contamination or decomposition, do not reseal container.
If possible, isolate container in open air or well ventilated area.
Flood with large volumes of water.
Wash hands thoroughly with soap and water after handling and before eating, drinking or using tobacco.
Do not handle until all safety precautions have been read and understood.

Storage

Requirements for storage areas and containers : Store in original container.
Keep container closed when not in use.
Temperature not to exceed 52 C (125F) for 24 hours.
Store in a cool, dry, well ventilated area away from heat or open flame.
Keep out of reach of children.
Keep away from animals.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value - Basis - Update	Control parameters	Further information
Inorganic salt	TWA ; ACGIH 1996-05-18	0.1 mg/m3	1996 Adoption

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value - Basis - Update	Control parameters	Further information
Trade Secret 001	TWA ; OSHA PO 1989-03-01	2 mg/m3	Calculated as AI
Trade Secret 001	TWA ; ACGIH 1994-09-01	2 mg/m3	Calculated as Insoluble

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value - Basis - Update	Control parameters	Further information
Trade Secret 016	TWA ; OSHA PO 1989-03-01	10 mg/m3	
Trade Secret 016	TWA ; ACGIH 2005-01-01	2 mg/m3	A4: The agent (mixture, or exposure circumstance) is not classifiable as to its carcinogenicity to humans. Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

Trade Secret 016	STEL ; ACGIH 2005-01-01	6 mg/m3	A4: The agent (mixture, or exposure circumstance) is not classifiable as to its carcinogenicity to humans. Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.
------------------	----------------------------	---------	---

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value - Basis - Update	Control parameters	Further information
Trade secret 002	TWA ; ACGIH 2005-01-01	2 mg/m3	A4: The agent (mixture, or exposure circumstance) is not classifiable as to its carcinogenicity to humans. Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.
Trade secret 002	STEL ; ACGIH 2005-01-01	6 mg/m3	A4: The agent (mixture, or exposure circumstance) is not classifiable as to its carcinogenicity to humans. Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

Engineering measures

Engineering measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Use with adequate ventilation.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear rubber gloves.

Respiratory protection : A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures : Wash contaminated clothing before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : tablet

Colour : white
and
blue

Odour : Chlorine

Safety data

Flash point : not applicable

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

pH : 3.7 - 3.9
at
77 °F (25 °C)
1% Solution

Melting point/range : Not Available

Boiling point/boiling range : not applicable

Vapour pressure : Not Available

Relative density : 0.929 - 1.089

Water solubility : soluble

Relative vapour density : Not Available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : High temperatures.
Poor ventilation.
Contamination
Moisture/high humidity.

Materials to avoid : Avoid contact with water on concentrated material in the container. Avoid contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite; other swimming pool/spa chemicals in their concentrated form; alkalis. Avoid contact with all other chemicals.

Hazardous decomposition products : Type: Hazardous decomposition products
Chlorine containing gases can be produced.

Hazardous reactions : Hazardous polymerisation does not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 rat
Dose: > 809 mg/kg
Toxicological information given is for the active ingredient.

Acute dermal toxicity : LD50 rabbit
Dose: > 2,000 mg/kg
Toxicological information given is for the active ingredient.

Acute inhalation toxicity : This material in the form as sold is not expected to produce respiratory effects.
If ground or otherwise in a powdered form, effects similar to a corrosive substance may

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

occur.
May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes.

Skin irritation : Direct contact with wet material or moist skin may cause severe irritation, pain and possibly burns.

Eye irritation : Causes severe eye damage.

Sensitisation : Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

SECTION 12. ECOLOGICAL INFORMATION

Additional ecological information : Toxic to fish.
Toxic to aquatic organisms.
Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Component:

Trichloro-s-triazinetrione

87-90-1

Toxicity to fish:

LC50

Species: Oncorhynchus mykiss (rainbow trout)

Dose: 0.24 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates.:

LC50

Species: Daphnia magna (Water flea)

Dose: 0.21 mg/l

Exposure time: 48 h

Toxicity to algae:

EC50

Species: Algae

Dose: 655 mg/l

Exposure time: 96 h

Sodium dichloro-s-triazinetrione

2893-78-9

Toxicity to fish:

LC50

Species: Oncorhynchus mykiss (rainbow trout)

Dose: 0.24 mg/l

Exposure time: 96 h

Information given is based on data on the components and the toxicology of similar products.

Toxicity to daphnia and other aquatic invertebrates.:

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

LC50
Species: Daphnia magna (Water flea)
Dose: 0.21 mg/l
Exposure time: 48 h
Information given is based on data on the components and the toxicology of similar products.
Toxicity to algae:

EC50
Species: Selenastrum capricornutum (green algae)
Dose: 655 mg/l
Exposure time: 96 h
Information given is based on data on the components and the toxicology of similar products.

SECTION 13. DISPOSAL CONSIDERATIONS

- Further information : Dispose of waste material in compliance with all federal, state, and local regulations.
If these wastes cannot be disposed of by use according to label instructions, contact your Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. For registered pesticides, contact your State Pesticide Agency.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor.
Contact with incompatible materials could cause a reaction or fire.
Improper disposal of excess product, spray mixture or rinsate is a violation of Federal Law.
- Contaminated packaging : Do not re-use empty containers.
Rinse thoroughly before discarding in trash.
Offer rinsed packaging material to local recycling facilities.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

SECTION 15. REGULATORY INFORMATION

National regulatory information

OSHA Hazards : This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

SARA Hazard category : Fire Hazard
Acute Health Hazard
Reactivity Hazard

US CERCLA : US. Environmental Protection Agency (EPA); The 1980 Comprehensive
(Component) Environmental Response, Compensation, and Liability Act (CERCLA).

Reportable quantity: 5,000 lbs

Trade Secret 001

< 5 %

US State Regulations

US MA RTK : US. The Commonwealth of Massachusetts Department of Public Health;
(Component) Massachusetts Right-to-know law, The Massachusetts Substance List,
105 CMR 670.000

Massachusetts hazardous substance

Trichloro-s-triazinetriene

87-90-1

70.54 %

Massachusetts hazardous substance

Sodium dichloro-s-
triazinetriene

2893-78-9

14.55 %

Massachusetts hazardous substance

Trade Secret 001

< 5 %

Massachusetts hazardous substance

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

Trade Secret 016

< 5 %

US NJ RTK
(Component)

: US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]

hazardous substance

Trichloro-s-triazinetrione

87-90-1

70.54 %

hazardous substance

Sodium dichloro-s-triazinetrione

2893-78-9

14.55 %

hazardous substance

Inorganic salt

< 5 %

hazardous substance

Trade Secret 001

< 5 %

US PA RTK
(Component)

: US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34, Labor and Industry Chapter 323

hazardous substance

Trichloro-s-triazinetrione

87-90-1

70.54 %

hazardous substance

Sodium dichloro-s-triazinetrione

2893-78-9

14.55 %

environmental hazard, hazardous substance

Trade Secret 001

< 5 %

**AQUA CHEM® OPTIMUM DUAL LAYER
CHLOR. TAB**

Version:	1.1
Revision Date:	05/05/2008
Print Date:	09/04/2008

The components of this product are reported in the following inventories:
TSCA


Additional advice :

FIFRA (Federal Insecticide, Fungicide, Rodenticide Act): This product is a registered pesticide.

SECTION 16. OTHER INFORMATION

Further information

NFPA Classification : Health Hazard: 3
Fire Hazard: 0
Reactivity Hazard: 1
Specific hazards: OX Class 1
Oxidizer.



HMS Classification : Health Hazard: 3
Flammability: 0
Physical and chemical hazards: 1
PPI: Ask supervisor or safety specialist for handling instructions

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of the seller, it is the user's obligation to determine the conditions of safe use of the products.