



9/27/2024

Addendum Number 1

TITLE: QUESTION(S) / CLARIFICATION(S)

RFB No.: 06126-NTT-00-GS-MA

Project Name: Janitorial Services for Ancillary Facilities

Attention: All Potential Bidders

Addendum No. 1 is submitted for your information in preparing your bids to the above mentioned RFB and is hereby made a part of the contract. To acknowledge this addendum sign and include the attached Acknowledgement Receipt with your submittal. Failure to do so may deem the Respondent non-responsive.

No late bids will be accepted. If a conflict exists between the RFB and this addendum, the addendum prevails.

QUESTION(S) & RESPONSE(S)

Vendor question(s) and NTTA response(s) attached.

CLARIFICATION(S)

Commercial rubberized flooring (Mondo) maintenance guide attached.

This addendum **does not** change the response due date and time.

Sincerely,

Senior Procurement Specialist

cc: File

06126 RFB Janitorial Services for Ancillary Facilities				
Question #	User Created	Question Subject	Question	Answer
1	Ky Kim/Global Building Maintenance	Previous Tabulation	I would like to request a tabulation for bid done on 2022.	Please submit prior contract questions not related to this solicitation to PIAOfficer@ntta.org
2	Willie Woods/Relief Staffing Solutions, LLC	Last award information for this bid	Can we get the previous award information for this bid?	Please submit prior contract questions not related to this solicitation to PIAOfficer@ntta.org
3	Willie Woods/Relief Staffing Solutions, LLC	Daily Cleaning Services	For location that need daily service, is daily service 5 or 7 days per week?	Refer to the scope of work section titled "Scheduleing of Janitorial Operations"
4	Deborah Adeloye/IVY GAZE LLC	Question About The Bid	What is the budget? How many shifts is expected? must be manager /supervisor be onsite 24/7 How many people are expected to be on site at a time? how many sites manager and supervisors are expected?	Estimate for contract is less than \$300,000. Refer to section in scope of work titled "Personnel" for other questions.
5	Deborah Adeloye/IVY GAZE LLC	Question About The Bid	Please, can we still bid if we did not attend the Prebid conference?	Yes. Attendance at pre-bid is highly recommended but not required to bid.
6	Bids Department/SiteOne Landscape Supply	Equivalent product	Is there an equivalent product we could compare to for both previously listed products?	This is a services contract. NTTA is not specifying the cleaning products to be used by the service provider.
7	M. Joanna James/MAXPRO ENTERPRISE	Pricing	What is the current price being paid for these services?	Please submit prior contract questions not related to this solicitation to PIAOfficer@ntta.org
8	M. Joanna James/MAXPRO ENTERPRISE	Day porter	Are day porter services required under this contract or just the one time per day cleaing?	No day porter service required under this contract
9	Amanda Grissom/Ambassador Services, LLC	Floor Equipment	Who provides floor equipment?	Contratcor provides floor cleaning equipment
10	Amanda Grissom/Ambassador Services, LLC	Window Service	Do you need interior and exterior window cleaning service?	Refer to the scope of work section titled "Description of services"
11	Amanda Grissom/Ambassador Services, LLC	Mando Floors	Please provide the specifications of service needed for mondo floors.	Provided in attachment to the addendum.
12	Tiawna Edwards/Blessed3G LLC	Cost Estimate for services	A COST ESTIMATE OF \$100,000-\$200,000 WAS THAT AN ESTIMATE FOR 1 YEAR OR 2 YEARS OF SERVICE?	The whole term of the contract.
13	James Norville/Human Potential Consultants, LLC		Regarding the MLP 4 Office located at 10350 Dallas Parkway, Frisco, TX 75034 can NTTA confirm if the contractor required to do the outside windows. If so is their roof access for the higher windows? And access to the inside of the upper windows?	Refer to the scope of work section titled "Description of services"
14	James Norville/Human Potential Consultants, LLC		Can NTTA provide the maintenance information and procedures for the care of the Mondo flooring.	Provided in attachment
15	James Norville/Human Potential Consultants, LLC		Can NTTA confirm if no sub-contractor or a vendor is used or found per the Business Diversity Department policy, should the BDD Document  ??  ?? Good Faith Effort  ?? form be used?	Yes.
16	James Norville/Human Potential Consultants, LLC		Can North Texas Tollway Authority (NTTA) clarify whether the role of janitor, crew lead, and supervisor can be filled by the same person?	Refer to the scope of work section titled "personnel"
17	James Norville/Human Potential Consultants, LLC		Can NTTA please clarify the previous contractor for this award and the contract award amount?	Please submit prior contract questions not related to this solicitation to PIAOfficer@ntta.org
18	James Norville/Human Potential Consultants, LLC		Can NTTA please clarify the minimum number of staff you are expecting for this opportunity?	Refer to the scope of work section titled "personnel"
19	Isaac Prince/Festac Building Constructors, Inc	RFB # 06126-NTT-00-GS-I	The MLP 4 office complex located at 10350 has a 145 pane of glass, and where it's located has a tremendous exposure to high dust. How often will it be clean/wash inside and outside for an approved price?	Refer to the scope of work section titled "Description of services"
20	Isaac Prince/Festac Building Constructors, Inc.		What is the earliest time can the cleaning crews gets into MLP 3 & 4?	4:00 PM
21	Isaac Prince/Festac Building Constructors, Inc.		Will badging of the cleaning crews be virtually conducted? Will the background check be paid for by NTTA or the contractors?	Refer to the scope of work section titled "Security"
22	Leonel Flores/Global Staffing & Multi-services	SITE VISIT	Hello, Due to a critical errand, we could not be at the RFB site visit, can we unofficially visit the sites?	No additional site visits will be scheduled.
23	Shirley Gaddis/Premier Janitorial Services, LLC	DBE Certification	1. I (Prime) do not have DBE certification; does that disqualify me from participating in this bid process?	No.
24	Shirley Gaddis/Premier Janitorial Services, LLC	Number of Years in Business	2. Is there a required duration of operation for the company before it qualifies to participate in the bid process? Or do you require a certain number of years that the company has to be established?	No.
25	Shirley Gaddis/Premier Janitorial Services, LLC	Current Custodial Vendor	3. Will the existing custodial provider be responsible for any floor care prior to the end of the current contract? Such as, stripping and waxing and carpet care, etc.?	Current contract is expired, new contractor will take over the facility in current condition.
26	Shirley Gaddis/Premier Janitorial Services, LLC	Living Wages	4. In the midst of the highly competitive labor market constraints, will consideration be granted to allow custodial providers the ability to offer staff members competitive living wages?	The contract value will not exceed the bid amount.
27	Shirley Gaddis/Premier Janitorial Services, LLC	Submitting Documents	5. Should the project number, and/or the solicitation number be on all documents?	Yes, where applicable.
28	Shirley Gaddis/Premier Janitorial Services, LLC	Questions and Other Vendor	6. Will you be sending questions from all vendors to everyone?	Yes, the answers will be available in Addendum #1, available in the Attachments section of this solicitation.

29	Isaac Prince/Festac Building Constructors, Inc	RFB # 06126-NTT-00-GS-N	Is the current account holder bidding the project? if "YES" Who is the current account holder?	Please submit prior contract questions not related to this solicitation to PIAOfficer@ntta.org
30	Isaac Prince/Festac Building Constructors, Inc.		When will the new contract commence?	Upon execution of a contract the awarded vendor will be provided a notice to proceed letter with a date for services to begin
31	Isaac Prince/Festac Building Constructors, Inc.		Is carpet cleaning by extractor method would be additional charges?	Refer to the scope of work section titled "Description of services"

EMBOSSSED COMMERCIAL RUBBER FLOORING

These maintenance guidelines aim to provide basic care instructions for embossed commercial rubber flooring like Lava, Terranova and Zeus. Special coatings are not necessary for the care of these embossed flooring products, nor are they recommended.

For optimal results and an extended useful life, we recommend that you personalize your maintenance regimen to meet your facility's individual needs based on square footage, events & increased traffic, available resources & equipment, etc.

WET MAINTENANCE

INITIAL WASH. You will need to thoroughly wash your new resilient flooring remove any production residue and/or construction dust before you begin using it. The initial wash can be done using a floor scrubber (fastened with a soft nylon bristle brush, 3M TopLine Autoscrubber Pad 5000 or 3M Red Buffer Pad 5100) and Profi™ Floor Cleaner/Oil and Grease Remover, no sooner than a minimum of 72 hours after the resilient flooring has been fully installed.

DEEP CLEANING. It is recommended that you periodically deep-clean your rubber flooring. Deep cleaning can occur quarterly, during school breaks, after events, etc.; determine what is appropriate for your type of facility and use. Deep cleaning is performed with the aid of a floor scrubber (fastened with a soft nylon bristle brush, 3M TopLine Autoscrubber Pad 5000 or 3M Red Buffer Pad 5100). Use of a degreaser or heavy duty cleaner may be prescribed, depending on the overall appearance of the resilient flooring.

REGULAR WASHES. Daily vacuuming/dust mopping is highly recommended. Perform washes at desired frequency, but no less than once weekly. If you perform frequent washes, opt for a specialized daily-formulated floor cleaner that is low foaming, filmfree and requires less frequent rinses. For optimal results, we recommend that you use a floor scrubber (fastened with a soft nylon bristle brush, 3M TopLine Autoscrubber Pad 5000 or 3M Red Buffer Pad 5100); it generally provides better results than traditional mopping. If you do not have access to a floor scrubber or must use mops due to room layout/furniture, then opt for microfiber systems, using one mop for washing and another for rinsing, and frequently dispose of any soiled cleaning liquids. As needed, use deck brushes with soft nylon bristles for spot scrubbing.

WASHING PROTOCOL:

1. Always clean liquid spills as they occur, and immediately remove any solid debris from surface.
2. Vacuum surface (or dust mop) to remove dust/dirt/debris.
3. Put up "wet floor" signs/caution tape/barricades prior to performing wet maintenance.
4. Refer to chemical SDS (safety data sheet) for all personal safety requirements.
5. Use a floor scrubber (<300rpm for disc scrubber) and adjust pad pressure to "low". Safely fasten brush or cleaning pad.
6. Dilute cleaner per chemical manufacturer's instructions for the level of soil present. Test dilution rate on a small area to ensure efficiency. Prominence™ by Diversey is recommended for regular washes, but you may refer to Cleaning Products on page 2.
7. Wet surface with cleaning solution and allow a dwell time of about 5 minutes. DO NOT let the surface dry out prior to scrubbing; rewet as needed. Rubber can be "grabby" and a wet surface is essential for the scrubber to move freely, as well as to avoid any surface friction burns. Scrub in multiple directions and vacuum up soiled cleaning liquids.
8. Rinse surface thoroughly with fresh water to remove any soapy residue; avoid soap film buildup that can trap dust/dirt and encourage the rapid formation of soiling patterns. Repeat rinsing as needed. Allow surface to fully dry before use.

EMBOSSSED COMMERCIAL RUBBER FLOORING



PRECAUTIONS

- Do not use steel wool, abrasive brushes and abrasive pads (black, brown, etc.) that can damage the resilient flooring.
 - Avoid using blue and green pads that could dull the resilient flooring.
 - Do not spot clean with turpentine, gasoline or solvents that can harm the resilient flooring's color or natural finish.
 - Never tilt a floor machine to dig into stubborn marks/stains, in order to avoid damaging the resilient flooring.
 - Use premium "non-staining" walk-off mats, runners and rugs (no transferable black carbon chemicals in the backing).
 - Fit furniture and equipment base/legs with protective non-staining (pvc or polyethylene) caps, glides, wheels, etc.
 - Avoid point loading: ensure furniture/equipment legs, caps, glides, etc., are minimum 1 inch wide.
 - Prevent pooling water under or around furniture/equipment; do not allow rust to occur and stains to ensue.
 - Move heavy furniture/equipment across resilient flooring with care; use plywood or Masonite to create skids/bridge.
 - Keep utility vehicles off the resilient flooring to avoid oil leaks and/or surface damage.
 - Greasy foods/highly colored beverages spilled onto the surface can increase maintenance or stain if left unattended.
 - Indoor installations only; commercial surfaces are not formulated for outdoors/direct UV (always shade/film windows).
-

CLEANING PRODUCTS

If you will be using cleaning products other than those suggested herein, please perform in-house tests on stock samples or small secluded sections of resilient flooring to determine their suitability and effectiveness. Prior to adopting chemicals, ensure the resilient flooring will not be damaged or suffer from reduced aesthetics. **Factory finished commercial rubber flooring does not need to be waxed or coated.** In general, use neutral pH cleaners (between 7-9) for washes, avoid cleaning products with a pH above 12 and below 2, and ensure they are solvent-free, phosphate-free and phenol-free.

SUGGESTED DIVERSEY CLEANERS

Prominence™ (daily formulated)
Stride™ Citrus Natural Cleaner (daily formulated)
GP Forward™
Profi™

OTHER SUGGESTED PRODUCTS

Diversey Virex® II 256 Disinfectant
3M™ désinfectant nettoyant RTC concentrate 40A
Diversey Wiwax™ Cleaning/Maintenance Emulsion*
Diversey Revive® Plus SC Rejuvenator*

***Maintenance emulsions & rejuvenators can be used on any clean resilient flooring, leaving behind a protective/restorative film (www.diversey.com).*

CHEMICAL-FREE MAINTENANCE. For any facility wanting to limit the use of maintenance chemicals, we recommend consulting the Tennant Company for information regarding their ec-H2O™, Orbio® and NanoClean technologies (www.tennantco.com).



RFB No.: 06126-NTT-00-GS-MA

RFB Name: Janitorial Services for Ancillary Facilities

Acknowledgement Receipt:

(Failure to acknowledge this addendum may deem the Bidders non-responsive.)

"I acknowledge receipt of Addendum No. 1."

Vendor's Name

Vendor's Address and phone number

Authorized Signatory Name - (Print)

Signature

Date