



PRODUCT DATA SHEET

TECHNOFLUID TRACTOR ENGINE OIL

Commercial / Pack Name: 15W-40 CH-4 / 20W-40 CF

Product Description

- Premium tractor engine oils formulated with high quality base oils and advanced additive technology.
- Designed for naturally aspirated and turbocharged diesel tractor engines.
- Excellent detergency, dispersancy and oxidation stability.
- Provides outstanding protection against wear, rust and corrosion.
- Available in 15W-40 CH-4 and 20W-40 CF grades.

Key Performance Benefits

- Excellent engine cleanliness and sludge control.
- Superior wear protection for extended engine life.
- High thermal and oxidation stability.
- Reliable performance under heavy agricultural operations.
- Reduces maintenance and oil consumption.

Applications

- Agricultural tractors and farm equipment.
- Diesel engines operating in tractors, harvesters and allied machinery.
- Suitable where API CH-4 or API CF performance is recommended.

INDUSTRY PERFORMANCE CHARACTERISTICS

- Excellent soot handling

- Superior wear protection
- High oxidation stability
- Good corrosion resistance
- Extended engine life

Typical Characteristics

Characteristics	15W-40 CH-4	20W-40 CF
Appearance	Bright & Clear	Bright & Clear
Density @29.5°C	0.860	0.880
K.V @100°C cSt	14.8	14.5
Viscosity Index	140	130
TBN	9.5	7.0
Flash Point (COC) °C	225	220
Pour Point °C	-27	-21

