



PRODUCT DATA SHEET

TECHNOFLUID FOOD GRADE WHITE OIL

Commercial / Pack Name: ISO VG 32 / 46 / 68 / 100

Product Description

- Premium food-grade white mineral oils manufactured from highly refined, colourless and odourless base oils.
- Formulated for applications where incidental food contact may occur.
- Excellent oxidation stability and chemical purity.
- Non-staining, non-toxic appearance with outstanding colour stability.
- Available in ISO VG 32, 46, 68 and 100 viscosity grades.

Key Performance Benefits

- High purity and water-white appearance.
- Excellent oxidation and thermal stability.
- Low volatility and long service life.
- Excellent rust protection and corrosion resistance.
- Suitable for clean lubrication applications.

Applications

- Food and beverage processing plants.
- Bakery, dairy and confectionery industries.
- Pharmaceutical and cosmetic manufacturing.
- Food packaging machinery and conveyor systems.
- General clean lubrication and process oil applications.

INDUSTRY PERFORMANCE CHARACTERISTICS

- Water-white appearance
- High oxidation stability
- Excellent colour stability
- Low odour and non-staining
- Long service life

Typical Characteristics

Characteristics	ISO VG 32	ISO VG 46	ISO VG 68	ISO VG 100
Appearance	Water White	Water White	Water White	Water White
Density @29.5°C	0.845	0.850	0.855	0.860
K.V @40°C cSt	32	46	68	100
Viscosity Index	100	100	100	100
Pour Point °C	-12	-12	-9	-6
Flash Point (COC) °C	210	220	230	245

