



PRODUCT DATA SHEET

MARINE ENGINE OIL

Commercial / Pack Name: SAE 30 (TBN 12/15), SAE 40 (TBN 20/30/40), 15W-40, Cylinder Oil 50 TBN, Cylinder Oil 70 TBN, System Oil SAE 30

Product Description

- Premium marine lubricants formulated from high quality base oils and advanced additive technology.
- Designed for trunk piston and marine diesel engines operating under severe service conditions.
- Excellent detergency, dispersancy and oxidation stability.
- Provides outstanding wear, rust and corrosion protection.
- Available for main engine, cylinder lubrication and marine system lubrication.

Key Performance Benefits

- Controls piston deposits and sludge formation.
- Excellent acid neutralization through optimized TBN levels.
- Superior oxidation and thermal stability.
- Extends engine life and minimizes wear.
- Reliable performance in coastal and ocean-going vessels.

Applications

- Medium and high-speed marine diesel engines.
- Fishing boats, cargo vessels and marine auxiliary engines.
- Crosshead engine cylinder lubrication (Cylinder Oils).
- Marine crankcase/system lubrication (System Oil SAE 30).

INDUSTRY PERFORMANCE CHARACTERISTICS

- High detergency and dispersancy
- Excellent wear protection
- Superior corrosion resistance
- High thermal and oxidation stability
- Extended oil service life

Typical Characteristics

Characteristics	SAE30 TBN12/15	SAE40 TBN20/30 /40	15W-40	Cyl 50	Cyl 70	System SAE30
Appearance	Bright	Bright	Bright	Bright	Bright	Bright
Density @29.5°C	0.865	0.870	0.870	0.890	0.890	0.865
K.V @40°C cSt	100	150	110	220	240	100
Viscosity Index	98	98	135	95	95	98
Flash Point °C	230	235	225	240	245	230
TBN	12/15	20/30/40	12	50	70	5

