




Quality and Yield

University of Bayreuth)

won National University)

TERRECO



TERRECO WP 1-02

Spatial assessment of atmosphere-ecosystem exchanges via micrometeorological measurements, footprint modelling and mesoscale simulations

From 03/2009 to 02/2012

Project manager: Johannes Lüers, Thomas Foken, John Tenhunen

Coworkers: Peng Zhao

Grant: IRTG-WP I TERRECO - Complex Terrain and Ecological Heterogeneity - Evaluating ecosystem services in production versus water yield and water quality in mountainous landscapes - Work Package I

www.bayceer.de







Location











Method











Biomass sampling				i i	
Turbulence measur	ement				
Rice growing					
Potato growing					
May.	Jun.	Jul.	Aug.	Sep.	Oct.


May. Jun. Jul. Aug. Sep. Oct.


- Site selection
- Negotiation with farmers





- Site selection
- Negotiation with farmers

















Kommt Zeit, kommt Rat.

车到山前必有路。


We'll cross that bridge when we come to it.







Device connections














Device installation

Potato field



Rice field















Device installation


















Data flow













Data online processing















Altitude Potato Field, Haean, Korea





Aspect Potato Field, Haean, Korea














400 m × 400 m

Potato field




































Aspect Rice Field, Haean, Korea













400 m × 400 m

Rice field




























Biomass sampling












Dept. of Micrometeorology


Bayceer

Bayreuth Center of Ecology and Environmental Research

AWS (Automatic Weather Stations)














and Environmental Research


AWS: check


Location	MM-DD	Clock
01-Observatory	11-05	0:00
02-Military_Temple	10-29	0:04
03-Sap1site	11-01	0:13
04-TERRECOHouse	10-30	0:06
06-Han's	11-03	0:00
07-Ok's_Field	11-03	0:01
08-Glass_area	C (11-03	0:00
09-Fruit_area	11-03	0:00
10-Western_Forest	11-03	0:01
11-Kang's_Rice	10-30	-0:02
12-Eddy_Rice	11-02	0:00
13-Eddy_Potato	11-06	0:00
14-Exper_Field	10-30	-0:03
15-Mid_Forest	11-04	0:00

Location	MM-DD	Orie.
01-Observatory	11-05	70
02-Military_Temple	10-29	8
03-Sap1site	11-01	2
04-TERRECOHouse	10-30	12
06-Han's	11-03	24
07-Ok's_Field	11-03	34
08-Gl <mark>ass_area</mark>	11-03	66
_{09-Fru} Orient	auon	4
10-Western_Forest	11-03	34
11-Kang's_Rice	10-30	20
12-Eddy_Rice	11-02	8
13-Eddy_Potato	11-06	32
14-Exper_Field	10-30	26
15-Mid_Forest	11-04	0
















Quality check


steady state test	2 related integral turbulence	Final flag		
(flag)	characteristic tests			
	[flag of the worse-rated test			
	(exception: if H _{Ts}			
	is $< 10 \text{ W m}^{-2} \text{ than itc_Ts}$			
	must be ignored)]			
1	1 - 2	1		
2	1 - 2	2		
1 - 2	3 - 4	3		
3 – 4	1 - 2	4		
Overall ration	ng system after Foken et	t al. (2004)		
6	1 – 6	7		
1 – 6	6	7		
1 – 6	7	8		
7 – 8	1 – 7	8		
1 – 8	8	8		
9	1 – 9	9		
		9		

Test parameter	Steady state test	ITC $\sigma_{ m u}/{ m u}_*$ test	$\sigma_{ m w}/{ m u}_*$ test	ITC σ _{Ts} /Ts _* test	ITC σ _a /a _* test	ITC $\sigma_{{\rm CO}_2}$ / ${\rm CO}_{2*}$ test
ustar	<u>u'w'</u> , <u>v'w'</u>	x	x			
H_{Tz}	Detailed	flags fro	m the T	K2-QA_	QC-File	e
<u>LvE</u>	w'a'		x		x	
$\overline{w'CO_2'}$	$\overline{w'CO'_2}$		x			x














Potato


latent heat flux































Footprint at potato field 2010-6-1 ~ 6-24

Payrouth Control Ecology Research













Research Content of Ecology

Footprint at potato field 2010-7-6 ~ 7-22












Footprint at potato field 2010-8-13 ~ 8-28

tesearch













Footprint at potato field 2010-6-26 ~ 7-5

















Footprint at potato field 2010-7-22 ~ 8-11

Research












Footprint at potato field 2010-8-30~10-10

les Ecology Research











Bayreuth Center of Ecology and Environmental Research

Team work












Bayreuth Center of Ecology and Environmental Research

Acknowledgement







Bayceer

Bayreuth Center of Ecology and Environmental Research









Bayreuth Center of Ecology and Environmental Research

Documentation



UNIVERSITY OF BAYREUTH

Department of Micrometeorology

Complex TERRain and ECOlogical Heterogeneity (TERRECO)

WP 1-02: Spatial assessment of atmosphereecosystem exchanges via micrometeorological measurements, footprint modelling and mesoscale simulations

Documentation of the Observation Period May 12th to Nov. 8th, 2010, Haean, South Korea

DRAFT

Peng Zhao Johannes Lüers Johannes Olesch John Tenhunen Thomas Foken

Arbeitsergebnisse Nr. ** Bayreuth, December, 2010

Contents

1,77				
L	Introduction			
2.	General information			
3.	Calendar			
4.	Instrumentation.			
	4.I. Overview			
	42 USA-1			10
	4.4. NR-LITE			
	4.5. Biomass analysis			
5.	Data acquisition			
	5.1. Dataflow			t
	5.2 LI-7500 calibration values and settings		t	
	5.3. USA-I settings	5/45 TO 10 10 10 10 10 10 10 10 10 10 10 10 10		1
	5.4. Raw data format			
6.	Automatic Weather Station (AWS) Network.			
	6.L. Overview			b
	6.5. Recommendations for	data osers		- 2
7.				2
	7.1. NR-LITE			
	7.2 TK2			
8	Weather Observation			



