Trạng thái	Đã xong
Bắt đầu vào lúc	Chủ Nhật, 17 tháng 5 2026, 4:32 PM
Kết thúc lúc	Chủ Nhật, 17 tháng 5 2026, 4:32 PM
Thời gian thực hiện	9 giây
Điểm	0,00/30,00
Điểm	**0,00** trên 10,00 (**0**%)

Câu hỏi **1**

Không trả lời

Đạt điểm 1,00

Sau khi đánh giá, kiểm toán viên đề xuất công ty hosting nên ký hợp đồng thêm với nhiều nhà cung cấp Internet để có đường truyền tốc độ cao dự phòng. Lý do chính là gì? Chọn 2 đáp án.

After an assessment, auditors recommended that an application hosting company should contract with additional data providers for redundant high speed Internet connections. Which of the following is MOST likely the reason for this recommendation? (Select TWO).

Select one or more:

- a. To allow for business continuity if one provider goes out of business
- b. To eliminate a single point of failure
- c. To allow for a hot site in case of disaster
- d. To improve intranet communication speeds
- e. To allow load balancing for cloud support

Có nhiều nhà cung cấp Internet giúp công ty không phụ thuộc vào một đường truyền duy nhất. Nếu một nhà mạng lỗi, vẫn còn đường truyền khác để hệ thống tiếp tục hoạt động.

Mẹo nhớ:
Redundant Internet connections → Business continuity + eliminate single point of failure.

Your answer is incorrect.

The correct answers are: To allow for business continuity if one provider goes out of business, To eliminate a single point of failure

Câu hỏi 2

Không trả lời

Đạt điểm 1,00

An analyst is reviewing a simple program for potential security vulnerabilities before being deployed to a Windows server. Given the following code:

```
void foo (char *bar)
{
  char random_user_input [12];
  strcpy (random_user_input, bar);
}
```

Which of the following vulnerabilities is present?

Select one:

- a. Backdoor
- b. Buffer overflow
- c. Integer overflow
- d. Bad memory pointer

Your answer is incorrect.

The correct answer is: Buffer overflow

Câu hỏi 3

Không trả lời

Đạt điểm 1,00

A server administrator notes that a legacy application often stops running due to a memory error. When reviewing the debugging logs, they notice code being run calling an internal process to exploit the machine. Which of the following attacks does this describe?

Select one:

- a. Malicious add-on
- b. Buffer overflow
- c. Zero-day
- d. Cross site scripting

Your answer is incorrect.

The correct answer is: Buffer overflow

Câu hỏi 4

Không trả lời

Đạt điểm 1,00

Which of the following protocols is the security administrator observing in this packet capture?
12:33:43, SRC 192.168.4.3:3389, DST 10.67.33.20:8080, SYN/ACK

Select one:

- a. SFTP
- b. HTTP
- c. RDP
- d. HTTPS

Your answer is incorrect.

The correct answer is: RDP

Câu hỏi 5

Không trả lời

Đạt điểm 1,00

Which of the following preventative controls would be appropriate for responding to a directive to reduce the attack surface of a specific host?

Select one:

- a. Disabling unnecessary services
- b. Taking a baseline configuration
- c. Implementing an IDS
- d. Installing anti-malware

Your answer is incorrect.

The correct answer is: Disabling unnecessary services

Câu hỏi 6

Không trả lời

Đạt điểm 1,00

Ann, the software security engineer, works for a major software vendor. Which of the following practices should be implemented to help prevent race conditions, buffer overflows, and other similar vulnerabilities prior to each production release?

Select one:

- a. Code review
- b. Patch regression testing
- c. Product baseline report
- d. Input validation

Your answer is incorrect.

The correct answer is: Code review

Câu hỏi 7

Không trả lời

Đạt điểm 1,00

A recent audit has revealed weaknesses in the process of deploying new servers and network devices. Which of the following practices could be used to increase the security posture during deployment? (Select TWO).

Select one or more:

- a. Deploy a honeypot
- b. Change default passwords
- c. Disable unnecessary services
- d. Penetration testing
- e. Implement an application firewall

Your answer is incorrect.

The correct answers are: Disable unnecessary services, Change default passwords

Câu hỏi 8

Không trả lời

Đạt điểm 1,00

A security administrator is investigating a recent server breach. The breach occurred as a result of a zero-day attack against a user program running on the server. Which of the following logs should the administrator search for information regarding the breach?

Select one:

- a. Authentication log
- b. System log
- c. Setup log
- d. Application log

Your answer is incorrect.

The correct answer is: Application log

Câu hỏi 9

Không trả lời

Đạt điểm 1,00

Chiến lược giảm thiểu rủi ro nào giúp Ann áp dụng nguyên tắc least privilege

Which of the following risk mitigation strategies will allow Ann, a security analyst, to enforce least privilege principles?

Select one:

- a. Annual loss expectancy
- b. Incident management
- c. User rights reviews
- d. Risk based controls

Least privilege nghĩa là chỉ cấp quyền tối thiểu cần thiết. Muốn đảm bảo điều này thì phải thường xuyên kiểm tra quyền user và xóa các quyền thừa.

Mẹo nhớ:
Least privilege → kiểm tra quyền → User rights reviews.

Your answer is incorrect.

The correct answer is: User rights reviews

Câu hỏi 10

Không trả lời

Đạt điểm 1,00

Which of the following ports will be used for logging into secure websites?

Select one:

- a. 110
- b. 443
- c. 142
- d. 80

Your answer is incorrect.

The correct answer is: 443

Câu hỏi 11

Không trả lời

Đạt điểm 1,00

A vulnerability scan is reporting that patches are missing on a server. After a review, it is determined that the application requiring the patch does not exist on the operating system. Which of the following describes this cause?

Select one:

- a. False negative
- b. Baseline code review
- c. Application hardening
- d. False positive

Your answer is incorrect.

The correct answer is: False positive

Câu hỏi 12

Không trả lời

Đạt điểm 1,00

Which of the following provides the BEST application availability and is easily expanded as demand grows?

Select one:

- a. RAID 6
- b. Active-Passive Cluster
- c. Server virtualization
- d. Load balancing

Your answer is incorrect.

The correct answer is: Load balancing

Câu hỏi 13

Không trả lời

Đạt điểm 1,00

Which of the following concepts allows an organization to group large numbers of servers together in order to deliver a common service?

Select one:

- a. Cold site
- b. RAID
- c. Backup Redundancy
- d. Clustering

Your answer is incorrect.

The correct answer is: Clustering

Câu hỏi 14

Không trả lời

Đạt điểm 1,00

Which of the following is an example of a false positive?

Select one:

- a. Anti-virus identifies a benign application as malware.
- b. The IDS does not identify a buffer overflow
- c. A user account is locked out after the user mistypes the password too many times.
- d. A biometric iris scanner rejects an authorized user wearing a new contact lens.

Your answer is incorrect.

The correct answer is: Anti-virus identifies a benign application as malware.

Câu hỏi 15

Không trả lời

Đạt điểm 1,00

A Human Resources user is issued a virtual desktop typically assigned to Accounting employees. A system administrator wants to disable certain services and remove the local accounting groups installed by default on this virtual machine. The system administrator is adhering to which of the following security best practices?

Select one:

- a. Operating System hardening
- b. Black listing applications
- c. Patch Management
- d. Mandatory Access Control

Your answer is incorrect.

The correct answer is: Operating System hardening

Câu hỏi 16

Không trả lời

Đạt điểm 1,00

Which of the following, if properly implemented, would prevent users from accessing files that are unrelated to their job duties? (Select TWO).

Select one or more:

- a. Time of day restrictions
- b. Least privilege
- c. Separation of duties
- d. Mandatory vacation
- e. Job rotation

Your answer is incorrect.

The correct answers are: Separation of duties, Least privilege

Câu hỏi 17

Không trả lời

Đạt điểm 1,00

Which of the following ports is used for TELNET by default?

Select one:

- a. 23
- b. 21
- c. 22
- d. 20

Your answer is incorrect.

The correct answer is: 23

Câu hỏi 18

Không trả lời

Đạt điểm 1,00

One of the system administrators at a company is assigned to maintain a secure computer lab. The administrator has rights to configure machines, install software, and perform user account maintenance. However, the administrator cannot add new computers to the domain, because that requires authorization from the Information Assurance Officer. This is an example of which of the following?

Select one:

- a. Rule-based access control
- b. Mandatory access
- c. Least privilege
- d. Job rotation

Your answer is incorrect.

The correct answer is: Least privilege

Câu hỏi 19

Không trả lời

Đạt điểm 1,00

Disabling unnecessary services, restricting administrative access, and enabling auditing controls on a server are forms of which of the following?

Select one:

- a. Cross-site scripting prevention
- b. Application patch management
- c. Creating a security baseline
- d. System hardening

Your answer is incorrect.

The correct answer is: System hardening

Câu hỏi 20

Không trả lời

Đạt điểm 1,00

An IT security technician needs to establish host based security for company workstations. Which of the following will BEST meet this requirement?

Select one:

- a. Implement IIS hardening by restricting service accounts.
- b. Implement OS hardening by applying GPOs.
- c. Implement perimeter firewall rules to restrict access.
- d. Implement database hardening by applying vendor guidelines.

Your answer is incorrect.

The correct answer is: Implement OS hardening by applying GPOs.

Câu hỏi 21

Không trả lời

Đạt điểm 1,00

Which of the following describes the process of removing unnecessary accounts and services from an application to reduce risk exposure?

Select one:

- a. Application patch management
- b. Application hardening
- c. Cross-site script prevention
- d. Error and exception handling

Your answer is incorrect.

The correct answer is: Application hardening

Câu hỏi 22

Không trả lời

Đạt điểm 1,00

Data execution prevention is a feature in most operating systems intended to protect against which type of attack?

Select one:

- a. Buffer overflow
- b. Cross-site scripting
- c. SQL injection
- d. Header manipulation

Your answer is incorrect.

The correct answer is: Buffer overflow

Câu hỏi 23

Không trả lời

Đạt điểm 1,00

A network security engineer notices unusual traffic on the network from a single IP attempting to access systems on port 23. Port 23 is not used anywhere on the network. Which of the following should the engineer do to harden the network from this type of intrusion in the future?

Select one:

- a. Implement password requirements on servers and network devices
- b. Enable auditing on event logs
- c. Disable unnecessary services on servers
- d. Disable unused accounts on servers and network devices

Your answer is incorrect.

The correct answer is: Disable unnecessary services on servers

Câu hỏi 24

Không trả lời

Đạt điểm 1,00

A recent audit had revealed weaknesses in the process of deploying new servers and network devices. Which of the following practices could be used to increase the security posture during deployment? (Select TWO).

Select one or more:

- a. Disable unnecessary services
- b. Penetration testing
- c. Deploy a honeypot
- d. Implement an application firewall
- e. Change default password

Your answer is incorrect.

The correct answers are: Disable unnecessary services, Change default password

Câu hỏi 25

Không trả lời

Đạt điểm 1,00

A malicious individual is attempting to write too much data to an application's memory. Which of the following describes this type of attack?

Select one:

- a. Buffer overflow
- b. XSRF
- c. Zero-day
- d. SQL injection

Your answer is incorrect.

The correct answer is: Buffer overflow

Câu hỏi 26

Không trả lời

Đạt điểm 1,00

What is likely to happen if you find a buffer overflow during testing by entering a random, long string for a C program?

Select one or more:

- a. Data is corrupted
- b. The C fairy sprinkles magic memory dust on the memory that was overwritten and makes everything okay again.
- c. The program crashes
- d. The program gives you a "Buffer overflow at line X" error

Your answer is incorrect.

The correct answers are: Data is corrupted, The program crashes

Câu hỏi 27

Không trả lời

Đạt điểm 1,00

Failure to validate the size of a variable before writing it to memory could result in which of the following application attacks?

Select one:

- a. Malicious logic
- b. SQL injection
- c. Cross-site scripting
- d. Buffer overflow

Your answer is incorrect.

The correct answer is: Buffer overflow

Câu hỏi 28

Không trả lời

Đạt điểm 1,00

Which of the following is a software vulnerability that can be avoided by using input validation?

Select one:

- a. Application fuzzing
- b. Error handling
- c. Buffer overflow
- d. Incorrect input

dau hieu nhan biet de chon incorrect input

Your answer is incorrect.

The correct answer is: Incorrect input

Câu hỏi 29

Không trả lời

Đạt điểm 1,00

A web server hosted on the Internet was recently attacked, exploiting a vulnerability in the operating system. The operating system vendor assisted in the incident investigation and verified the vulnerability was not previously known. What type of attack was this?

Select one:

- a. Distributed denial-of-service
- b. Denial-of-service
- c. Botnet
- d. Zero-day exploit

Your answer is incorrect.

The correct answer is: Zero-day exploit

Câu hỏi 30

Không trả lời

Đạt điểm 1,00

If you declare an array as A[100] in C and you try to write data to A[555], what will happen?

Select one:

a. The C compiler will give you an error and won't compile

b. Whatever is at A[555] will be overwritten

c. Nothing

d. There will always be a runtime error

Your answer is incorrect.

The correct answer is: Whatever is at A[555] will be overwritten