
RAWDATA SECTION 4


Troels Andreasen & Henrik Bulskov




SYSTEM DEVELOPMENT



UNOBTRUSIVE DESIGN






Programmers aren't designers!

- http://www.lingscars.com/
- http://arngren.net/
- http://heaven.internetarchaeology.or g/heaven.html#bottom

WHAT IS BOOTSTRAP

- Open Source Framework for Building Web Sites
 - A bit of CSS
 - A bit of JavaScript
 - Modular
 - Covers the 80% of the Metaphors

RESPONSIVE WEB DESIGN



RESPONSIVE DESIGN

- Media Queries
 - Works because of cascading rules
 - Later rules over-rule (pun!) earlier rules
 - More specific rules overrule earlier rules

```
// your.css
#main { width: 989px; }


@media only screen and (min-width: 768px) and (max-width: 959px) {
    #main { width: 760px; }
}

@media only screen and (max-width: 767px) {
    #main { width: 470px; }
}
```

PROBLEMS...

- Subtractive solution means too many resources
- All JS code is running
 - On Platform that is least suited to handle it
- Images are loaded but hidden

COMPARISON OF MOBILE AND DESKTOP VIEWS






MOBILE FIRST RESPONSIVE DESIGN

- Philosophy created by Luke Wroblewski*
 - Focuses on Progressive Enhancement
 - Where RWD is typically Graceful Degradation
 - Scales Up...not down

MOBILE FIRST RESPONSIVE WEB DESIGN




MULTI-DEVICE LAYOUT PATTERNS

- Mostly Fluid
- Column Drop
- Layout Shifter
- Content reflow
- Responsive patterns examples
 - https://bradfrost.github.io/this-is-responsive/patterns.html


MOSTLY FLUID

- The most popular pattern
- introduces larger margins on big screens
- fluid grids and images to scale
- stacks columns vertically




COLUMN DROP

- starts with a multi-column layout
- ends up with a single column layout
- dropping columns along the way
- overall size of elements tend to stay consistent
- stacking columns



LAYOUT SHIFTER

- different layouts are used on large, medium, and small screens
- Using @media queries



CONTENT REFLOW





http://codepen.io/ramonlapenta/full/nhlqg

THE BOOTSTRAP GRID SYSTEM

.col-xx-6					.col-xx-6				
.col-xx-4			.col-xx-4			.col-xx-4			
.col-xx-3 .		col-xx-3		.col-xx-3		.col-xx-3			
.col-xx-2	.col->	cx-2	.col-x	x-2	.col-xx-2	.col-	xx-2	.col-xx-2	

MULTIPLE GRIDS

	Extra small <576px	Small ≥576px	Medium ≥768px	Large ≥992px	Extra large ≥1200px				
Max container width	None (auto)	540px	720px	960px	1140px				
Class prefix	.col-	.col-sm-	.col-md-	.col-lg-	.col-xl-				
# of columns	12								
Gutter width	30px (15px on each side of a column)								
Nestable	Yes								
Column ordering	Yes								



THEMING BOOTSTRAP

- You can easily change your page by use of themes
 - e.g. https://bootswatch.com/

BOOTSTRAP BASICS

- Typography
- Buttons
- Navs & NavBars
- Lists
- Tables
- Forms

TYPOGRAPHY

- Headings
- Lead
- Alignment
 - text-left, text-right ...
- Transformation
 - text-lowercase, text-capitalize
- Code
- Contextual colors (Helper classes)
 - text-muted, text-primary, ...

BUTTONS

- Button
 - btn class
 - btn-default, btn-primary ...
 - btn-sm, btn-lg ...

NAVS & NAVBARS

- navbar
 - navbar-default, ...
 - navbar-fixed-top ... (need to add body top margin)
- navbar-header
 - Button
 - navbar-toggle
 - data-toggle=collapse
 - data-target .navbar-collapse
- navbar-collapse
 - collapse
- navbar-nav
 - navbar-right ...
 - nav, active

LISTS

- list-unstyled, list-inline
- list-group, list-group-item
 - Badges
 - Linked items
 - Disabled
 - Contextual classes

TABLES

- table
 - table-stribed
 - table-bordered
 - table-hover

FORMS

- form-group
 - form-control
 - btn
- form-vertical
- form-inline
- form-horizontal

BOOTSTRAP COMPONENTS

- Page header & breadcrumbs
- Button Groups
- Dropdowns
- Button Dropdowns
- Input Groups
- Pagination

BUTTON GROUPS

- btn-group
 - btn-group-vertical
 - btn-group-sm ...
- Toggles
 - data-toggle="buttons"
 - Use labels instead of buttons and add either checkboxex or radio inside

DROPDOWNS

- div.dropdown
 - button with data-toggle='dropdown' (sibling)
 - e.g. use caret span
 - ul.dropdown-menu
 - a href='#' and tabindex='-1'
- Add to form data
 - Hidden select or field you set value on (js)

BOOTSTRAP PLUGINS

- Tooltips
- Alert
- Carousel

• ...

WORD CLOUD



JQCLOUD

- Is a jquery extension
- How to use that with require?
 - Add the jqcloud2 js lib
 - Add information in require.config.paths
 - Add information about the dependency to jquery by use of require.config.shim

JQCLOUD & KNOCKOUT

- You can simply use it as the examples show in http://mistic100.github.io/jQCloud/demo.html
- You can extend knockout and create your own binding, e.g. data-bind="cloud: words"