


Ollo Terminal Sitewide Dark / Light Rulebook

Design source of truth for terminal, widgets, shell, controls, states, market colors, and implementation tokens.


Prepared June 29, 2026 - Local handoff candidate.

Item	File
Human rulebook	trading-terminal-design-rulebook.md
Shareable PDF	ollo-terminal-sitewide-dark-light-rulebook.pdf
Engineer CSS	trading-terminal-theme.css
Machine tokens	trading-terminal-tokens.json
Dark visual	ollo-currency-exchange-dark-visual.png
Light visual	ollo-currency-exchange-light-visual.png

Approved Visual References



Dark mode - approved terminal reference



Light mode - approved terminal reference

Purpose

This is the design source of truth for the Ollo trading terminal and terminal-adjacent website surfaces. It starts from the polished Currency exchange screen, then generalizes the same system to every product: currency exchange, perpetual futures, prediction markets, portfolio, account, swaps, settings, modals, drawers, dropdowns, and future widgets.

The rule is simple: product content may change; shared component design may not.

Canonical Visual References

Theme	File
Dark mode	ollo-currency-exchange-dark-visual.png
Light mode	ollo-currency-exchange-light-visual.png
Theme CSS handoff	trading-terminal-theme.css
Machine-readable tokens	trading-terminal-tokens.json
PDF handoff	ollo-terminal-sitewide-dark-light-rulebook.pdf

Artifact Manifest

The company handoff should include these files together:

File	Audience	Purpose
trading-terminal-design-rulebook.md	Entire company	Human-readable source of truth
ollo-terminal-sitewide-dark-light-rulebook.pdf	Entire company	Shareable review PDF
trading-terminal-theme.css	Front-end engineering	CSS variables, aliases, and component class contract
trading-terminal-tokens.json	Design systems / engineering	Machine-readable token source
ollo-currency-exchange-dark-visual.png	Design / engineering	Approved dark-mode visual reference
ollo-currency-exchange-light-visual.png	Design / engineering	Approved light-mode visual reference

Engineering Quick Start

Use the CSS file as the implementation reference.

```
// App root
import './trading-terminal-theme.css';

export function AppShell() {
  return (
    <main className="ollo-terminal" data-ollo-theme="dark">
      {/* terminal app */}
    </main>
  );
}
```

Theme switching must set one of these attributes at the terminal root or document root:

```
<html data-ollo-theme="dark">
<html data-ollo-theme="light">
```

Existing app aliases such as `--color-surface`, `--ollo-bg-widget`, `--ollo-text-1`, `--ollo-hairline`, `--ollo-sage`, and `--ollo-brick` are mapped in the CSS handoff so the team can migrate incrementally. New work should prefer the explicit semantic tokens.

Non-Negotiables

- 1. Every widget uses the same shell, header, border, radius, typography, and state rules.
- 2. Middle widgets, left widgets, right widgets, and future widgets must not have different header colors or header heights.
- 3. Active widgets change only border/focus treatment. Active widgets do not get a different header fill.
- 4. Inputs, selected rows, metric tiles, neutral buttons, and widget headers are separate primitives.
- 5. Buy/Sell action colors are separate from positive/negative text and chart colors.
- 6. Orange #ff6600 is Ollo brand/accent only. It is not loss, sell, ask, error, or warning.
- 7. No terminal component may use legacy market colors #00E8B7, #EF446C, #ff604a, #ff0099, #EC4899, or #A855F7.
- 8. All hardcoded market colors must become semantic tokens.
- 9. Modals, dropdowns, popovers, drawers, and menus use the same surface system as widgets.
- 10. Header and sidebar spacing remain Replit-derived: compact, dense, predictable, and scan-first.

Theme Identity

Dark mode preserves the approved original theme:

Role	Value
Brand accent	#ff6600
Dark surface	#2d2d2b
Dark ink	#f9f9f7
Info blue	#0099ff

Light mode is the inverse of the same identity:

Role	Value
Brand accent	#ff6600
Light surface	#f9f9f7
Light ink	#2d2d2b
Info blue	#0066bb

Sitewide Theme Tokens

These tokens create the surface ladder. Do not flatten them into one bg - glass value.

Dark Mode

Token	Value	Usage
terminal.canvas	#1f201d	Root terminal work area
terminal.shell	#20211f	Top header, sidebar, footer shell
terminal.shellBorder	#34352f	Header/sidebar separators
widget.bg	#2d2d2b	Widget body
widget.header.bg	#232421	Every widget header
widget.border	#3e4039	Widget border
widget.activeBorder	#55584e	Focused/active widget border
control.bg	#262723	Neutral buttons and compact controls
control.hoverBg	#2e302a	Neutral hover
control.activeBg	#383a34	Pressed/selected control

Token	Value	Usage
field.bg	#242520	Inputs, search, amount fields
field.hoverBg	#2a2b27	Input hover
field.focusBg	#30312d	Input focus
row.hoverBg	#343631	Row hover
row.selectedBg	#3b3d38	Selected row/tab/nav
metric.bg	#262723	Bid/spread/ask and stat tiles
border.subtle	#34352f	Hairlines
border.default	#3e4039	Component borders
border.strong	#55584e	Focus/active borders
text.primary	#f9f9f7	Primary text
text.secondary	#c9c9c2	Secondary text
text.tertiary	#8f8f87	Labels, helper text, quiet icons
text.disabled	#666660	Disabled text

Light Mode

Token	Value	Usage
terminal.canvas	#e9eae2	Root terminal work area
terminal.shell	#e3e4dc	Top header, sidebar, footer shell
terminal.shellBorder	#d3d5ca	Header/sidebar separators
widget.bg	#f9f9f7	Widget body
widget.header.bg	#f0f1eb	Every widget header
widget.border	#d4d6cb	Widget border
widget.activeBorder	#aeb2a4	Focused/active widget border
control.bg	#f3f4ee	Neutral buttons and compact controls
control.hoverBg	#ecede5	Neutral hover
control.activeBg	#e1e3d8	Pressed/selected control
field.bg	#ffffff	Inputs, search, amount fields
field.hoverBg	#f7f8f2	Input hover
field.focusBg	#f2f4ec	Input focus
row.hoverBg	#f0f1eb	Row hover
row.selectedBg	#e4e6dc	Selected row/tab/nav
metric.bg	#f3f4ee	Bid/spread/ask and stat tiles
border.subtle	#e1e3d8	Hairlines
border.default	#d4d6cb	Component borders
border.strong	#aeb2a4	Focus/active borders
text.primary	#2d2d2b	Primary text
text.secondary	#5c5d56	Secondary text
text.tertiary	#6f7168	Labels, helper text, quiet icons
text.disabled	#9a9c93	Disabled text

Market Color System

Market colors are sitewide and semantic. Do not pick one-off greens or reds per page.

Dark Market Tokens

Token	Value	Usage
positive.text	#30b364	Positive values, P/L, bid text
positive.chart	#30b364	Positive chart lines and sparklines
positive.action	#147a3f	Filled Buy button, live price pill
positive.actionHover	#15803d	Buy hover
positive.subtle	rgba(48, 179, 100, 0.12)	Positive chip/chart fill
positive.border	rgba(48, 179, 100, 0.42)	Positive outlines
negative.text	#ff5c5c	Negative values, P/L, ask text
negative.chart	#ff5c5c	Negative chart lines and sparklines
negative.action	#bd1f2d	Filled Sell button
negative.actionHover	#d62839	Sell hover
negative.subtle	rgba(189, 31, 45, 0.14)	Negative chip/chart fill
negative.border	rgba(189, 31, 45, 0.50)	Negative outlines

Light Market Tokens

Token	Value	Usage
positive.text	#15803d	Positive values, P/L, bid text
positive.chart	#30b364	Positive chart lines and sparklines
positive.action	#147a3f	Filled Buy button, live price pill
positive.actionHover	#15803d	Buy hover
positive.subtle	rgba(21, 128, 61, 0.10)	Positive chip/chart fill
positive.border	rgba(21, 128, 61, 0.36)	Positive outlines
negative.text	#c1121f	Negative values, P/L, ask text
negative.chart	#d62839	Negative chart lines and sparklines
negative.action	#bd1f2d	Filled Sell button
negative.actionHover	#d62839	Sell hover
negative.subtle	rgba(189, 31, 45, 0.10)	Negative chip/chart fill
negative.border	rgba(189, 31, 45, 0.38)	Negative outlines

Shell And Navigation

The terminal shell follows the compact Replit-style density already approved.

Element	Rule
Header height	52px
Footer height	36px
Sidebar expanded width	264px target for full terminal
Sidebar collapsed rail	52px
Logo cell	52px square
Header control height	36px
Sidebar row height	32px
Sidebar row padding	0 12px
Sidebar icon size	16px
Header/search radius	10px
Sidebar row radius	6px
Shell gap	8px-12px

Header and sidebar must use `terminal.shell`, not `widget.bg`. The shell should frame the product, not compete with widgets.

Surface And Container Ladder

Every visible container must map to this ladder.

Container	Token	Border	Radius	Notes
App root canvas	<code>terminal.canvas</code>	<code>none</code>	<code>none</code>	Behind all widgets
Header/sidebar/footer shell	<code>terminal.shell</code>	<code>terminal.shellBorder</code>	<code>none</code>	Replit-style app chrome
Widget	<code>widget.bg</code>	<code>widget.border</code>	<code>4px</code>	Primary terminal container
Widget header	<code>widget.header.bg</code>	<code>border.subtle.bottom</code>	<code>inherits widget</code>	Same across all widgets
Neutral control	<code>control.bg</code>	<code>border.subtle</code>	<code>4px</code>	Buttons, token selectors, compact controls
Input/field	<code>field.bg</code>	<code>border.default</code>	<code>4px</code>	Search, amount, text input
Selected row	<code>row.selectedBg</code>	<code>optional</code>	<code>6px row, 4px tab</code>	Sidebar, market rows, selected tabs
Metric tile	<code>metric.bg</code>	<code>border.subtle</code>	<code>4px</code>	Bid/spread/ask/stat cells
Modal panel	<code>modal.bg</code>	<code>widget.border</code>	<code>8px</code>	Modal, drawer, popover base
Tooltip	<code>modal.bg</code>	<code>widget.border</code>	<code>4px</code>	Small contextual overlays

If a container does not fit this ladder, add a new semantic role only after design review.

Widget Contract

BaseWidget owns widget chrome. Product widgets do not create their own shell.

Property	Value
Radius	<code>4px</code>
Border	<code>1px solid widget.border</code>
Body background	<code>widget.bg</code>
Header height	<code>32px</code>
Header padding	<code>0 8px</code>
Header background	<code>widget.header.bg</code>
Header border	<code>1px solid border.subtle</code>
Header title	<code>11px / 14px, 600, text.primary</code>
Close/more hit area	<code>24px minimum</code>
Active state	<code>widget.activeBorder</code> only
Drag/resize placeholder	Border/focus tokens only, no neon fill

Forbidden: `widget.header.activeBg`, spot-only header fills, alternate middle-widget headers, and product-specific widget radii.

Typography

Final brand font may change later. The type scale should not.

Role	Size / line	Weight	Usage
Chrome label	<code>10px / 14px</code>	<code>500</code>	Clock labels, status labels
Sidebar row	<code>14px / 20px</code>	<code>400, active 500</code>	Main nav
Sidebar section	<code>12px / 18px</code>	<code>500</code>	Layout groups
Widget header	<code>11px / 14px</code>	<code>600</code>	Widget titles

Role	Size / line	Weight	Usage
Widget body	11px / 16px	400	Dense widget text
Section label	9px / 14px	600, uppercase	Pair Performance, Assets
Data small	10px / 14px	500	Helper data
Data default	12px / 16px	500 - 650	Prices, percent changes
Chart price	30px / 38px	500, mono tabular	Main chart
Snapshot price	22px / 30px	700, mono tabular	Snapshot widget
Order value	24px / 32px	500, tabular	Amount fields
Account total	24px / 32px	500, tabular	Account total

All market numbers, balances, quantities, rates, and P/L use tabular numerals.

Buttons

Every button belongs to one variant.

Variant	Background	Border	Text	Height	Usage
Secondary	control.bg	border.subtle	text.primary	32px	Deposit, Withdraw, neutral actions
Secondary hover	control.hoverBg	border.default	text.primary	32px	Neutral hover
Secondary active	control.activeBg	border.strong	text.primary	32px	Pressed neutral
Segmented off	control.bg	border.subtle	text.secondary	24px	Time range, Market/Limit, tabs
Segmented selected	row.selectedBg	border.default	text.primary	24px	Active tab
Text action	transparent	none	text.tertiary	content	Flip Pair, Details
Text action hover	transparent	none	text.primary	content	Hover text action
Icon button	transparent or control.bg	optional	text.tertiary	24px-36px	Close, toolbar, more
Icon hover	control.hoverBg	optional	text.primary	same	Hover icon
Buy	positive.action	none	action.ink	32px	Buy action
Sell	negative.action	none	action.ink	32px	Sell action
Disabled	theme disabled surface	none/border	text.disabled	same	Disabled action

Deposit/Withdraw are secondary buttons. Buy/Sell are action buttons. Never style Deposit like Buy, and never style Withdraw like Sell.

Interaction State Matrix

Every primitive needs all states defined before release.

Primitive	Default	Hover	Active/Selected	Focus	Disabled	Error
Widget	widget.bg, widget.border	no fill change	widget.activeBorder only	widget.activeBorder	reduced opacity only if unavailable	n/a
Widget header	widget.header.bg	no fill change	no alternate active header	n/a	n/a	n/a
Secondary button	control.bg	control.hoverBg	control.activeBg	border.strong outline	opacity 0.52, text.disabled	n/a
Segmented button	control.bg	control.hoverBg	row.selectedBg	border.strong outline	text.disabled	n/a
Text action	transparent	text.primary	n/a	underline or focus outline	text.disabled	n/a
Icon button	transparent	control.hoverBg	control.activeBg	border.strong outline	text.disabled	n/a

Primitive	Default	Hover	Active/Selected	Focus	Disabled	Error
Field	field.bg	field.hoverBg	n/a	field.focusBg, border.strong	control.bg, text.disabled	negative.border, negative.text
Row	transparent	row.hoverBg	row.selectedBg	border.strong outline	text.disabled	n/a
Chip	semantic subtle	semantic subtle	no darker selected state	focus outline if interactive	text.disabled	semantic negative

Inputs And Fields

State	Background	Border	Text
Default	field.bg	border.default	text.primary
Hover	field.hoverBg	border.default	text.primary
Focus	field.focusBg	border.strong	text.primary
Placeholder	field.bg	border.default	text.tertiary
Disabled	control.bg	border.subtle	text.disabled
Error	field.bg	negative.border	negative.text

Order amount fields:

Property	Value
Height	76px
Padding	8px
Radius	4px
Token selector height	32px
Token selector width	80px in compact order layout
Label	10px / 14px, text.tertiary
Value	24px / 32px, tabular

Fields must not use selected-row colors. Selected rows must not use field colors.

Form Validation And Empty States

State	Rule
Empty input	Placeholder uses text.tertiary; value area remains field.bg
Loading field	Use skeleton/tint inside field.bg, not a new container
Validation error	Border negative.border; message negative.text; no orange
Warning	Use a separate warning token only after design approval; do not reuse brand orange automatically
Empty widget	Center or top-align quiet text.secondary; no decorative cards inside widgets
Loading widget	Skeleton rows on widget.bg; header remains visible and unchanged

Rows, Lists, Tables, And Tabs

Component	Default	Hover	Selected
Sidebar row	transparent	row.hoverBg	row.selectedBg
Market row	transparent	row.hoverBg	row.selectedBg
Modal token row	transparent	row.hoverBg	row.selectedBg
Dropdown row	transparent	row.hoverBg	row.selectedBg

Component	Default	Hover	Selected
Table row	transparent	row.hoverBg	optional row.selectedBg
Segmented tab	control.bg	control.hoverBg	row.selectedBg

Rows may contain controls, but the row background remains the row primitive.

Chips, Badges, And Market Labels

State	Background	Border	Text
Positive	positive.subtle	positive.border	positive.text
Negative	negative.subtle	negative.border	negative.text
Neutral	control.bg	border.subtle	text.secondary
Disabled/unavailable	control.bg	border.subtle	text.disabled

Coin/token icons may keep asset-specific fills. Their border must adapt by theme so circular overlaps remain visible.

Charts

Element	Rule
Positive line	positive.chart
Negative line	negative.chart
Neutral/info line	info
Grid	chart.grid
Fill	matching positive.subtle or negative.subtle, lower opacity for large areas
Axis labels	text.tertiary, never clipped
Price marker	positive.action only for live/action-like marker
Chart background	widget.bg

Sparklines, TradingView charts, mini charts, portfolio charts, seasonals, and future prediction charts read from the same chart tokens.

Tables And Data Grids

Element	Rule
Table background	widget.bg
Header text	sectionLabel type, text.tertiary
Cell text	widgetBody or dataDefault type
Numeric cells	Mono/tabular numerals
Row divider	border.subtle
Row hover	row.hoverBg
Row selected	row.selectedBg
Positive/negative cells	positive.text / negative.text
Empty table	Same empty widget state

24H Range Slider

Use the market range gradient:

```
background: linear-gradient(
  90deg,
  var(--ollo-range-low),
```

```
var(--ollo-range-mid) 50%,
var(--ollo-range-high)
);
```

Do not use pink/purple/blue decorative gradients for market range.

Modals, Drawers, Dropdowns, And Popovers

Component	Rule
Overlay	<code>modal.overlay</code>
Panel	<code>modal.bg</code>
Border	<code>widget.border</code>
Radius	8px modal, 4px-8px dropdown
Padding	20px-24px, compact where dense
Search	Field contract
Rows	Row contract
Buttons	Button matrix
Confirmation actions	Buy/Sell/destructive by semantic action

`BaseModal`, `SelectTokenModal`, `SpotMarketSelectorModal`, `QuoteDetailsModal`, settings, deposit, withdraw, leverage, slippage, and confirmation flows must share this modal system.

Website And Non-Terminal Surfaces

The public website can have more breathing room than the terminal, but it must share the same brand identity and semantic tokens.

Area	Rule
Website background	Use <code>brand.surface</code> / <code>brand.ink</code> pair for the active theme
Website header	Use shell/header spacing tokens where applicable; avoid unrelated nav density
Website buttons	Use the same secondary/action button variants
Website forms	Use the same field contract
Website modals	Use the same modal contract
Website data cards	Use widget/card surface ladder, but may increase padding
Marketing illustrations	May be expressive; must not redefine market green/red

Terminal density is not required on marketing pages. Token semantics are required everywhere.

Component-Specific Rules

BaseWidget

`BaseWidget` owns all widget shell and header styling. Product widgets pass title/actions/content only.

Required:

1. One header style across spot, perps, account, charts, and future widgets.
2. One body surface.
3. One border/radius.
4. One active/focused border state.
5. No product-specific header tints.

Market Selector

Search uses field contract. Rows use row contract. Selected market row uses `row.selectedBg`. Sparklines use chart tokens. Empty state uses `text.secondary` and never clips.

Chart Widget

Time range controls use segmented buttons. Main price uses chart price type. Chart line/fill/grid/axis labels use chart contract. Loading and empty states are centered text, not decorative panels.

Snapshot Widget

Hero price uses snapshot price type. Metric tiles use `metric.bg`. Pair performance uses chip contract. Assets use row/text-action contract. Seasonals chart uses chart tokens.

Order Entry Widget

Market/Limit uses segmented buttons. Amount/Total fields use order field contract. Token selectors are compact secondary controls. Sliders use `positive.action` and `negative.action`. Bid/spread/ask use metric/stat cells. Buy/Sell use action buttons.

Account Overview

Total balance uses account total type. Deposit/Withdraw use secondary buttons. Empty holdings use plain text on widget surface. More menu uses icon button.

Portfolio, Perps, Prediction Markets, Swaps

Use the same widget, table, row, field, button, chip, chart, modal, and market color primitives. Product-specific content is allowed; product-specific chrome is not.

Implementation Rules For Engineering

1. Theme root should be `data-ollo-theme='dark'` or `data-ollo-theme='light'`.
2. Import the token layer once near the app root.
3. Replace `bg-glass` usage with primitive names: widget, field, control, row, metric, modal.
4. Replace all hardcoded chart/action colors with semantic tokens.
5. Make `BaseWidget` the single owner of widget shell/header.
6. Do not derive component color from arbitrary alpha overlays.
7. Do not use the same class for fields, selected rows, controls, and metric tiles.
8. Keep the existing Replit-derived header/sidebar spacing.
9. Use `color-scheme` per theme so form controls and browser primitives match.
10. Run contrast checks for every text token on its intended background.
11. Keep token names stable; add aliases rather than renaming tokens during migration.
12. All new components must document which primitive they map to.
13. Component tests should include dark and light snapshots where visual regression tooling exists.

Current Code Risks To Clean Up

Area	Risk	Required correction
<code>bg-glass</code>	Too many primitives share one generic class	Split into field/control/metric/modal/row/widget primitives
<code>BaseWidget</code>	Spot-specific or tinted header paths create inconsistent widget headers	One shared widget header contract
Chart colors	Legacy teal/pink literals still appear in chart and sparkline paths	Use semantic chart tokens

Area	Risk	Required correction
Order sliders	Hardcoded green/pink paths	Use positive/negative action tokens
Range slider	Decorative gradient	Use range low/mid/high tokens
Modal surfaces	Generic glass panels	Use modal system
Deposit/Withdraw	Local button recipes	Use secondary button variant
Token selectors	Same background as fields	Use compact secondary control

Visual QA Checklist

1. Compare all widget headers side by side in dark and light: every header must match.
2. Compare widget body, header, field, selected row, metric tile, and neutral button: each must be visibly distinct.
3. Hover/focus every input and verify no glow bloom or layout shift.
4. Hover/press every button variant.
5. Verify Buy/Sell labels remain white in both themes.
6. Verify positive/negative small text passes contrast in both themes.
7. Verify chart axes never clip at desktop, laptop, and mobile widths.
8. Open every modal and dropdown in both themes.
9. Verify selected sidebar row, selected market row, and selected segmented tab share the row-selected family.
10. Verify Deposit/Withdraw match secondary buttons, not market actions.
11. Search for forbidden colors: #00E8B7, #EF446C, #ff604a, #ff0099, #EC4899, #A855F7.
12. Resize widgets and verify headers, fields, token selectors, buttons, and chips do not clip.
13. Compare desktop and mobile screenshots before release.

Accessibility And Contrast Baseline

The final approved market colors were contrast checked on their intended surfaces:

Check	Contrast
Dark positive text on widget	5.10:1
Dark negative text on widget	4.56:1
Dark Buy label	5.13:1
Dark Sell label	5.86:1
Light tertiary text on widget	4.70:1
Light positive text on widget	4.76:1
Light negative text on widget	5.90:1
Light Buy label	5.13:1
Light Sell label	5.86:1

Disabled text may fall below normal text contrast because it is intentionally unavailable. Do not use disabled text color for helper copy or labels.

Release Decision

The design is ready to implement only when both themes satisfy:

1. One BaseWidget shell.

2. One widget header.
3. One field primitive.
4. One row primitive.
5. One metric tile primitive.
6. One button matrix.
7. One modal surface system.
8. One market color system with separate action/text/chart roles.
9. One Replit-derived shell spacing system.

This rulebook is the source of truth. Any component that does not map to these primitives should be treated as design debt and corrected before release.