
☐ file-icons / icons







Character Map

These codepoints are locked in stone: once set, they're guaranteed never to change.

Icon	Name	Codepoint
10_	1C	\A5EA
(10	1C, Alt	\EA28
	3D Model	\E9E8
6	3DS Max	\E900
4	4D	\EB73
A+	A+	\EB79
E	ABAP	\E92B

Icon	Name	Codepoint
AB	ABIF	\EA4E
©	Acre	\237A
4	ActionScript	\E92E
4	Ada	\E90B
A	Adobe	\1D235
S	Adobe Acrobat	\EB5F
Ae	Adobe After Effects	\E9F3
An	Adobe Animate	\EB41
Au	Adobe Audition	\3373
Br	Adobe Bridge	\EB61
Ch	Adobe Character Animator	\EB62
	Adobe Creative Cloud	\EB5E
Dn	Adobe Dimension	\EB63
Dw	Adobe Dreamweaver	\EB64
Fl	Adobe Flash	\EB43
Fs	Adobe Fuse	\EB65
Ai	Adobe Illustrator	\E6B4
lc	Adobe InCopy	\1F18B
ld	Adobe InDesign	\E9F4
Lr	Adobe Lightroom	\EB67

Icon	Name	Codepoint
748	Adobe Media Encoder	\EB68
Ps	Adobe Photoshop	\E6B8
Pl	Adobe Prelude	\EB69
Pr	Adobe Premiere	\E9F5
Ru	Adobe Premiere Rush	\EB6A
Xd	Adobe XD	\EB6B
С Э	Aeternity	\E6
Æ	AffectScript	\EB2C
Δ	AffinityDesigner	\EABB
211/11	Agda	\1315A
	Akka	\EA0E
\wedge	Alacritty	\EB27
Λ	Alacritty, Alt	\EB28
<u>a</u>	Alex	\29CB
	Alloy	\E935
	Alpine Linux	\E9FF
	AMD	\EB59
	AmigaOS	\26BD
4	AMPL	\E94E
	AmuseWiki	\EB32

Icon	Name	Codepoint
a	Analytica	\EB7D
70.7	AngelScript	\EA5B
	AnimeStudio	\EAED
	Ansible	\24B6
A	Ansible, Alt	\61
A	ANTLR	\E92C
	Antwar	\2591
Any	AnyScript	\EACF
	Apache ANT	\E93E
	API Blueprint	\E92D
A	APL	\234B
[← 	APL, Old	\E909
	Apollo Guidance Computer (AGC)	\EB54
É	Apple	\E925
9	Appveyor	\E923
	Arc	\E92F
A	Arch Linux	\41
⊙ ⊙	Arduino	\E930
arm	ARM	\EB5B
a	ArtText	\24D0

lcon	Name	Codepoint
A	AsciiDoc	\E918
/ \	Asciidoctor	\EAC7
	Assembly, AGC	\EB53
	Assembly, AMD	\EB52
ä	Assembly, ARM	\EB51
	Assembly, AT&T	\EB50
- AVR	Assembly, AVR	\EB6C
	Assembly, Generic	\EB4F
<u> </u>	Assembly, Hitachi	\EB60
intel	Assembly, Intel	\EB4E
	Assembly, Motorola	\EB4D
- - - <u>P</u> C	Assembly, PPC	\EB4C
	Assembly, RISC-V	∖EB4B
	Assembly, SPARC	\EB4A
	Assembly, VAX	\EB48
	Assembly, Zilog	\EB47
1	Asymptote	\EAE3
4	Asymptote, Alt	\EAE5
	AT&T	\EB55
.	Atoum	\2649

Icon	Name	Codepoint
Æ	ATS	\E934
	Audacity	\E9F9
	Augeas	\E931
	Aurelia	\EA48
A	AutoHotkey	\E932
	Autolt	\E933
AVR	AVR	\EB6D
AND	Avro	\EAA3
	Azure Pipelines	\1F680
\mathcal{B}	Babel	\E91F
X	Ballerina	\EAC8
(t)	Bazaar	\EACD
	Bazel	\EAD2
6	Bazel, Old	\EA5A
8	Behat	\EA89
b_	BEM	\EA59
Вів	BibTeX	\E601
	Biml	\EB29
	BinTray	\EA6E
	Bison	\1F402

lcon	Name	Codepoint
7	bitHound	\EA2A
7	Blender	\E9FA
b	Bluespec	\E93C
**=	BNF	\2A74
30 C	Воо	\E939
1999	Brainfuck	\E93A
6	Brakeman	\E9D6
3	Bro	\E93B
•	Broccoli	\E922
Ø	Brotli	\EAA2
	Brotli, Old	\EA6C
*	Browserslist	\EA80
•	Browsersync	\62
	Brunch	\EA47
4	Buck	\EA46
	Build Boot	\F103
	Bundler	\EA45
	BYOND	\E962
•	C#	\EB7B
C#	C# Script	\E9E2

Icon	Name	Codepoint
G	C++	\EB7C
*	Cabal	\E9C2
	Caddy	\1F512
	Caddy, Old	\EA58
***	Caffe	\EA9A
<u> </u>	Caffe2	\EAB6
	Cairo	\EA92
	Cake	\E9E3
	Cakefile	\E924
\$	CakePHP	\EA43
	CakePHP, Old	\E9D3
	Carthage	\EA98
	Ceylon	\E94F
©	Chai	\63
	Chapel	\E950
	ChartJS	\EA0B
	Cheetah3D	\1F406
	Chef	\EA42
C:	Chocolatey	\1F36B
=>	ChucK	\E943

Icon	Name	Codepoint
3	CircleCl	\EA12
C	Cirru	\E951
	CKEditor	\EA0C
4	Clarion	\E952
(Î	Clean	\E95B
· C!	Click	\E95C
	CLIPS	\E940
cljs	ClojureJS	\F104
	Closure Template	\EA82
9	CloudFoundry	\EAD0
	Cmake	\E93F
4	COBOL	\EA44
C>	CocoaPods	\EA97
	Codacy	\EA8B
*	Code Climate	\E9D5
7	Codecov	\2602
	CodeKit	\EA41
(/)	CodeMeta	\EB8F
	CodeMirror	\EA0D
	CodeShip	\EA6A

Icon	Name	Codepoint
F	ColdFusion	\E929
cl	CommitLint	\1F191
(V)	Common Lisp	\E972
_	Component Pascal	\E942
6	Composer	\E683
6	Computable Document Format	\EB46
	Conan	\EAD1
	Conda	\EB3C
<u>‡†‡</u>	Config	\F07C
	Config, CoffeeScript	\EB18
T GO	Config, Go	\EB12
₹ }}	Config, Haskell	\EB14
₹ JS	Config, JS	\EB1A
	Config, Perl	\EB19
***	Config, Python	\EB15
	Config, React	\EB16
	Config, Ruby	\EB17
₹®	Config, Rust	\EB13
₹ TS	Config, TypeScript	\EB1B
D	CoNLL	\EAA6

lcon	Name	Codepoint
•	Coq	\E95F
	Cordova	\EA11
	CorelDRAW	\EA90
	CorelDRAW, Alt	\EA91
\bigstar	Coveralls	\272A
	CPAN	\EA87
(CpcdosC+	\EB8D
	Craft Tweaker	\EB89
	Creole	\E95E
A	Crowdin	\EAD3
	Crystal	\E902
cs	CSound	\E9F0
	Cucumber	\F02B
đ	Cuneiform	\EB76
	Curl (language)	\EB7A
://	cURL (program)	\2F
*	Curry	\EB78
***	CVS	\1F41F
\{	CWL	\29D9
	Cython	\E963

lcon	Name	Codepoint
)3	D3	\EA10
	Dafny	\EB8C
**	Darcs	\E964
Ø	Dashboard	\F07D
>>	DataWeave	\EA99
	dBASE	\E9F1
	Default	\1F5CC
	Delphi	\EA40
9	Deno	\EAEF
	Dependabot	\EB3E
25	DevContainer	\EB83
	DeviceTree	\EA57
•	Dhall	\1F58B
	Dia	\EAB5
- 	Diff	\E960
4	Digdag	\EB03
78°	DNA	\2624
3	DocBook	\13167
	Dockerfile	\F106
D	Doclets	\EA3F

lcon	Name	Codepoint
° 	DocPad	\21B9
	Docz	\EB21
L	Dogescript	\E946
↔	DOM	\EA71
	DoneJS	\1F3C1
DOS	DOSBox	\EAF2
DOS BOX	DOSBox, Alt	\EAF0
doT.js	doT.js	\EB0B
D	Doxygen	\E928
*	DragonflyBSD	\EAFD
	Dragula	\1F44C
•	Drone	\EA3D
C	Dyalog	\E90C
	DyLib	\EA15
E	E	\45
E cs	Eagle	\E965
	EasyBuild	\EA85
eC	eC	\E9C9
◇	Ecere	\E966
CLP	ECLiPSe (language)	\EB80

Icon	Name	Codepoint
E	Edge	\EA78
1	EditorConfig	\EA1B
	Eiffel	\E967
<%	EJS	\EA4B
	Electron	\EA27
0	ElementaryOS	\24D4
\nearrow	Elm	\F102
	Emacs	\E926
e	Ember	\E61B
em	EmberScript	\E968
\$	Ensime	\EAD4
୧	EQ	\EA0A
	ESDoc	\EA5C
•	ESLint	\EA0F
O	ESLint, Old	\E90E
	Ехро	\EB71
×.	Fabfile	\E94B
- E	Factor	\E96A
4	Falcon	\EAE4
\bigcirc	Fancy	\E96B

lcon	Name	Codepoint
	Fantom	\E96F
\(\)	Faust	\2200
F	FBX	\E9FC
\f.	FexI	\EB20
M	FFmpeg	\EA22
Ç	Final Draft	\1D4BB
4	Finder	\E9E9
	Firebase	\EA7F
F	Firebase Bolt	\26A1
	Flask	\1F704
•//-	Floobits	\EAD5
1	Flow	\E921
4	Flutter	\EAEB
Y	Flux	\E969
τT	Font	\E90F
A	Font, Bitmap	\EAAB
тТ	Font, Outline	\EAAA
f f	FontForge	\FB00
	Fork	\2442
\mathbf{F}	Fortran	\E90A

lcon	Name	Codepoint
	FOSSA	\EAC3
	Fossil	\EAD6
F	Fountain	\1F135
F	Franca	\EA56
	FreeDesktop	\EB07
<u></u>	FreeDOS	\EAF1
<#>	FreeMarker	\E970
\$	FreeMat	\EB7F
fx	Frege	\E96E
(<u>.,</u>	FuelUX	\EA09
	FuseBox	\EAD7
	Futhark	\EB77
	Galaxy	\EB74
	Galen	\EAD8
Υλ	GameMaker	\E975
GAMS	GAMS	\E973
GÂP 4	GAP	\E971
	Gatsby	\24BC
<>	GAUSS	\EB7E
	GDB	\EA08

Icon	Name	Codepoint
G	Genshi	\E976
\wedge	GenStat	\223F
	Gentoo	\E96D
	Ghostscript	\EA8F
	GIMP	\EA88
	GitLab	\EA3C
	Glade	\E938
×	Glide	\EACB
G ITF	gITF	\EAA7
G	Glyphs	\47
*	GN	\EA25
	GNU	\E679
	Gnuplot	\1F4C8
=GO	Go	\EAAE
0,0	Go, Old	\E624
0.0	Godot	\E974
0	Golo	\E979
	GoReleaser	\EB90
.Gs	Gosu	\E97A
	Gradle	\E903

Icon	Name	Codepoint
	Grammatical Framework	\E978
## T	Graphite	\EA8A
	GraphQL	\E97C
	GraphViz	\E97D
	Gravit Designer	\EB02
	Greenkeeper	\EB0C
6	Gridsome	\EAE7
Execut	Groovy	\E904
*	Grunt	\E611
Ì	Gulp	\E610
	Hack	\E9CE
K	Haml	\F15B
4	Harbour	\E97B
例	HashiCorp	\E97E
	Haxe	\E907
	HaxeDevelop	\EA3B
Ø	Helix	\2695
	Hewlett-Packard	\33CB
@	Hitachi	\EB66
ن	HJSON	\EAC2

Icon	Name	Codepoint
	Homebrew	\1F37A
(*)	Нор	\1F998
(A)	Hoplon	\EA4D
	HoundCl	\EAAF
	Hugo	\24BD
	Husky	\1F436
N	Ну	\E97F
* _	Hyper	\EB37
①	IcoMoon	\EAEA
	ICU	\EA23
	IDL	\E947
Ŷ	Idris	\E983
	IGOR Pro	\E980
>	illumos	\EAF4
	Image	\F012
	Imba	\26FF
=1JWba=	Imba, Alt	\EAE9
•	Imba, Old	\1F4A0
	InfluxData	\EB1F
*	Inform 7	\E984

Icon	Name	Codepoint
(3)	Ink	\EACE
	Inkscape	\EA8E
	Inno Setup	\E985
intel	Intel	\EB5A
Io	lo	\E981
Ioke	loke	\E982
	Ionic Project	\F14B
	Isabelle	\E945
	Istanbul	\1F54C
J	J	\E937
	Jade	\E90D
	Jake	\E948
	Janet	\EB2A
	Jasmine	\EA3A
	Jenkins	\E667
	Jest	\EA39
華	Jinja	\E944
7	Jison	\EA55
	Jolie	\EA75
	JSON-1	\EABE

Icon	Name	Codepoint
	JSON-2	\EABD
{< \$}	JSON-LD	\E958
	JSON-LD2	\E959
{:5,}	JSON5	\2478
	Jsonnet	\EB1E
JSX	JSX	\F101
JSX	JSX, Alt	\E9E6
	JSX, Atom	\F100
••	Julia	\26EC
	Junos	\EA81
	Jupyter	\E987
カ	Kaitai	\30AB
μK	Karma	\E9CD
	Keybase	\EAF8
	Keynote	\E9E5
9	Khronos	\E9F8
Ki	KiCad	\EA4C
	KitchenCl	\EA38
	Kivy	\E901
	KNIME	\EB75

Icon	Name	Codepoint
%	Knockout	\4B
-=<	kOS	\6B
X	Kotlin	\E989
X	KRL	\E988
	Kubernetes	\2388
kx	Кх	\EA9B
	LabVIEW	\E98A
	Lasso	\E98C
	Leaflet	\EA07
L	Lean	\4C
2	Lefthook	\1F44A
Ø)	Lefthook, Alt	\EB8B
0	Leiningen	\F105
	Lektor	\EAB9
	Lerna	\EA37
	Lex	\101EF
	Lex, Alt	\1316A
Extrated)	LFE	\E94C
	libuv	\EA21
	LightWave	\E9FB

Icon	Name	Codepoint
	LilyPond	\1F4AE
	Lime	\EA36
<u>(</u>	Lisp	\E908
	LiveScript	\E914
	LLVM	\E91D
[⊨]	Logtalk	\E98D
	LOLCODE	\1F63A
Ö	LookML	\E98E
	LSL	\E98B
©	Lua	\E91B
	Macaulay2	\2644
K	MacVim	\EB23
	Magit	\EB05
T	Mako	\E98F
	Manjaro	\EB06
>_	Manpage	\E936
M	Mapbox	\E941
M	MarkdownLint	\F0C9
⟨ ′∕>>>	Marko	\E920
	Mathematica	\E990

lcon	Name	Codepoint
X	MathJax	\EA06
	MATLAB	\E991
{}	Matroska	\2668
	Max	\E993
MAY	Maya	\E9F6
M↓X	MDX	\EAB7
禁	MediaWiki	\E954
M	MELPA	\33AB
	Mercurial	\263F
	Mercury	\E994
t	Mermaid	\EB84
•	Meson	\EAFE
M	Meson, Old	\EA54
N	Metal	\4D
	Meteor	\E6A5
A	Microsoft Access	\E9EA
Χ	Microsoft Excel	\E9EE
Į	Microsoft InfoPath	\EA35
T 🖄	Microsoft Lync	\EAD9
N	Microsoft OneNote	\E9EB

Icon	Name	Codepoint
0	Microsoft Outlook	\EADA
P	Microsoft PowerPoint	\E9EC
P	Microsoft Project	\EAE8
P	Microsoft Publisher	\EADD
v ☆	Microsoft Visio	\EA83
w	Microsoft Word	\E9ED
×	Minecraft	\E9DC
Zn	MiniZinc	\EA53
M	Mirah	\E995
3	Miranda	\EA52
ire	mIRC	\EB3A
	MJML	\EA6F
	Mocha	\26FE
w	Modelica	\EAFF
	Modo	\F01F
	Modula 2	\E996
€}	Modula-3	\2778
188	Moho	\EAEE
•••	Moleculer	\EB0E
	Moment	\1F558

Icon	Name	Codepoint
(3)	Moment Timezone	\1F30D
	Monkey	\E997
3	Mono	\1F5FF
	Monotone	\1F400
	Motorola	\24C2
~	Moustache	\E60F
88	Mruby	\EA18
MS US	MS-DOS	\EAFA
国	MuPAD	\E9CA
η	Nano	\EA76
N	Nanoc	\EA51
	NAnt	\E9E1
nasm	NASM	\EA72
*	NDepend	\EAB4
	Neko	\EA05
	Nemerle	\1F985
	Neo4J	\EAB3
on	NEON	\EB8E
	Nessus	\23E3
3	NestJS	\EAC9

Icon	Name	Codepoint
	Netlify	\EABF
A	NetLinx	\E99B
>	NetLogo	\E99C
0	New Relic	\E9D7
×	Nextflow	\EAA5
	NextJS	\24C3
G	nginx	\F146B
	Nib	\2712
(5g)	Nickle	\A2
	Nightwatch	\EB08
	Nimble	\EB85
	Nimrod	\E998
	Nintendo 64	\6E
Nit ##	Nit	\E999
**	Nix	\E99A
(9)	Nmap	\E94D
H	Nodemon	\EA26
•	Nomad	\EA96
0	Noon	\EB33
\	Normalize	\EA04

lcon	Name	Codepoint
	NPM	\E91C
ЩШ	NPM, Old	\F17B
	NSIS	\EA1E
NSIS	NSIS, Old	\E992
Ø	NSRI	\EB2F
	NSRI, Alt	\EB2B
	Nuclide	\EA34
6	NuGet	\E9D9
	NumPy	\E99D
\wedge	Nunjucks	\E953
	Nuxt	\EACA
©	NVIDIA	\E95D
<u> </u>	NXC	\EA6B
, 0 7	Oberon	\EB3F
	Objective-J	\E99E
	OCaml	\E91A
$oldsymbol{C}$	Octave	\EA33
	Odin	\EB36
*	OOC	\E9CB
	Ора	\2601

Icon	Name	Codepoint
(4)	Open Policy Agent	\EB39
	OpenAPI	\EB0A
	OpenBSD	\1F421
	OpenBSD, Alt	\1F420
e de la companya de l	OpenCL	\E99F
င်၁	OpenCV	\EA8D
O pen GL	OpenGL	\EA7A
راق	OpenIndiana	\1A3
9	OpenOffice	\E9E4
00	OpensCAD	\E911
0	OpenSolaris	\EAF5
	OpenStack	\EB6F
6	OpenVMS	\EAC6
n	OpenVPN	\EAF3
	Org-mode	\E917
OS/2)	OS2	\EAF6
2	OWL	\E957
	Ох	\E9A1
	Oxygene	\E9BF
01	Oz	\E9BE

lcon	Name	Codepoint
P4	P4	\EA50
	Pan	\E9BD
7	Papyrus	\E9BC
	Parrot	\E9BB
***	Pascal	\E92A
	Patch	\E961
	Patreon	\EB42
1	PAWN	\265F
\odot	PCD	\26C5
M.	PegJS	\EA74
	Perl6	\E96C
	Phalcon	\E94A
	Phoenix	\EA5F
	PHP	\F147
C	PHPUnit	\EA32
P	PhraseApp	\EADB
5	Pickle	\E9C4
0	PICO-8	\EABC
2	PicoLisp	\EB25
200	Pike	\E9B9

Icon	Name	Codepoint
	PineScript	\EB30
	Pipenv	\1F381
•	pkgsrc	\EAF9
6	PlatformIO	\EA2C
=	PM2	\2630
	PNPM	\EB86
	Pod	\EA84
Ţ	PogoScript	\E9B8
	PointWise	\E977
〈 〉	Polymer	\EA2B
*	Pony	\E9B7
	PostCSS	\E910
	PostScript	\E955
P 3 °	POV-Ray	\50
3	PowerBuilder	\EA14
PPC	PowerPC	\EB58
>	PowerShell	\E9DA
	Precision	\2295
P	Precommit	\EAC1
	Prettier	\EAA1

lcon	Name	Codepoint
	Prisma	\EAC5
P.	Processing	\E9A0
n	Progress	\EADC
*	Progress, Old	\E9C0
	Propeller	\E9B5
	PROS	\EAAD
PL	Proselint	\EA6D
	Protractor	\E9DE
	Pug	\EA13
رق	Pug, Alt	\E9D0
	PullApprove	\293E
>	Puppet	\F0C3
	Pure	\1F4A7
Z	PureBasic	\1 B5
<≡>	PureScript	\E9B2
	РуРі	\EA94
D	Pyret	\2620
0	РуUр	\EB26
	Qiskit	\EB81
Q	QlikView	\1F50D

lcon	Name	Codepoint
Qt	QT	\EB00
(5)	Quasar	\EACC
R	R	\E905
R	R database	\EB49
	Racket	\E9B1
7	RAML	\E913
	Rascal	\EA24
R	Razzle	\52
	RDoc	\E9B0
	ReactOS	\EAF7
	REALbasic	\E9AF
RE	Reason	\EA1D
Q	Reason Studios	\EB45
	Reason Studios, Alt	\EB44
0	Rebol	\E9AE
*	Red	\EAEC
	Red, Old	\E9AD
\odot	Redux	\EA30
*	Reek	\EAA0
*	RegEx	\2A

Icon	Name	Codepoint
re	Remark	\EB1D
•	Renovate	\EB2D
RST	reStructuredText	\E9CC
R	Rexx	\EA16
	Rhino3D	\EA4A
Ö	Ring	\1F48D
B	Riot	\EB2E
RIOT	Riot, Old	\E919
R	RISC-V	\EB5D
~	Robot	\EB0D
	Robot, Old	\E9AC
	Robots	\1F916
2	Rollup	\EA20
Ro	Rollup, Old	\E9FD
•	RSpec	\EA31
R	RStudio	\24C7
	Rubocop	\EADE
//	SAC	\203C
	Sage	\E9AB
4	Sails	\EB87

Icon	Name	Codepoint
	SaltStack	\E915
	San	\EAE6
S	SAS	\E95A
•	SBT	\E9D2
λ	Scheme	\3BB
₩₩.	Scilab	\E9A9
(=)	Scilla	\EAE2
S	Scratch	\A7
5	Scrutinizer	\E9D4
⟨Self	Self	\E9A8
	Semantic Release	\1F7CD
M	Sentry	\EB1C
	Sequelize	\EA2F
7=	Serverless	\EAB8
	Service Fabric	\E9DB
\$	Shadow CLJS	\EB88
	Shen	\E9A7
	Shipit	\26F5
*	Shippable	\EA2D
Ŝ	Shopify	\E9CF

Icon	Name	Codepoint
×	Shuriken	\272B
4	Sigils	\1F764
**	SiliconGraphics	\2318
62	SilverStripe	\E800
	Sinatra	\EA03
	Sketch	\E927
	SketchUp LayOut	\EA7C
	SketchUp Make	\EA7E
	SketchUp Style Builder	\EA7D
	Slash	\E9A6
	SmartOS	\EAFC
5	SmartOS, Alt	\EAFB
	Snapcraft	\EB09
	Snort	\1F43D
	Snyk	\EA1C
S	Solidarity	\1D5E6
5	Solidity	\EA86
	Sophia	\EB72
	Sorbet	\1F366
7	Source	\EB82

Icon	Name	Codepoint
8	Spacemacs	\EAA4
*	SPARC	\EB57
5	Spray	\EA02
\mathcal{D}	SQF	\E9A5
	SQLite	\E9DD
Un.	Squarespace	\EA5E
6	Stan	\E9A4
	Stata	\E9A3
8	StdlibJS	\EB70
	Stencil	\EA95
S	Storybook	\EADF
	Storyist	\E9EF
	Strings	\E9E0
5	Stylable	\EAE0
	StyledComponents	\1F485
V	Stylelint	\E93D
X	Stylish Haskell	\EB3D
S	Stylus	\73
<u>ştylus</u>	Stylus, Full	\E9F7
(Stylus, Orb	\53

Icon	Name	Codepoint
S	Sublime	\E986
	SuperCollider	\E9A2
8	Svelte	\33DC
	SVN	\EA17
	Swagger	\EA29
SV	SystemVerilog	\E9C3
	Tag	\F015
~	Tailwind	\301C
	Tcl	\E956
1	Telegram	\2708
T	Template Toolkit	\54
	TempleOS	\2696
>_	Terminal	\F0C8
7	Tern	\1F54A
*	Terraform	\E916
	Terser	\272C
	Test, CoffeeScript	\EA62
	Test, Directory	\EA60
—	Test, Generic	\EA63
Ţ Go	Test, Go	\EB0F

Icon	Name	Codepoint
	Test, Haskell	\EB10
JS	Test, JS	\EA64
	Test, Perl	\EA65
	Test, Python	\EA66
 ₩	Test, React	\EA67
	Test, Ruby	\EA68
₽ P	Test, Rust	\EB11
<u>π</u> TS	Test, TypeScript	\EA69
TEX	Tex	\E600
t.	Textile	\74
	TextMate	\2122
8.	TFS	\EAE1
4	Thor	\E9D8
1	Tilt	\EB8A
	TinyMCE	\EA01
	Tipe	\EAA9
予	TLA+	\EAB2
	tmux	\EA8C
[T]	TOML	\1F143
	TortoiseSVN	\EA93

Icon	Name	Codepoint
©	TOTVS	\EB34
@	Truffle	\EB3B
TSX	TSX	\E9D1
TSX	TSX, Alt	\E9E7
3)	TTCN-3	\2476
	Turing	\E9B6
₩	Twig	\2E19
	Twine	\EA5D
TXL	TXL	\E9C1
	ТуреDос	\E9FE
TS	TypeScript	\E912
TS	TypeScript, Alt	\2A6
	Typings	\E9DF
	UFO	\1F144
	Unibeautify	\EAC4
Wi	Unicode	\EB6E
	UNO	\E9B3
$\overline{\mathbf{u}}$	UnrealScript	\75
	UrWeb	\E9BA
V	V	\76

Icon	Name	Codepoint
78 ″	V8	\EA1F
*	V8, Turbofan	\EAAC
V	Vagrant	\56
V	Vala	\1D4B1
VAX	VAX	\EB5C
•	VCL	\E9B4
Þ	Velocity	\2B94
1111	Verilog	\E949
Å	VertexShader	\EA79
	VHDL	\E9AA
	Video	\F057
	VirtualBox	\EA3E
M	VirtualBox, Alt	\EA2E
	VMware	\EA49
Ø	VSCode	\EB22
9	VSTS	\EAC0
W	Vue	\E906
	Vyper	\EB31
	Wallaby	\231F
WA	Walt	\EABA

Icon	Name	Codepoint
SI	WASI	\EB40
	Watchman	\EA4F
*	WDL	\EAB1
WA	WebAssembly	\EA70
WebGL	WebGL	\EA7B
	Webhint	\EB35
	Webpack	\EA61
	Webpack, Old	\E91E
	WebVTT	\EB24
賃	Wenyan	\8A00
	Wercker	\EA19
> <u>↑</u>	Wget	\EB38
	WiX	\EAB0
	Workbox	\EAA8
	Wurst	\1F32D
X_{10}	X10	\2169
X	Xamarin	\EA77
X	XMOS	\58
X	XPages	\E9C5
>	Xtend	\E9C6

Icon	Name	Codepoint
•	Xubuntu	\EB04
Y	YAML	\79
Y	YAML, Alt 1	\59
X ML	YAML, Alt 2	\EA9E
Yame	YAML, Alt 3	\EA9D
YA ML	YAML, Alt 4	\EA9C
Я	Yandex	\42F
3	YANG	\262F
{Y	YARA	\EA9F
1	Yarn	\EA1A
•	Yasm	\EA73
	Yorick	\1F480
	YUI	\EA00
	ZBrush	\E9F2
	Zeit	\25B2
\Diamond	Zephir	\E9C7
[2]	Zig	\7A
Z	Zilog	\EB56
	Zimpl	\E9C8
2	ZorinOS	\EB01

Icon	Name	Codepoint
Z	Zork	\1B6