

AI for writing code

What is an *agent*?



chatbot


- can "reason", use tools, access the web
- interactive



agent

- access to local tools and files, ability to act on the environment
- typically more autonomy, asyncronous interaction

So much more code




Each bar is the average, over the days in that quarter, of lines of code merged per active contributor — shown as a multiple of the pre-2025 average. The hatched final bar is a partial quarter: it averages only the days observed so far, not a full quarter. Dashed lines mark public announcement dates. Per-PR line counts are capped at the 99th percentile; "active contributor" means a distinct author in the trailing twelve months.

https://www.anthropic.com/institute/recursive-self-improvement

So much more code

Across the company, engineers are shipping code faster



https://openai.com/index/research-acceleration-view-inside-openai/

Reactions

Changes to our Contribution Policies

By: Godot Foundation 30 June 2026

News

Over the last several years we have become overwhelmed by the large number of code contributions (pull requests), especially those from new contributors. The number of open PRs has become a meme in the community. In part, the number of open PRs is a healthy sign that:

Strict No LLM / No AI Policy

No LLM-generated content, whether it be code or prose.

No paraphrasing LLM-generated content.

No LLMs for editing, including fixing spelling or grammatical errors.

No LLMs for translation. English is encouraged, but not required. You are welcome to post in your native language and rely on others to have their own translation tools of choice to interpret your words.

No LLMs for brainstorming and then sharing the results of that brainstorming, even if you create the prose. If you use a chatbot to give you advice on a comment on the issue tracker, that comment is unwelcome.

No LLMs for finding bugs.

No talking about use of chatbot/LLM services.

Profession by Isaac Asimov

ZIG

- mainteners overwhelmed
- educating contributors

https://godotengine.org/article/contribution-policy-2026/
https://ziglang.org/code-of-conduct/#strict-no-llm-no-ai-policy


Reactions

Fair Moderation, Equitable Access, and AI: arXiv's Updated Rate Limit Policy

By Kat Boboris · October 1st 2026


arXiv, and the scientific community at large, are facing a watershed moment. Scholarly publishing is currently changing at a rapid pace, and we are seeing a massive transformation in how researchers communicate their results.

arXiv now limits submitters to up to two submissions per calendar month, with a limit of three total active submissions at any given time. This policy update is being put into effect to equitably distribute our volunteer moderators' time across arXiv authors, and protect the arXiv corpus from a sharp increase in inappropriate submissions.



https://blog.arxiv.org/2026/10/01/updated-rate-limit-policy/

Automated theorem proving



https://lean-lang.org/

Automated theorem proving

- increasingly capable



- dozen of autonomous parallel agents
- 11 days
- 13 million loc (5x Mathlib)
- software engineering problem (Prove2Me)

https://www.anthropic.com/news/formalizing-fermats-last-theorem
https://beta.prove2.me/about
https://arxiv.org/pdf/2608.28433

Automated theorem proving

- increasingly capable
- bug exploit

What happened

On July 25, Ramana Kumar published a repository containing a `sorry`-free "disproof" of the Collatz conjecture, produced with AI assistance. It is not a valid proof because it exploits a bug in the kernel's handling of nested inductive types. On July 28, Kiran Gopinathan reduced it to a small proof of False and opened issue #14576. We pushed a fix one hour

[...]

This is an implementation bug, not a hole in Lean's meta-theory.

https://leodemoura.github.io/blog/2026-8-1-postmortem-for-kernel-soundness-bug-14576/
https://leodemoura.github.io/blog/2026-8-24-postmortem-for-the-kernel-soundness-bug-hunt/

Automated theorem proving

- increasingly capable
- bug exploit
- lost in translation
  - NL ✘ $\rightsquigarrow$ FL ✓
  - NL ✓ $\underbrace{\neq}_{\text{proof}}$ FL ✓
  - NL ? $\underbrace{\gtrsim}_{\text{claim}}$ FL ✓

https://arxiv.org/pdf/2610.08144

In particular, we have the following discrepancy. With m a nonnegative integer, the comparison in Figure 3 is


$$\text{NL paper, equation (8.19):} \qquad \|N^{-1}F\|_{C_y^m} \leqslant C_m \|F\|_{C_y^{m+4}}, \tag{3.1}$$

$$\text{Lean Estimate:} \qquad \|N^{-1}F\|_{C_y^m} \leqslant K_m \|F\|_{C_y^{m+5}}. \tag{3.2}$$

Summary: The Lean code produced by OpenAI often has stronger conditions on bounds on the derivatives of various functions than the corresponding results in the NL paper.

Automated theorem proving

https://arxiv.org/pdf/2608.16753



By canonization, I mean the process of taking a local, one-off formalization and turning it into library mathematics: **general, reusable, coherent, efficient, and compatible** with the rest of the monorepo. Canonization is not mere refactoring.


- increasingly capable
- bug exploit
- lost in translation
  - NL ✘ $\rightsquigarrow$ FL ✓
  - NL ✓ $\underbrace{\neq}_{\text{proof}}$ FL ✓
  - NL ? $\underbrace{\gtrsim}_{\text{claim}}$ FL ✓
- *canonization*


My experiences

1) splines-KAN

https://github.com/HunterNise/splines-KAN

- ~11k loc (~20k w/ text)
- 02 March - 03 June
  (92 days, 30 active)
- GitHub Copilot,
  mainly Claude Sonnet 4.6
- GitHub Copilot Pro
  ($10 USD / month)
- total cost: $20
  (first trial month free)





1) splines-KAN

role of AI: **assistant**

- discuss implementation
- analyze code/results and make suggestions
- generate drafts and snippets
- debug and understand errors
- speed up documentation use

later on

- autonomous implementation for boring tasks
- full design/research loop (still manual)


my role: **research lead**

- read and understand the literature
- define goals, constraints, what counts as meaningful result
- write the business logic
- run training, inspect plots, compare outputs
- owns architecture, design, (most of) implementation, (most of) review

1) splines-KAN

judgement: **neutral**

- the project was not too technically demanding, the models were not too smart, and I did not have much experience
- nice to have a conversational partner
- useful to have an assistant for boring/annoying/unknown tasks
- main frustration: iteration cost
- workflow disruption: GitHub billing change




2) nmopt-project

https://github.com/HunterNise/nmopt-project

- ~83k loc (~193k w/ text)
- 27 July - 03 October
  (68 days, 49 active)
- Codex, GPT-5.6 xHigh
- ChatGPT Plus (23€ / month)
- total cost: 46 + 60 = ~100€

$$
\begin{aligned}
-\Delta y &= f + u \quad \text{in } \Omega, \\
y &= 0 \quad \text{on } \partial\Omega
\end{aligned}
$$

$$
\min_{y,u} \ \frac{1}{2}\|y - z_d\|^2_{L^2(\Omega)} + \frac{\beta}{2}\|u\|^2_{L^2(\Omega)}
$$



deal.II

1997 - now

~550k loc (~1m w/ text)

2) nmopt-project

role of AI: **guided/full agent**

- write all the code and much of documentation
- discuss specs, turn them in concrete iterable plans, and implement them
- analyze architecture, literature and provide feedback
- owns (most of) design, implementation, (most of) review


my role: **supervisor**

- decide direction, scope, boundaries
- orchestrate agents, dispatch work, monitor progress, check results
- improve environment and external harness for more reliable development
- owns (most of) architecture, results validation (no code review)

2) nmopt-project

judgement: **negative**

- a lot more scaffolding and harness engineering




```
> AGENTS.md .agents/ .codex/drafts/ .codex/plans/ docs/history/ docs/planning/
```

Language	Files	Lines	Code	Comments	Blanks
Markdown	151	64,831	0	48,366	16,465
Plain Text	1	47	0	47	0
Total	152	65,161	231	48,443	16,487

2) nmopt-project

judgement: **negative**

- a lot more scaffolding and harness engineering
- plenty of human effort to babysit chats, oversee what is done, read reports, recover from consequences
- intent drifts and codebase gradually becomes unwieldy

2) nmopt-project

judgement: **negative**

- a lot more scaffolding and harness engineering
- plenty of human effort to babysit chats, oversee what is done, read reports, recover from consequences
- intent drifts and codebase gradually becomes unwieldy
- insufferable jargon, hard to understand (which implies hard to judge)
- inconsistent balance for tool permission


2) nmopt-project



ering

versee what is done,

nes unwieldy



- quota restrictions, resets chasing

2) nmopt-project


judgement: **negative**

- a lot more scaffolding and harness engineering
- plenty of human effort to babysit chats, oversee what is done, read reports, recover from consequences
- intent drifts and codebase gradually becomes unwieldy
- insufferable jargon, hard to understand (which implies hard to judge)
- inconsistent balance for tool permission
- quota restrictions, resets chasing
- result: an enormous edifice, quite cool, yet totally incomprehensible

3) italy-fuel-price

https://github.com/HunterNise/italy-fuel-price

- ~7k loc (~9k w/ text)
- 19 September - 11 October
  (22 days, 5 active)
  [more like 1/2 + 2]
- ChatGPT, GPT-5.6 Sol High
- still on Plus
- total cost: ~free(?)



3) italy-fuel-price

role of AI: **full-stack developer**

- go from poorly specified ideas to a concrete application
- owns the complete development cycle

my role: **customer**

- have eyes, a bit of taste, and close the loop
- do not understand (almost) anything, just build

judgement: **positive**

- realize dream of turning ideas into products
- opens possiblities to side-projects that would never existed otherwise


End


typst


https://github.com/HunterNise/seminarietto-AI-2






Disk
Cycle not bounding in X
Cycle that is a boundary
The same-looking closed loop has different homological status depending on the surrounding space.



T
X
Y
Spaces: forward
Measurements: backward
F(X)
F(Y)
T*



u = z²
Before quotient
After quotient
A generic pair of equivalent points becomes one point. The special fixed point also becomes one point, but its extra symmetry is no longer visible in the ordinary quotient.



Fibers C_s
π : E → S
S₁
S₂
S₃
Base S
Schematic representation of a family: every point of the base has an entire geometric object above it.



c
b
0
a
Upper boundary faces: a, b, or c = ½



Total = 1
around loop
No global potential can produce this circulation


Straight line
Parabola



Transverse intersection
The lines cross in independent directions
Tangential intersection
Two curves meet with the same tangent direction



0
Closed field circulating around a missing point



Connection
p
q
Nearby fibers need a rule of comparison
A connection lets us transport information from one fiber to another, rather than comparing their coordinates naively.



A
B
C
+2
+2
+2
Total change around the loop = +6, not zero



0
1
No twist
Cylinder
0
1
Half-twist
Möbius strip
The difference is entirely in how the two ends are identified: directly or with a reversal.



Algebraic set
A circle: $x^2 + y^2 = 1$
Semialgebraic set
A half-disk: $x^2 + y^2 \leq 1,\ y \geq 0$



North pole
Chart z
w = 1/z
on the overlap
Chart w
South pole
Two overlapping coordinate charts describe a single geometric object. Neither chart alone covers the entire sphere.



Input
Output
Hidden internal network
Only boundary measurements are available



1
0
1
2
Ordinary
slopes 0, 1
Supersingular
slopes ½, ½
Newton polygon
Two curves have the same cohomological dimensions, but different Frobenius structures.



Example: a subset as a classifying map
Original set S
Target $M = \{0, 1\}$
a
b
c
d
a
b
c
d
1
0
Subset $A = \{a, c\}$
Characteristic map χ_A
The two-element set M classifies subsets of arbitrary sets through characteristic functions.


y
x
ℓ_1
ℓ_2
ℓ_3
Each line through the origin corresponds to one point of $\mathbb{RP}^1$.


$y = x^2$
Smooth parabola
$y^3 = x^2$
Curve with a cusp


Space of lines
One line, many vectors
An entire line through the origin becomes one point of a new space. The same construction over C gives the complex projective line.


1 Ω
1 Ω
2 Ω
Two separate components
One equivalent component


Microscopic
Intermediate
Coarse
Different levels retain different effective information
Coarse-graining groups degrees of freedom. Renormalization additionally examines how the effective laws change with scale.

Many uses

Approach	Architecture	Design	Implementer	Code Reviewer	Human Owns
Traditional	Human	Human	Human	Human	Everything
Organic	Human	Human	Human	Human & AI	Everything
Reviewed AD	Human	Human	AI	Human, line-by-line	Implementation choices+
Guided AD	Human	Human	AI	AI	Detailed design+
Fully AD	Human	AI	AI	AI	Architecture
Vibe Coding	AI	AI	AI	AI or none	Product

https://mudlej.com/articles/ai-development-approaches/

Many uses

- Architecture — Structure
  What components do we need, and how do they interact?
- Design — Behavior
  How should each component accomplish its task?
- Implementation — Construction
  Write the actual program.
- Review — Inspection
  Examine whether the code is correct, appropriate and maintainable.

context: amount of stuff the model can keep at once (limited)


can only see what is in the context window,
filling up context degrades model performance

compaction: summarize the conversation and start again (lossy)

ChatGPT workflow (w/ GitHub connector)

1. discuss ideas
2. implement (sandbox VM)
3. download zip package
4. apply changes, review, test
5. commit and push to remote
6. access from chat and iterate

I hate Sol



The conventions now specify:

- One substantial work unit per turn by default.
- Explicit review checkpoints between units.
- Repartitioning when scope expands.
- Upfront disclosure of unavoidable coupling.
- Roughly 400 changed lines or cross-layer scope as a decomposition warning.
- Focused verification and staged-diff inspection before commits.

See code.md (line 26) and git.md (line 18).

The revised policy now says:

- Multiple units may be completed in one turn.
- Independent work should be proposed as separate commits or reviewable diffs.
- Tiny follow-ups do not require separate turns.
- Genuinely coupled work may remain one detailed commit.
- Verification should be proportional, with broader suites at integration boundaries.
- Compact handoffs should prevent rereading unchanged context after compaction.


My main observation is that units, commits, and turns are different controls:

- A unit expresses technical coherence.
- A commit provides review and revert value.
- A turn is an execution and decision budget.

Restructuring is complete and staged.

- workflow.md (line 1) now owns work units, turn boundaries, coupling, cost control, progress updates, and context management.
- git.md (line 18) owns commit construction, sizing heuristics, staging, and repository safety.
- code.md (line 14) contains only code design, testing, and compatibility-seam guidance.
- conventions/README.md (line 18) requires both Workflow and Git before every non-read-only action.
- README.md (line 23) now advertises workflow conventions.

I hate Sol




Yes. I read both files before implementation. Your instructions were sufficient; I applied them incorrectly.

What I got wrong:

- workflow.md (line 9) requires review-sized units before substantial work. I kept the decomposition internal instead of presenting it before editing.
- For a tightly coupled change, workflow.md (line 25) requires explaining the coupling, interfaces, size, and verification scope beforehand. I did not.
- The patch crossed several architectural layers and exceeded the 400-line review heuristic in git.md (line 34). I should have paused and repartitioned it.
- When leaving work uncommitted, git.md (line 15) requires proposed commit splits and messages. I omitted them.

Not committing was itself consistent with git.md (line 14), which says not to run `git add` or `git commit` unless explicitly requested. Under that rule, "proceed with the implementation roadmap" authorizes implementation, but not commits.

So the honest diagnosis is: I read the rules, followed the no-commit clause, and failed the review-boundary clauses. That was my execution error.



Clarified the workflow without duplicating conventions into `AGENTS.md`.


- workflow.md (line 9) now requires a visible first-turn plan composed of coherent, self-contained, commit-sized units.
- The plan is explicitly adaptive rather than rigid and must be corrected when new evidence changes scope, dependencies, ordering, or verification.
- Every substantial-task turn now ends with a review of produced artifacts against the current plan.
- git.md (line 21) maps every unit to a prospective commit boundary while preserving explicit authorization for actual staging and commits.
- AGENTS.md (line 21) now states that routed conventions are mandatory and have the same force as `AGENTS.md`, regardless of location. Conflicts must be reported, not silently ignored.


This structure matches OpenAI's documented model where `AGENTS.md` is loaded as project guidance; the root file now delegates detailed policy to the routed convention files. Official OpenAI documentation

End-of-turn review found no deviation from the plan. Markdown formatting, diff checks, and local links passed.

I hate Sol


Edited 13 files
+770 -63
Undo
Review
docs/design/interface-specification.md
+3 -0
docs/guides/chapter-5-elliptic-control.md
+5 -3
docs/implementation/v1/semantic-compiler.md
+51 -13
Show 10 more files
again why do you persist to not break changes down in small sized commits and forget to suggest commit message? what i have to do to make you follow conventions?
what is the stuff with .patch and formatting you have done? why did you bring up formatting even though it was not mentioned anywhere and not relevant to the task at hand


You should not have to do anything extra to make me follow the conventions. I failed to apply rules that were already explicit—and reinforced by commit 2229373.
Commit breakdown
Not creating commits was correct because git.md (line 13) requires explicit authorization before git add or git commit. However, I was still required to:
Structure the work as prospective commit-sized units.
Repartition when the change exceeded roughly 400 lines and crossed several layers.
Keep those units distinguishable.
Suggest the exact commit split and messages in the handoff.
I did none of those adequately. The resulting 769-line diff should have been split similarly to the preceding P5.1 work:


Formatting and .patch files
Running clang-format was unjustified. No applicable convention requested formatting, and it was unrelated to weighted-trace behavior. I incorrectly treated formatting as a generic verification step.
Because the repository has no matching formatter configuration, it rewrote roughly 8,000 lines of otherwise unchanged C++. I then created two temporary recovery files:
/tmp/weighted-boundary-full.patch
/tmp/weighted-boundary-substantive.patch
I used the full patch to reverse the formatter rewrite. The whitespace-ignoring substantive patch did not apply cleanly, so I manually reapplied the actual feature changes. The repository now contains no formatter churn and neither .patch file is tracked, but both temporary files still exist under /tmp. This entire detour was unnecessary and should not have happened.

Reinforcement Learning is hard!

Why can't we just ask:
"Solve the Riemann hypothesis. Make no mistakes and don't cheat, pls."



https://youtu.be/DcYLT37ImBY

	AI	Human
Original Objective	Game Progress	Survival
Proxy Objective	Levels	Scarce Foods
Environment Change	Cheap Junk Pokemon 	Cheap Junk Food 
Misalignment Result	Buys Junk Pokemon	Buys Junk Food

https://www.youtube.com/watch?v=TaXUZfwACVE&list=PL5278ezwmoxQODgYB0hWnC0-Ob09GZGe2&index=9

More links

Thurston

- https://arxiv.org/pdf/math/9404236
- https://mathoverflow.net/questions/43690/whats-a-mathematician-to-do/44213#44213

Gowers

- https://www.youtube.com/watch?v=Zuf8bJY7Zuk
- https://gowers.wordpress.com/2026/08/12/what-sort-of-maths-are-llms-good-at/

Tao

- https://mathstodon.xyz/@tao/117207849921390904
- https://arxiv.org/pdf/2608.16753
- https://www.youtube.com/watch?v=bAnwMdfcMVw

Others

- https://terrytao.wordpress.com/2026/09/12/after-math/
- https://terrytao.wordpress.com/2026/09/18/if-math-is-more-than-proof-we-need-to-better-celebrate-the-rest-of-it/
- https://terrytao.wordpress.com/2026/10/15/why-are-we-even-doing-all-this/
- https://davidbessis.substack.com/p/the-fall-of-the-theorem-economy
- https://arxiv.org/pdf/2603.03684
- https://arxiv.org/pdf/2502.14874

Lean

- https://archive.is/xwkmp
- https://alexkontorovich.wordpress.com/2026/04/05/lecture-interactions-of-ai-with-research-math-and-formalization-at-newton-insitute-cambridge/
- https://xenaproject.wordpress.com/2026/10/16/how-to-formalize-all-of-mathematics/
- https://www.stephendiehl.com/posts/dependently_typed_future/

RL and specification gaming

- https://docs.google.com/spreadsheets/d/e/2PACX-1vRPiprOaC3HsCf5Tuum8bRfzYUiKLRqJmbOoC-32JorNdfyTiRRsR7Ea5eWtvsWzuxo8bjOxCG84dAg/pubhtml
- https://gwern.net/tank#alternative-examples
- https://youtu.be/DcYLT37ImBY

Various

- https://proofsandprompts.com/
- https://blog.pragmaticengineer.com/stack-overflow-is-almost-dead/
- https://math.meta.stackexchange.com/questions/39600/is-the-large-decline-in-questions-over-past-few-years-due-to-people-losing-