```
# -*- coding: utf-8 -*-
 1
 2
     # Form implementation generated from reading ui file 'resources/ui/AddConditionsDialog.ui'
 3
 4
 5
     # Created by: PvOt5 UI code generator 5.15.4
 6
     # WARNING: Any manual changes made to this file will be lost when pyuic5 is
 7
     # run again. Do not edit this file unless you know what you are doing.
 8
 9
10
11
     from PyOt5 import OtCore, OtGui, OtWidgets
12
13
14
     class Ui_AddConditionsDialog(object):
         def setupUi(self, AddConditionsDialog):
15
             AddConditionsDialog.setObjectName("AddConditionsDialog")
16
17
             AddConditionsDialog.setWindowModality(QtCore.Qt.NonModal)
             AddConditionsDialog.setEnabled(True)
18
             AddConditionsDialog.resize(1000, 842)
19
20
             sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Fixed,
     OtWidgets. OSizePolicy. Preferred)
21
             sizePolicy.setHorizontalStretch(0)
22
             sizePolicy.setVerticalStretch(0)
23
24
             sizePolicy.setHeightForWidth(AddConditionsDialog.sizePolicy().hasHeightForWidth())
             AddConditionsDialog.setSizePolicy(sizePolicy)
25
26
             AddConditionsDialog.setMinimumSize(QtCore.QSize(1000, 800))
             AddConditionsDialog.setMaximumSize(QtCore.QSize(2500, 3500))
27
             palette = OtGui.OPalette()
28
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
29
             brush.setStyle(OtCore.Ot.SolidPattern)
30
             palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Button, brush)
31
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
32
33
             brush.setStyle(QtCore.Qt.SolidPattern)
             palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Base, brush)
34
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
35
36
             brush.setStyle(QtCore.Qt.SolidPattern)
             palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Window, brush)
37
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
38
39
             brush.setStyle(QtCore.Qt.SolidPattern)
             palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Button, brush)
40
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
41
42
             brush.setStyle(OtCore.Ot.SolidPattern)
43
             palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Base, brush)
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
44
45
             brush.setStyle(QtCore.Qt.SolidPattern)
             palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Window, brush)
46
```

```
brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
47
             brush.setStyle(QtCore.Qt.SolidPattern)
48
             palette.setBrush(OtGui.OPalette.Disabled, OtGui.OPalette.Button, brush)
49
             brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
50
             brush.setStyle(QtCore.Qt.SolidPattern)
51
             palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Base, brush)
52
             brush = OtGui.OBrush(OtGui.OColor(25, 49, 91))
53
             brush.setStyle(QtCore.Qt.SolidPattern)
54
             palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Window, brush)
55
             AddConditionsDialog.setPalette(palette)
56
57
             font = QtGui.QFont()
             font.setFamily("Palatino Linotype")
58
             font.setPointSize(11)
59
60
             font.setBold(True)
             font.setItalic(False)
61
             font.setWeight(75)
62
             AddConditionsDialog.setFont(font)
63
             AddConditionsDialog.setToolTip("")
64
             AddConditionsDialog.setStyleSheet("background-color: rgb(25, 49, 91);\n"
65
66
      "font: 75 11pt \"Palatino Linotype\";\n"
      "font-weight: bold;")
67
             AddConditionsDialog.setModal(True)
68
             self.frame_2 = QtWidgets.QFrame(AddConditionsDialog)
69
             self.frame 2.setGeometry(QtCore.QRect(10, 10, 981, 111))
70
             font = QtGui.QFont()
71
72
             font.setFamily("Palatino Linotype")
             font.setPointSize(11)
73
74
             font.setBold(True)
             font.setItalic(False)
75
             font.setWeight(75)
76
             self.frame 2.setFont(font)
77
             self.frame_2.setStyleSheet("background-color: rgb(240, 240, 240);")
78
79
             self.frame 2.setFrameShape(QtWidgets.QFrame.Box)
             self.frame 2.setFrameShadow(QtWidgets.QFrame.Plain)
80
             self.frame_2.setLineWidth(2)
81
             self.frame 2.setObjectName("frame 2")
82
             self.layoutWidget_2 = QtWidgets.QWidget(self.frame_2)
83
             self.layoutWidget 2.setGeometry(QtCore.QRect(10, 10, 961, 91))
84
85
             self.layoutWidget_2.setObjectName("layoutWidget_2")
             self.charges gridLayout = OtWidgets.OGridLayout(self.layoutWidget 2)
86
             self.charges gridLayout.setContentsMargins(0, 0, 0, 0)
87
88
             self.charges_gridLayout.setObjectName("charges_gridLayout")
89
             self.offense label 1 = QtWidgets.QLabel(self.layoutWidget 2)
             font = QtGui.QFont()
90
91
             font.setFamily("Palatino Linotype")
             font.setPointSize(11)
92
```

```
font.setBold(True)
 93
              font.setItalic(False)
 94
 95
              font.setWeight(75)
              self.offense label 1.setFont(font)
 96
              self.offense label 1.setWordWrap(True)
 97
              self.offense_label_1.setObjectName("offense_label_1")
 98
              self.charges gridLayout.addWidget(self.offense label 1, 0, 0, 1, 1)
 99
              self.label_14 = QtWidgets.QLabel(self.layoutWidget_2)
100
              font = QtGui.QFont()
101
              font.setFamily("Palatino Linotype")
102
103
              font.setPointSize(11)
              font.setBold(True)
104
              font.setItalic(False)
105
106
              font.setWeight(75)
              self.label_14.setFont(font)
107
              self.label 14.setObjectName("label 14")
108
              self.charges gridLayout.addWidget(self.label 14, 2, 0, 1, 1)
109
              self.label_19 = QtWidgets.QLabel(self.layoutWidget_2)
110
              font = QtGui.QFont()
111
              font.setFamily("Palatino Linotype")
112
              font.setPointSize(11)
113
              font.setBold(True)
114
              font.setItalic(False)
115
              font.setWeight(75)
116
              self.label_19.setFont(font)
117
              self.label 19.setObjectName("label 19")
118
              self.charges gridLayout.addWidget(self.label_19, 1, 0, 1, 1)
119
              self.continue Button = QtWidgets.QPushButton(AddConditionsDialog)
120
              self.continue_Button.setGeometry(QtCore.QRect(810, 800, 181, 31))
121
              self.continue Button.setStyleSheet("background-color: rgb(255, 255, 0);")
122
              self.continue Button.setAutoDefault(False)
123
              self.continue_Button.setObjectName("continue_Button")
124
125
              self.license suspension frame = QtWidgets.QFrame(AddConditionsDialog)
              self.license_suspension_frame.setEnabled(False)
126
              self.license_suspension_frame.setGeometry(QtCore.QRect(10, 130, 981, 121))
127
              self.license suspension frame.setStyleSheet("background-color: rgb(240, 240, 240);")
128
129
              self.license_suspension_frame.setFrameShape(QtWidgets.QFrame.Box)
              self.license suspension frame.setFrameShadow(QtWidgets.QFrame.Plain)
130
131
              self.license suspension frame.setLineWidth(2)
              self.license suspension frame.setObjectName("license suspension frame")
132
              self.label 24 = QtWidgets.QLabel(self.license suspension frame)
133
              self.label 24.setGeometry(OtCore.ORect(10, 10, 961, 21))
134
              font = QtGui.QFont()
135
              font.setFamily("Palatino Linotype")
136
137
              font.setPointSize(11)
              font.setBold(True)
138
```

```
font.setItalic(False)
139
              font.setUnderline(True)
140
              font.setWeight(75)
141
              self.label 24.setFont(font)
142
              self.label 24.setAlignment(QtCore.Qt.AlignCenter)
143
              self.label_24.setObjectName("label_24")
144
              self.layoutWidget = OtWidgets.OWidget(self.license suspension frame)
145
              self.layoutWidget.setGeometry(QtCore.QRect(10, 40, 951, 71))
146
              self.layoutWidget.setObjectName("layoutWidget")
147
              self.gridLayout_3 = QtWidgets.QGridLayout(self.layoutWidget)
148
149
              self.gridLayout 3.setContentsMargins(0, 0, 0, 0)
              self.gridLayout_3.setObjectName("gridLayout_3")
150
              self.label_9 = QtWidgets.QLabel(self.layoutWidget)
151
              self.label_9.setObjectName("label_9")
152
              self.gridLayout_3.addWidget(self.label_9, 0, 0, 1, 1)
153
              self.license type box = QtWidgets.QComboBox(self.layoutWidget)
154
              self.license_type_box.setStyleSheet("background-color: rgb(255, 255, 255);")
155
              self.license_type_box.setObjectName("license_type_box")
156
              self.license type box.addItem("")
157
158
              self.license_type_box.addItem("")
              self.license type box.addItem("")
159
              self.gridLayout 3.addWidget(self.license type box, 0, 1, 1, 1)
160
              self.label_18 = QtWidgets.QLabel(self.layoutWidget)
161
              self.label 18.setObjectName("label 18")
162
              self.gridLayout_3.addWidget(self.label_18, 0, 2, 1, 1)
163
              self.license suspension date box = QtWidgets.QDateEdit(self.layoutWidget)
164
              self.license_suspension_date_box.setStyleSheet("background-color: rgb(255, 255,
165
      255);")
166
              self.license suspension date box.setCalendarPopup(True)
167
              self.license suspension date box.setObjectName("license suspension date box")
168
              self.gridLayout 3.addWidget(self.license suspension date box, 0, 3, 1, 1)
169
              self.label 21 = OtWidgets.OLabel(self.layoutWidget)
170
171
              self.label 21.setObjectName("label 21")
              self.gridLayout 3.addWidget(self.label 21, 1, 0, 1, 1)
172
              self.term_of_suspension_box = QtWidgets.QComboBox(self.layoutWidget)
173
              self.term of suspension box.setStyleSheet("background-color: rgb(255, 255, 255);")
174
              self.term_of_suspension_box.setObjectName("term_of_suspension_box")
175
              self.term of suspension box.addItem("")
176
177
              self.term of suspension box.addItem("")
              self.term of suspension box.addItem("")
178
              self.term of suspension box.addItem("")
179
180
              self.gridLayout_3.addWidget(self.term_of_suspension_box, 1, 1, 1, 1)
181
              self.remedial driving class checkBox = QtWidgets.QCheckBox(self.layoutWidget)
182
183
      self.remedial_driving_class_checkBox.setObjectName("remedial_driving_class_checkBox")
              self.gridLayout 3.addWidget(self.remedial driving class checkBox, 1, 2, 1, 2)
184
```

```
self.community service frame = QtWidgets.QFrame(AddConditionsDialog)
185
              self.community_service_frame.setEnabled(False)
186
              self.community_service_frame.setGeometry(QtCore.QRect(10, 260, 981, 91))
187
              self.community_service_frame.setStyleSheet("background-color: rgb(240, 240, 240);")
188
              self.community service frame.setFrameShape(OtWidgets.OFrame.Box)
189
              self.community_service_frame.setFrameShadow(QtWidgets.QFrame.Plain)
190
              self.community service frame.setLineWidth(2)
191
              self.community_service_frame.setObjectName("community_service_frame")
192
              self.label 26 = QtWidgets.QLabel(self.community service frame)
193
              self.label_26.setGeometry(QtCore.QRect(10, 10, 961, 21))
194
195
              font = QtGui.QFont()
              font.setFamily("Palatino Linotype")
196
              font.setPointSize(11)
197
              font.setBold(True)
198
              font.setItalic(False)
199
              font.setUnderline(True)
200
              font.setWeight(75)
201
              self.label_26.setFont(font)
202
              self.label 26.setAlignment(QtCore.Qt.AlignCenter)
203
204
              self.label_26.setObjectName("label_26")
              self.layoutWidget1 = QtWidgets.QWidget(self.community service frame)
205
              self.layoutWidget1.setGeometry(OtCore.ORect(13, 39, 951, 31))
206
              self.layoutWidget1.setObjectName("layoutWidget1")
207
              self.gridLayout = QtWidgets.QGridLayout(self.layoutWidget1)
208
              self.gridLayout.setContentsMargins(0, 0, 0, 0)
209
              self.gridLayout.setObjectName("gridLayout")
210
              self.label_15 = QtWidgets.QLabel(self.layoutWidget1)
211
              self.label 15.setObjectName("label 15")
212
              self.gridLayout.addWidget(self.label_15, 0, 0, 1, 1)
213
              self.community service hours ordered box =
214
215
      OtWidgets. OSpinBox(self.layoutWidget1)
216
217
      self.community service hours ordered box.setObjectName("community service hours ordere
      d box")
218
              self.gridLayout.addWidget(self.community_service_hours_ordered_box, 0, 1, 1, 1)
219
              self.label = QtWidgets.QLabel(self.layoutWidget1)
220
              self.label.setObjectName("label")
221
              self.gridLayout.addWidget(self.label, 0, 2, 1, 1)
222
223
              self.community service days to complete box =
      OtWidgets.OComboBox(self.layoutWidget1)
224
225
226
      self.community_service_days_to_complete_box.setObjectName("community_service_days_to_c
227
      omplete box")
              self.community service days to complete box.addItem("")
228
229
              self.community_service_days_to_complete_box.addItem("")
              self.community service days to complete box.addItem("")
230
```

```
self.community service days to complete box.addItem("")
231
              self.community_service_days_to_complete_box.addItem("")
232
              self.community_service_days_to_complete_box.addItem("")
233
234
              self.community service days to complete box.addItem("")
              self.gridLayout.addWidget(self.community_service_days_to_complete_box, 0, 3, 1, 1)
235
              self.label_22 = QtWidgets.QLabel(self.layoutWidget1)
236
              self.label 22.setObjectName("label 22")
237
              self.gridLayout.addWidget(self.label_22, 0, 4, 1, 1)
238
              self.community service date to complete box =
239
      QtWidgets.QDateEdit(self.layoutWidget1)
240
              self.community service date to complete box.setStyleSheet("background-color:
241
      rgb(255, 255, 255);")
242
              self.community_service_date_to_complete_box.setCalendarPopup(True)
243
244
      self.community_service_date_to_complete_box.setObjectName("community_service_date_to_c
245
      omplete box")
246
247
              self.gridLayout.addWidget(self.community_service_date_to_complete_box, 0, 5, 1, 1)
              self.other_conditions_frame = QtWidgets.QFrame(AddConditionsDialog)
248
              self.other conditions frame.setEnabled(False)
249
250
              self.other_conditions_frame.setGeometry(QtCore.QRect(10, 360, 981, 121))
              self.other conditions frame.setStyleSheet("background-color: rgb(240, 240, 240);")
251
              self.other conditions frame.setFrameShape(OtWidgets.OFrame.StyledPanel)
252
              self.other_conditions_frame.setFrameShadow(QtWidgets.QFrame.Raised)
253
              self.other conditions frame.setObjectName("other conditions frame")
254
              self.label_28 = QtWidgets.QLabel(self.other_conditions_frame)
255
              self.label 28.setGeometry(QtCore.QRect(10, 10, 961, 21))
256
              font = OtGui.OFont()
257
              font.setFamily("Palatino Linotype")
258
              font.setPointSize(11)
259
              font.setBold(True)
260
261
              font.setItalic(False)
              font.setUnderline(True)
262
263
              font.setWeight(75)
              self.label 28.setFont(font)
264
              self.label_28.setAlignment(QtCore.Qt.AlignCenter)
265
              self.label 28.setObjectName("label 28")
266
              self.other_conditions_plainTextEdit =
267
      OtWidgets.QPlainTextEdit(self.other conditions frame)
268
              self.other conditions plainTextEdit.setGeometry(QtCore.QRect(10, 40, 961, 71))
269
              self.other conditions plainTextEdit.setStyleSheet("background-color: rgb(255, 255,
270
      255);")
271
272
              self.other_conditions_plainTextEdit.setObjectName("other_conditions_plainTextEdit")
273
              self.community control frame = QtWidgets.QFrame(AddConditionsDialog)
              self.community control frame.setEnabled(False)
274
275
              self.community_control_frame.setGeometry(QtCore.QRect(10, 490, 981, 121))
              self.community control frame.setStyleSheet("background-color: rgb(240, 240, 240);")
276
```

```
self.community control frame.setFrameShape(QtWidgets.QFrame.Box)
277
              self.community_control_frame.setFrameShadow(QtWidgets.QFrame.Plain)
278
              self.community_control_frame.setLineWidth(2)
279
280
              self.community control frame.setObjectName("community control frame")
              self.label 27 = OtWidgets.OLabel(self.community control frame)
281
              self.label_27.setGeometry(QtCore.QRect(10, 10, 961, 21))
282
              font = OtGui.OFont()
283
              font.setFamily("Palatino Linotype")
284
              font.setPointSize(11)
285
              font.setBold(True)
286
287
              font.setItalic(False)
              font.setUnderline(True)
288
              font.setWeight(75)
289
              self.label 27.setFont(font)
290
              self.label_27.setAlignment(QtCore.Qt.AlignCenter)
291
              self.label 27.setObjectName("label 27")
292
293
              self.layoutWidget2 = OtWidgets.OWidget(self.community control frame)
              self.layoutWidget2.setGeometry(QtCore.QRect(11, 40, 501, 66))
294
              self.layoutWidget2.setObjectName("layoutWidget2")
295
296
              self.gridLayout_2 = QtWidgets.QGridLayout(self.layoutWidget2)
              self.gridLayout 2.setContentsMargins(0, 0, 0, 0)
297
              self.gridLayout 2.setObjectName("gridLayout 2")
298
              self.label_23 = QtWidgets.QLabel(self.layoutWidget2)
299
              self.label 23.setObjectName("label 23")
300
              self.gridLayout_2.addWidget(self.label_23, 0, 0, 1, 1)
301
              self.type of community control box = OtWidgets.OComboBox(self.layoutWidget2)
302
              self.type_of_community_control_box.setStyleSheet("background-color: rgb(255, 255,
303
      255):")
304
305
      self.type of community control box.setObjectName("type of community control box")
306
              self.type of community control box.addItem("")
307
              self.type_of_community_control_box.addItem("")
308
309
              self.type of community control box.addItem("")
              self.gridLayout 2.addWidget(self.type of community control box, 0, 1, 1, 1)
310
              self.label_29 = QtWidgets.QLabel(self.layoutWidget2)
311
              self.label 29.setObjectName("label 29")
312
              self.gridLayout_2.addWidget(self.label_29, 1, 0, 1, 1)
313
              self.term of community control box = QtWidgets.QComboBox(self.layoutWidget2)
314
315
              self.term_of_community_control_box.setStyleSheet("background-color: rgb(255, 255,
      255);")
316
317
318
      self.term_of_community_control_box.setObjectName("term_of_community_control_box")
319
              self.term of community control box.addItem("")
              self.term of community control box.addItem("")
320
321
              self.term_of_community_control_box.addItem("")
              self.term of community control box.addItem("")
322
```

```
self.gridLayout 2.addWidget(self.term of community control box, 1, 1, 1, 1)
323
324
              self.retranslateUi(AddConditionsDialog)
325
326
              self.continue Button.pressed.connect(AddConditionsDialog.add conditions)
              self.continue_Button.released.connect(AddConditionsDialog.close_window)
327
328
      self.community_service_days_to_complete_box.currentIndexChanged['int'].connect(AddConditi
329
      onsDialog.set_service_date)
330
              QtCore.QMetaObject.connectSlotsByName(AddConditionsDialog)
331
332
333
          def retranslateUi(self, AddConditionsDialog):
              _translate = QtCore.QCoreApplication.translate
334
              AddConditionsDialog.setWindowTitle(_translate("AddConditionsDialog", "Additional
335
      Conditions"))
336
              self.offense_label_1.setText(_translate("AddConditionsDialog", "Offense:"))
337
              self.label 14.setText( translate("AddConditionsDialog", "Finding:"))
338
              self.label_19.setText(_translate("AddConditionsDialog", "Statute:"))
339
              self.continue_Button.setText(_translate("AddConditionsDialog", "Continue"))
340
              self.label_24.setText(_translate("AddConditionsDialog", "License Suspension"))
341
              self.label_9.setText(_translate("AddConditionsDialog", "License type:"))
342
              self.license_type_box.setItemText(0, _translate("AddConditionsDialog", "driving"))
343
              self.license_type_box.setItemText(1, _translate("AddConditionsDialog", "hunting"))
344
              self.license_type_box.setItemText(2, _translate("AddConditionsDialog", "concealed
345
      carry"))
346
              self.label_18.setText(_translate("AddConditionsDialog", "License suspended from:"))
347
348
              self.label 21.setText( translate("AddConditionsDialog", "Term of suspension:"))
              self.term_of_suspension_box.setItemText(0, _translate("AddConditionsDialog", "6
349
      months"))
350
              self.term of suspension box.setItemText(1, translate("AddConditionsDialog", "12
351
352
      months"))
              self.term of suspension box.setItemText(2, translate("AddConditionsDialog", "18
353
354
      months"))
355
              self.term_of_suspension_box.setItemText(3, _translate("AddConditionsDialog", "24
      months"))
356
              self.remedial_driving_class_checkBox.setText(_translate("AddConditionsDialog",
357
358
       "Remedial driving class required for OL return"))
              self.label_26.setText(_translate("AddConditionsDialog", "Community Service"))
359
              self.label 15.setText( translate("AddConditionsDialog", "Hours:"))
360
              self.label.setText(_translate("AddConditionsDialog", "Days to Complete:"))
361
              self.community_service_days_to_complete_box.setItemText(0,
362
       _translate("AddConditionsDialog", "0"))
363
              self.community_service_days_to_complete_box.setItemText(1,
364
       _translate("AddConditionsDialog", "30"))
365
              self.community service days to complete box.setItemText(2,
366
      _translate("AddConditionsDialog", "60"))
367
              self.community service days to complete box.setItemText(3,
368
```

```
translate("AddConditionsDialog", "90"))
369
370
              self.community_service_days_to_complete_box.setItemText(4,
      _translate("AddConditionsDialog", "120"))
371
372
              self.community service days to complete box.setItemText(5,
      _translate("AddConditionsDialog", "150"))
373
              self.community_service_days_to_complete_box.setItemText(6,
374
      _translate("AddConditionsDialog", "180"))
375
              self.label_22.setText(_translate("AddConditionsDialog", "Date to Complete:"))
376
              self.label_28.setText(_translate("AddConditionsDialog", "Other Conditions"))
377
              self.label_27.setText(_translate("AddConditionsDialog", "Community Control"))
378
              self.label_23.setText(_translate("AddConditionsDialog", "Community Control Type:"))
379
              self.type_of_community_control_box.setItemText(0, _translate("AddConditionsDialog",
380
      "basic"))
381
              self.type_of_community_control_box.setItemText(1, _translate("AddConditionsDialog",
382
383
      "intensive"))
              self.type of community control box.setItemText(2, translate("AddConditionsDialog",
384
385
      "monitored"))
              self.label_29.setText(_translate("AddConditionsDialog", "Term of Community
386
387
      Control:"))
388
              self.term_of_community_control_box.setItemText(0, _translate("AddConditionsDialog",
      "6 months"))
389
              self.term of community control box.setItemText(1, translate("AddConditionsDialog",
390
      "12 months"))
391
              self.term of community control box.setItemText(2, translate("AddConditionsDialog",
392
      "18 months"))
393
394
              self.term of community control box.setItemText(3, translate("AddConditionsDialog",
      "24 months"))
395
```