

```

1  # -*- coding: utf-8 -*-
2
3  # Form implementation generated from reading ui file 'resources/ui/AmendOffenseDialog.ui'
4  #
5  # Created by: PyQt5 UI code generator 5.15.4
6  #
7  # WARNING: Any manual changes made to this file will be lost when pyuic5 is
8  # run again. Do not edit this file unless you know what you are doing.
9
10
11 from PyQt5 import QtCore, QtGui, QtWidgets
12
13
14 class Ui_AmendOffenseDialog(object):
15     def setupUi(self, AmendOffenseDialog):
16         AmendOffenseDialog.setObjectName("AmendOffenseDialog")
17         AmendOffenseDialog.resize(1000, 300)
18         sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Preferred, QtWidgets.QSizePolicy.Preferred)
19         sizePolicy.setHorizontalStretch(0)
20         sizePolicy.setVerticalStretch(0)
21         sizePolicy.setHeightForWidth(AmendOffenseDialog.sizePolicy().hasHeightForWidth())
22         AmendOffenseDialog.setSizePolicy(sizePolicy)
23         AmendOffenseDialog.setMinimumSize(QtCore.QSize(1000, 300))
24         font = QtGui.QFont()
25         font.setFamily("Palatino Linotype")
26         font.setPointSize(11)
27         font.setBold(False)
28         font.setItalic(False)
29         font.setWeight(9)
30         AmendOffenseDialog.setFont(font)
31         AmendOffenseDialog.setStyleSheet("background-color: rgb(25, 49, 91);\n"
32 "font: 75 11pt 'Palatino Linotype';")
33         self.case_information_frame = QtWidgets.QFrame(AmendOffenseDialog)
34         self.case_information_frame.setGeometry(QtCore.QRect(9, 9, 981, 131))
35         sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Preferred, QtWidgets.QSizePolicy.Preferred)
36         sizePolicy.setHorizontalStretch(0)
37         sizePolicy.setVerticalStretch(0)
38         sizePolicy.setHeightForWidth(self.case_information_frame.sizePolicy().hasHeightForWidth())
39         self.case_information_frame.setSizePolicy(sizePolicy)
40         self.case_information_frame.setMaximumSize(QtCore.QSize(1000, 800))
41         self.case_information_frame.setCursor(QtGui.QCursor(QtCore.Qt.ArrowCursor))
42         self.case_information_frame.setStyleSheet("background-color: rgb(240, 240, 240);\n"
43 "font-weight: bold;")
44         self.case_information_frame setFrameShape(QtWidgets.QFrame.Box)
45         self.case_information_frame setFrameShadow(QtWidgets.QFrame.Raised)
46         self.case_information_frame.setLineWidth(2)
47         self.case_information_frame.setObjectName("case_information_frame")
48         self.defendant_name_label = QtWidgets.QLabel(self.case_information_frame)
49         self.defendant_name_label.setGeometry(QtCore.QRect(18, 53, 831, 27))
50         font = QtGui.QFont()
51         font.setFamily("Palatino Linotype")
52         font.setPointSize(11)
53         font.setBold(True)
54         font.setItalic(False)
55         font.setWeight(75)
56         self.defendant_name_label.setFont(font)
57         self.defendant_name_label.setObjectName("defendant_name_label")
58         self.case_number_label = QtWidgets.QLabel(self.case_information_frame)
59         self.case_number_label.setGeometry(QtCore.QRect(18, 13, 831, 27))
60         font = QtGui.QFont()
61         font.setFamily("Palatino Linotype")
62         font.setPointSize(11)
63         font.setBold(True)
64         font.setItalic(False)
65         font.setWeight(75)
66         self.case_number_label.setFont(font)
67         self.case_number_label.setObjectName("case_number_label")

```

```

68 self.defendant_attorney_name_label = QtWidgets.QLabel(self.case_information_frame)
69 self.defendant_attorney_name_label.setGeometry(QtCore.QRect(18, 93, 821, 27))
70 font = QtGui.QFont()
71 font.setFamily("Palatino Linotype")
72 font.setPointSize(11)
73 font.setBold(True)
74 font.setItalic(False)
75 font.setWeight(75)
76 self.defendant_attorney_name_label.setFont(font)
77 self.defendant_attorney_name_label.setObjectName("defendant_attorney_name_label")
78 self.cancel_Button = QtWidgets.QPushButton(self.case_information_frame)
79 self.cancel_Button.setGeometry(QtCore.QRect(832, 10, 141, 33))
80 self.cancel_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
81 self.cancel_Button.setObjectName("cancel_Button")
82 self.frame_2 = QtWidgets.QFrame(AmendOffenseDialog)
83 self.frame_2.setGeometry(QtCore.QRect(10, 150, 981, 141))
84 self.frame_2.setStyleSheet("background-color: rgb(240, 240, 240);\n"
85 "font: 75 11pt 'Palatino Linotype';\n"
86 "font-weight: bold;")
87 self.frame_2 setFrameShape(QtWidgets.QFrame.Box)
88 self.frame_2 setFrameShadow(QtWidgets.QFrame.Raised)
89 self.frame_2 setLineWidth(2)
90 self.frame_2 setMidLineWidth(0)
91 self.frame_2.setObjectName("frame_2")
92 self.layoutWidget = QtWidgets.QWidget(self.frame_2)
93 self.layoutWidget.setGeometry(QtCore.QRect(830, 14, 141, 121))
94 self.layoutWidget.setObjectName("layoutWidget")
95 self.gridLayout = QtWidgets.QGridLayout(self.layoutWidget)
96 self.gridLayout.setContentsMargins(0, 0, 0, 0)
97 self.gridLayout.setObjectName("gridLayout")
98 self.clear_fields_Button = QtWidgets.QPushButton(self.layoutWidget)
99 self.clear_fields_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
100 self.clear_fields_Button.setObjectName("clear_fields_Button")
101 self.gridLayout.addWidget(self.clear_fields_Button, 0, 0, 1, 1)
102 self.continue_Button = QtWidgets.QPushButton(self.layoutWidget)
103 self.continue_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
104 self.continue_Button.setObjectName("continue_Button")
105 self.gridLayout.addWidget(self.continue_Button, 2, 0, 1, 1)
106 spacerItem = QtWidgets.QSpacerItem(20, 40, QtWidgets.QSizePolicy.Minimum, QtWidgets.QSizePolicy.Expanding)
107 self.gridLayout.addItem(spacerItem, 1, 0, 1, 1)
108 self.widget = QtWidgets.QWidget(self.frame_2)
109 self.widget.setGeometry(QtCore.QRect(13, 10, 791, 121))
110 self.widget.setObjectName("widget")
111 self.gridLayout_2 = QtWidgets.QGridLayout(self.widget)
112 self.gridLayout_2.setContentsMargins(0, 0, 0, 0)
113 self.gridLayout_2.setObjectName("gridLayout_2")
114 self.label = QtWidgets.QLabel(self.widget)
115 self.label.setObjectName("label")
116 self.gridLayout_2.addWidget(self.label, 0, 0, 1, 1)
117 self.motion_decision_box = QtWidgets.QComboBox(self.widget)
118 self.motion_decision_box.setStyleSheet("background-color: rgb(255, 255, 255);")
119 self.motion_decision_box.setEditable(False)
120 self.motion_decision_box.setObjectName("motion_decision_box")
121 self.motion_decision_box.addItem("")
122 self.motion_decision_box.addItem("")
123 self.gridLayout_2.addWidget(self.motion_decision_box, 0, 1, 1, 1)
124 self.label_2 = QtWidgets.QLabel(self.widget)
125 self.label_2.setObjectName("label_2")
126 self.gridLayout_2.addWidget(self.label_2, 1, 0, 1, 1)
127 self.original_charge_box = QtWidgets.QComboBox(self.widget)
128 self.original_charge_box.setStyleSheet("background-color: rgb(255, 255, 255);")
129 self.original_charge_box.setEditable(True)
130 self.original_charge_box.setObjectName("original_charge_box")
131 self.gridLayout_2.addWidget(self.original_charge_box, 1, 1, 1, 1)
132 self.label_3 = QtWidgets.QLabel(self.widget)
133 self.label_3.setObjectName("label_3")
134 self.gridLayout_2.addWidget(self.label_3, 2, 0, 1, 1)
135 self.amended_charge_box = QtWidgets.QComboBox(self.widget)

```

```

136 self.amended_charge_box.setStyleSheet("background-color: rgb(255, 255, 255);")
137 self.amended_charge_box.setEditable(True)
138 self.amended_charge_box.setObjectName("amended_charge_box")
139 self.gridLayout_2.addWidget(self.amended_charge_box, 2, 1, 1, 1)
140
141 self.retranslateUi(AmendOffenseDialog)
142 self.continue_Button.released.connect(AmendOffenseDialog.close_window)
143 self.cancel_Button.clicked.connect(AmendOffenseDialog.close_window)
144 self.clear_fields_Button.clicked.connect(self.original_charge_box.clearEditText)
145 self.clear_fields_Button.clicked.connect(self.amended_charge_box.clearEditText)
146 self.continue_Button.pressed.connect(AmendOffenseDialog.amend_offense)
147 QtCore.QMetaObject.connectSlotsByName(AmendOffenseDialog)
148 AmendOffenseDialog.setTabOrder(self.motion_decision_box, self.original_charge_box)
149 AmendOffenseDialog.setTabOrder(self.original_charge_box, self.amended_charge_box)
150 AmendOffenseDialog.setTabOrder(self.amended_charge_box, self.continue_Button)
151 AmendOffenseDialog.setTabOrder(self.continue_Button, self.clear_fields_Button)
152 AmendOffenseDialog.setTabOrder(self.clear_fields_Button, self.cancel_Button)
153
154 def retranslateUi(self, AmendOffenseDialog):
155     _translate = QtCore.QCoreApplication.translate
156     AmendOffenseDialog.setWindowTitle(_translate("AmendOffenseDialog", "Amend Charge"))
157     self.defendant_name_label.setText(_translate("AmendOffenseDialog", "TextLabel"))
158     self.case_number_label.setText(_translate("AmendOffenseDialog", "TextLabel"))
159     self.defendant_attorney_name_label.setText(_translate("AmendOffenseDialog", "TextLabel"))
160     self.cancel_Button.setText(_translate("AmendOffenseDialog", "Cancel"))
161     self.clear_fields_Button.setText(_translate("AmendOffenseDialog", "Clear Fields"))
162     self.continue_Button.setText(_translate("AmendOffenseDialog", "Continue"))
163     self.label.setText(_translate("AmendOffenseDialog", "Motion to amend is:"))
164     self.motion_decision_box.setItemText(0, _translate("AmendOffenseDialog", "Granted"))
165     self.motion_decision_box.setItemText(1, _translate("AmendOffenseDialog", "Denied"))
166     self.label_2.setText(_translate("AmendOffenseDialog", "Original charge:"))
167     self.label_3.setText(_translate("AmendOffenseDialog", "Amended charge:"))

```