```
1
     # -*- coding: utf-8 -*-
2
3
     # Form implementation generated from reading ui file 'resources/ui/MinorMisdemeanorDialog.ui'
4
5
     # Created by: PyQt5 UI code generator 5.15.4
6
7
     # WARNING: Any manual changes made to this file will be lost when pyuic5 is
     # run again. Do not edit this file unless you know what you are doing.
8
9
10
11
     from PvQt5 import QtCore, QtGui, QtWidgets
12
13
14
     class <u>Ui MinorMisdemeanorDialog(object)</u>:
15
       def setupUi(self, MinorMisdemeanorDialog):
          MinorMisdemeanorDialog.setObjectName("MinorMisdemeanorDialog")
16
17
          MinorMisdemeanorDialog.setWindowModality(QtCore.Qt.NonModal)
18
          MinorMisdemeanorDialog.resize(1000, 775)
          sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Fixed, QtWidgets.QSizePolicy.Preferred)
19
20
          sizePolicy.setHorizontalStretch(0)
          sizePolicy.setVerticalStretch(0)
21
22
          sizePolicy.setHeightForWidth(MinorMisdemeanorDialog.sizePolicy().hasHeightForWidth())
23
          MinorMisdemeanorDialog.setSizePolicy(sizePolicy)
24
          MinorMisdemeanorDialog.setMinimumSize(QtCore.QSize(1000, 775))
25
          MinorMisdemeanorDialog.setMaximumSize(QtCore.QSize(2500, 3500))
26
          palette = QtGui.QPalette()
27
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
          brush.setStyle(QtCore.Qt.SolidPattern)
28
29
          palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Button, brush)
30
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
31
          brush.setStyle(QtCore.Qt.SolidPattern)
32
          palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Base, brush)
33
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
          brush.setStyle(QtCore.Qt.SolidPattern)
34
35
          palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Window, brush)
36
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
37
          brush.setStyle(QtCore.Qt.SolidPattern)
38
          palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Button, brush)
39
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
          brush.setStyle(QtCore.Qt.SolidPattern)
40
41
          palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Base, brush)
42
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
43
          brush.setStyle(QtCore.Qt.SolidPattern)
44
          palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Window, brush)
45
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
46
          brush.setStyle(QtCore.Qt.SolidPattern)
47
          palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Button, brush)
48
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
49
          brush.setStyle(QtCore.Qt.SolidPattern)
          palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Base, brush)
50
51
          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
52
          brush.setStyle(QtCore.Qt.SolidPattern)
53
          palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Window, brush)
54
          MinorMisdemeanorDialog.setPalette(palette)
55
          font = QtGui.QFont()
56
          font.setFamily("Palatino Linotype")
57
          font.setPointSize(11)
          font.setBold(True)
58
59
          font.setItalic(False)
60
          font.setWeight(75)
          MinorMisdemeanorDialog.setFont(font)
61
          MinorMisdemeanorDialog.setToolTip("")
62
          MinorMisdemeanorDialog.setStyleSheet("background-color: rgb(25, 49, 91);\n"
63
64
     "font: 75 11pt \"Palatino Linotype\";\n"
65
     "font-weight: bold;")
66
          MinorMisdemeanorDialog.setModal(True)
67
          self.frame = QtWidgets.QFrame(MinorMisdemeanorDialog)
          self.frame.setGeometry(QtCore.QRect(10, 110, 981, 101))
68
```

sizePolicy = OtWidgets OSizePolicy(OtWidgets OSizePolicy Fixed OtWidgets OSizePolicy Maximum)

69

```
oleor olloy - attriogoto. aoleor olloy (attriogoto, aoleor olloy), mod, attriogoto, aoleor olloy, maminiani,
70
           sizePolicy.setHorizontalStretch(0)
71
           sizePolicy.setVerticalStretch(0)
72
           sizePolicy.setHeightForWidth(self.frame.sizePolicy().hasHeightForWidth())
73
           self.frame.setSizePolicy(sizePolicy)
74
           self.frame.setAutoFillBackground(False)
75
           self.frame.setStyleSheet("background-color: rgb(240, 240, 240);\n"
     "\n"
76
77
      "")
78
           self.frame.setFrameShape(QtWidgets.QFrame.Box)
           self.frame.setFrameShadow(QtWidgets.QFrame.Plain)
79
80
           self.frame.setLineWidth(2)
81
           self.frame.setObjectName("frame")
82
           self.layoutWidget = QtWidgets.QWidget(self.frame)
83
           self.layoutWidget.setGeometry(QtCore.QRect(833, 10, 143, 81))
           self.layoutWidget.setObjectName("layoutWidget")
84
           self.gridLayout = QtWidgets.QGridLayout(self.layoutWidget)
85
           self.gridLayout.setContentsMargins(0, 0, 0, 0)
86
87
           self.gridLayout.setObjectName("gridLayout")
           self.clear_fields_charge_Button = QtWidgets.QPushButton(self.layoutWidget)
88
89
           self.clear_fields_charge_Button.setFocusPolicy(QtCore.Qt.NoFocus)
           self.clear_fields_charge_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
90
           self.clear_fields_charge_Button.setObjectName("clear_fields_charge_Button")
91
92
           self.gridLayout.addWidget(self.clear_fields_charge_Button, 0, 0, 1, 1)
93
           self.add_charge_Button = QtWidgets.QPushButton(self.layoutWidget)
94
           self.add_charge_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
95
           self.add_charge_Button.setObjectName("add_charge_Button")
96
           self.gridLayout.addWidget(self.add_charge_Button, 2, 0, 1, 1)
97
           self.layoutWidget1 = QtWidgets.QWidget(self.frame)
           self.layoutWidget1.setGeometry(QtCore.QRect(10, 9, 811, 81))
98
99
           self.layoutWidget1.setObjectName("layoutWidget1")
100
           self.gridLayout_3 = QtWidgets.QGridLayout(self.layoutWidget1)
101
           self.gridLayout_3.setContentsMargins(0, 0, 0, 0)
102
           self.gridLayout_3.setObjectName("gridLayout_3")
           self.label_6 = QtWidgets.QLabel(self.layoutWidget1)
103
104
           self.label_6.setObjectName("label_6")
105
           self.gridLayout_3.addWidget(self.label_6, 0, 0, 1, 1)
           self.statute_choice_box = QtWidgets.QComboBox(self.layoutWidget1)
106
107
           self.statute_choice_box.setEnabled(True)
           self.statute_choice_box.setMinimumSize(QtCore.QSize(300, 0))
108
           self.statute_choice_box.setFocusPolicy(QtCore.Qt.WheelFocus)
109
           self.statute_choice_box.setStyleSheet("background-color: rgb(255, 255, 255);")
110
111
           self.statute_choice_box.setEditable(True)
           self.statute_choice_box.setObjectName("statute_choice_box")
112
113
           self.gridLayout_3.addWidget(self.statute_choice_box, 0, 1, 1, 1)
           self.freeform_entry_checkBox = QtWidgets.QCheckBox(self.layoutWidget1)
114
           font = QtGui.QFont()
115
           font.setFamily("Palatino Linotype")
116
117
           font.setPointSize(9)
118
           font.setBold(False)
119
          font.setItalic(False)
120
          font.setWeight(9)
121
           self.freeform_entry_checkBox.setFont(font)
122
           self.freeform_entry_checkBox.setFocusPolicy(QtCore.Qt.NoFocus)
123
           self.freeform_entry_checkBox.setStyleSheet("font: 75 9pt \"Palatino Linotype\";")
           self.freeform_entry_checkBox.setObjectName("freeform_entry_checkBox")
124
125
           self.gridLayout_3.addWidget(self.freeform_entry_checkBox, 0, 2, 1, 2)
           self.label_15 = QtWidgets.QLabel(self.layoutWidget1)
126
127
           self.label_15.setObjectName("label_15")
           self.gridLayout_3.addWidget(self.label_15, 1, 0, 1, 1)
128
129
           self.offense_choice_box = QtWidgets.QComboBox(self.layoutWidget1)
           self.offense_choice_box.setMinimumSize(QtCore.QSize(300, 0))
130
           self.offense_choice_box.setStyleSheet("background-color: rgb(255, 255, 255);")
131
           self.offense_choice_box.setEditable(True)
132
133
           self.offense_choice_box.setObjectName("offense_choice_box")
134
           self.gridLayout_3.addWidget(self.offense_choice_box, 1, 1, 1, 1)
135
           self.label_23 = QtWidgets.QLabel(self.layoutWidget1)
136
           self.label_23.setObjectName("label_23")
137
           self.gridLayout_3.addWidget(self.label_23, 1, 2, 1, 1)
138
           self.degree_choice_box = QtWidgets.QComboBox(self.layoutWidget1)
```

```
139
           seif.degree_cnoice_box.setEnabled( i rue)
140
           self.degree_choice_box.setFocusPolicy(QtCore.Qt.NoFocus)
141
           self.degree choice box.setStyleSheet("background-color: rgb(255, 255, 255);")
142
           self.degree choice box.setObjectName("degree choice box")
143
           self.degree choice box.addItem("")
           self.degree choice box.addItem("")
144
145
           self.degree_choice_box.addItem("")
           self.degree choice box.addItem("")
146
147
           self.degree_choice_box.addItem("")
           self.degree_choice_box.addItem("")
148
149
           self.gridLayout_3.addWidget(self.degree_choice_box, 1, 3, 1, 1)
           self.frame_2 = QtWidgets.QFrame(MinorMisdemeanorDialog)
150
           self.frame_2.setGeometry(QtCore.QRect(10, 220, 981, 331))
151
152
           font = QtGui.QFont()
           font.setFamily("Palatino Linotype")
153
154
           font.setPointSize(11)
155
           font.setBold(True)
156
           font.setItalic(False)
           font.setWeight(75)
157
158
           self.frame 2.setFont(font)
159
           self.frame_2.setStyleSheet("background-color: rgb(240, 240, 240);")
160
           self.frame_2.setFrameShape(QtWidgets.QFrame.Box)
161
           self.frame_2.setFrameShadow(QtWidgets.QFrame.Plain)
162
           self.frame 2.setLineWidth(2)
163
           self.frame 2.setObjectName("frame 2")
           self.layoutWidget 2 = QtWidgets.QWidget(self.frame_2)
164
165
           self.layoutWidget_2.setGeometry(QtCore.QRect(10, 10, 961, 271))
           self.layoutWidget 2.setObjectName("layoutWidget 2")
166
167
           self.charges_gridLayout = QtWidgets.QGridLayout(self.layoutWidget_2)
           self.charges_gridLayout.setContentsMargins(0, 0, 0, 0)
168
169
           self.charges_gridLayout.setObjectName("charges_gridLayout")
170
           self.label_14 = QtWidgets.QLabel(self.layoutWidget_2)
           font = QtGui.QFont()
171
172
           font.setFamily("Palatino Linotype")
           font.setPointSize(11)
173
           font.setBold(True)
174
175
           font.setItalic(False)
176
           font.setWeight(75)
177
           self.label_14.setFont(font)
           self.label_14.setObjectName("label_14")
178
179
           self.charges_gridLayout.addWidget(self.label_14, 4, 0, 1, 1)
           self.plea_label_1 = QtWidgets.QLabel(self.layoutWidget_2)
180
181
           font = QtGui.QFont()
182
           font.setFamily("Palatino Linotype")
183
           font.setPointSize(11)
184
           font.setBold(True)
185
           font.setItalic(False)
186
           font.setWeight(75)
187
           self.plea_label_1.setFont(font)
           self.plea_label_1.setObjectName("plea_label_1")
188
           self.charges_gridLayout.addWidget(self.plea_label_1, 3, 0, 1, 1)
189
           self.offense_label_1 = QtWidgets.QLabel(self.layoutWidget_2)
190
191
           font = QtGui.QFont()
192
           font.setFamily("Palatino Linotype")
           font.setPointSize(11)
193
194
           font.setBold(True)
           font.setItalic(False)
195
           font.setWeight(75)
196
           self.offense_label_1.setFont(font)
197
198
           self.offense_label_1.setWordWrap(True)
           self.offense_label_1.setObjectName("offense_label_1")
199
200
           self.charges_gridLayout.addWidget(self.offense_label_1, 0, 0, 1, 1)
           self.label_19 = QtWidgets.QLabel(self.layoutWidget_2)
201
202
           font = QtGui.QFont()
203
           font.setFamily("Palatino Linotype")
204
           font.setPointSize(11)
205
           font.setBold(True)
206
           font.setItalic(False)
207
           font.setWeight(75)
           self.label_19.setFont(font)
208
```

```
209
           self.label_19.setObjectName("label_19")
210
           self.charges_gridLayout.addWidget(self.label_19, 1, 0, 1, 1)
211
           self.label_17 = QtWidgets.QLabel(self.layoutWidget_2)
212
           font = QtGui.QFont()
           font.setFamily("Palatino Linotype")
213
214
           font.setPointSize(11)
215
           font.setBold(True)
           font.setItalic(False)
216
217
           font.setWeight(75)
           self.label_17.setFont(font)
218
           self.label_17.setObjectName("label_17")
219
220
           self.charges_gridLayout.addWidget(self.label_17, 5, 0, 1, 1)
221
           self.label_4 = QtWidgets.QLabel(self.layoutWidget_2)
222
           self.label_4.setText("")
223
           self.label 4.setObjectName("label 4")
224
           self.charges_gridLayout.addWidget(self.label_4, 7, 0, 1, 1)
           self.label_20 = QtWidgets.QLabel(self.layoutWidget_2)
225
226
           font = QtGui.QFont()
227
           font.setFamily("Palatino Linotype")
228
           font.setPointSize(11)
229
           font.setBold(True)
230
           font.setItalic(False)
231
           font.setWeight(75)
232
           self.label_20.setFont(font)
           self.label_20.setObjectName("label_20")
233
234
           self.charges_gridLayout.addWidget(self.label_20, 2, 0, 1, 1)
235
           self.label_10 = QtWidgets.QLabel(self.layoutWidget_2)
236
           font = QtGui.QFont()
237
           font.setFamily("Palatino Linotype")
           font.setPointSize(11)
238
239
           font.setBold(True)
240
           font.setItalic(False)
241
           font.setWeight(75)
242
           self.label_10.setFont(font)
           self.label_10.setObjectName("label_10")
243
           self.charges_gridLayout.addWidget(self.label_10, 6, 0, 1, 1)
244
245
           self.label_5 = QtWidgets.QLabel(self.layoutWidget_2)
246
           self.label_5.setText("")
           self.label_5.setObjectName("label_5")
247
           self.charges_gridLayout.addWidget(self.label_5, 8, 0, 1, 1)
248
249
           self.guilty_all_Button = QtWidgets.QPushButton(self.frame_2)
250
           self.guilty_all_Button.setGeometry(QtCore.QRect(10, 290, 141, 34))
251
           self.guilty_all_Button.setFocusPolicy(QtCore.Qt.NoFocus)
252
           self.guilty_all_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
253
           self.guilty_all_Button.setObjectName("guilty_all_Button")
           self.no_contest_all_Button = QtWidgets.QPushButton(self.frame_2)
254
255
           self.no_contest_all_Button.setGeometry(QtCore.QRect(170, 290, 141, 34))
256
           self.no_contest_all_Button.setFocusPolicy(QtCore.Qt.NoFocus)
257
           self.no_contest_all_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
           self.no_contest_all_Button.setObjectName("no_contest_all_Button")
258
259
           self.costs and fines Button = QtWidgets.QPushButton(self.frame 2)
           self.costs and fines Button.setGeometry(QtCore.QRect(330, 290, 141, 34))
260
261
           self.costs_and_fines_Button.setFocusPolicy(QtCore.Qt.NoFocus)
262
           self.costs_and_fines_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
263
           self.costs and fines Button.setFlat(False)
           self.costs and fines Button.setObjectName("costs and fines Button")
264
           self.frame_3 = QtWidgets.QFrame(MinorMisdemeanorDialog)
265
266
           self.frame_3.setGeometry(QtCore.QRect(10, 10, 981, 91))
267
           sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Fixed, QtWidgets.QSizePolicy.Fixed)
268
           sizePolicy.setHorizontalStretch(0)
           sizePolicy.setVerticalStretch(0)
269
           sizePolicy.setHeightForWidth(self.frame_3.sizePolicy().hasHeightForWidth())
270
           self.frame_3.setSizePolicy(sizePolicy)
271
272
           self.frame_3.setStyleSheet("background-color: rgb(240, 240, 240);\n"
      "border-color: rgb(160, 48, 35);")
273
           self.frame_3.setFrameShape(QtWidgets.QFrame.Box)
274
           self.frame_3.setFrameShadow(QtWidgets.QFrame.Plain)
275
276
           self.frame_3.setLineWidth(2)
277
           self.frame_3.setObjectName("frame_3")
278
           self.clear fields case Button = OtWidgets.OPushButton(self.frame 3)
```

```
self.clear_fields_case_Button.setGeometry(QtCore.QRect(835, 50, 141, 33))
279
280
          self.clear_fields_case_Button.setFocusPolicy(QtCore.Qt.NoFocus)
281
          self.clear_fields_case_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
282
          self.clear_fields_case_Button.setObjectName("clear_fields_case_Button")
          self.cancel_Button = QtWidgets.QPushButton(self.frame_3)
283
          self.cancel_Button.setGeometry(QtCore.QRect(835, 10, 141, 33))
284
          self.cancel_Button.setFocusPolicy(QtCore.Qt.NoFocus)
285
286
          self.cancel_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
287
          self.cancel_Button.setObjectName("cancel_Button")
288
          self.layoutWidget2 = QtWidgets.QWidget(self.frame_3)
289
          self.layoutWidget2.setGeometry(QtCore.QRect(11, 10, 811, 71))
290
          self.layoutWidget2.setObjectName("layoutWidget2")
291
          self.gridLayout_2 = QtWidgets.QGridLayout(self.layoutWidget2)
292
          self.gridLayout_2.setContentsMargins(0, 0, 0, 0)
293
          self.gridLayout_2.setObjectName("gridLayout_2")
294
          self.label = QtWidgets.QLabel(self.layoutWidget2)
295
          self.label.setObjectName("label")
          self.gridLayout_2.addWidget(self.label, 0, 0, 1, 1)
296
297
          self.defendant_first_name_lineEdit = QtWidgets.QLineEdit(self.layoutWidget2)
298
          self.defendant_first_name_lineEdit.setMaximumSize(QtCore.QSize(500, 16777215))
299
          self.defendant_first_name_lineEdit.setStyleSheet("background-color: rgb(255, 255, 255);")
300
          self.defendant_first_name_lineEdit.setObjectName("defendant_first_name_lineEdit")
301
          self.gridLayout_2.addWidget(self.defendant_first_name_lineEdit, 0, 1, 1, 1)
302
          self.label_26 = QtWidgets.QLabel(self.layoutWidget2)
303
          self.label_26.setObjectName("label_26")
304
          self.gridLayout_2.addWidget(self.label_26, 0, 2, 1, 1)
          self.plea_trial_date = QtWidgets.QDateEdit(self.layoutWidget2)
305
306
          self.plea_trial_date.setFocusPolicy(QtCore.Qt.NoFocus)
          self.plea_trial_date.setStyleSheet("background-color: rgb(255, 255, 255);")
307
          self.plea_trial_date.setMinimumDate(QtCore.QDate(2021, 1, 1))
308
309
          self.plea_trial_date.setCalendarPopup(True)
310
          self.plea_trial_date.setDate(QtCore.QDate(2021, 1, 1))
311
          self.plea_trial_date.setObjectName("plea_trial_date")
312
          self.gridLayout_2.addWidget(self.plea_trial_date, 0, 3, 1, 1)
313
          self.label_2 = QtWidgets.QLabel(self.layoutWidget2)
314
          self.label_2.setObjectName("label_2")
315
          self.gridLayout_2.addWidget(self.label_2, 1, 0, 1, 1)
          self.defendant_last_name_lineEdit = QtWidgets.QLineEdit(self.layoutWidget2)
316
317
          self.defendant_last_name_lineEdit.setEnabled(True)
          self.defendant_last_name_lineEdit.setStyleSheet("background-color: rgb(255, 255, 255);")
318
319
          self.defendant_last_name_lineEdit.setObjectName("defendant_last_name_lineEdit")
          self.gridLayout_2.addWidget(self.defendant_last_name_lineEdit, 1, 1, 1, 1)
320
321
          self.label_3 = QtWidgets.QLabel(self.layoutWidget2)
322
          self.label_3.setObjectName("label_3")
          self.gridLayout_2.addWidget(self.label_3, 1, 2, 1, 1)
323
          self.case_number_lineEdit = QtWidgets.QLineEdit(self.layoutWidget2)
324
          self.case_number_lineEdit.setMaximumSize(QtCore.QSize(500, 16777215))
325
          self.case_number_lineEdit.setStyleSheet("background-color: rgb(255, 255, 255);")
326
327
          self.case_number_lineEdit.setObjectName("case_number_lineEdit")
328
          self.gridLayout_2.addWidget(self.case_number_lineEdit, 1, 3, 1, 1)
329
          self.frame_4 = QtWidgets.QFrame(MinorMisdemeanorDialog)
330
          self.frame_4.setGeometry(QtCore.QRect(10, 560, 491, 121))
331
          self.frame_4.setStyleSheet("background-color: rgb(240, 240, 240);")
332
          self.frame_4.setFrameShape(QtWidgets.QFrame.Box)
333
          self.frame_4.setFrameShadow(QtWidgets.QFrame.Plain)
334
          self.frame_4.setLineWidth(2)
          self.frame_4.setObjectName("frame_4")
335
          self.layoutWidget3 = QtWidgets.QWidget(self.frame_4)
336
337
          self.layoutWidget3.setGeometry(QtCore.QRect(10, 10, 471, 99))
338
          self.layoutWidget3.setObjectName("layoutWidget3")
339
          self.formLayout = QtWidgets.QFormLayout(self.layoutWidget3)
340
          self.formLayout.setContentsMargins(0, 0, 0, 0)
341
          self.formLayout.setObjectName("formLayout")
342
          self.label_11 = QtWidgets.QLabel(self.layoutWidget3)
343
          self.label_11.setObjectName("label_11")
          self.formLayout.setWidget(0, QtWidgets.QFormLayout.LabelRole, self.label_11)
344
345
          self.court_costs_box = QtWidgets.QComboBox(self.layoutWidget3)
346
          self.court costs box.setStyleSheet("background-color: rgb(255, 255, 255);")
          self.court_costs_box.setObjectName("court_costs_box")
347
```

```
34Ծ
          seir.court_costs_box.additem( )
349
          self.court_costs_box.addItem("")
350
          self.formLayout.setWidget(0, QtWidgets.QFormLayout.FieldRole, self.court costs box)
351
          self.label_9 = QtWidgets.QLabel(self.layoutWidget3)
352
          self.label 9.setObjectName("label 9")
          self.formLayout.setWidget(1, QtWidgets.QFormLayout.LabelRole, self.label_9)
353
          self.ability_to_pay_box = QtWidgets.QComboBox(self.layoutWidget3)
354
          self.ability_to_pay_box.setStyleSheet("background-color: rgb(255, 255, 255);")
355
356
          self.ability_to_pay_box.setObjectName("ability_to_pay_box")
357
          self.ability_to_pay_box.addItem("")
          self.ability_to_pay_box.addItem("")
358
          self.ability_to_pay_box.addItem("")
359
360
          self.ability_to_pay_box.addItem("")
          self.formLayout.setWidget(1, QtWidgets.QFormLayout.FieldRole, self.ability_to_pay_box)
361
362
          self.label_18 = QtWidgets.QLabel(self.layoutWidget3)
363
          self.label_18.setObjectName("label_18")
          self.formLayout.setWidget(2, QtWidgets.QFormLayout.LabelRole, self.label_18)
364
365
          self.balance_due_date = QtWidgets.QDateEdit(self.layoutWidget3)
          self.balance_due_date.setStyleSheet("background-color: rgb(255, 255, 255);")
366
367
          self.balance_due_date.setObjectName("balance_due_date")
368
          self.formLayout.setWidget(2, QtWidgets.QFormLayout.FieldRole, self.balance_due_date)
369
          self.create_entry_Button = QtWidgets.QPushButton(MinorMisdemeanorDialog)
370
          self.create_entry_Button.setGeometry(QtCore.QRect(810, 740, 181, 31))
371
          self.create_entry_Button.setStyleSheet("background-color: rgb(0, 255, 0);")
372
          self.create_entry_Button.setAutoDefault(False)
          self.create_entry_Button.setObjectName("create_entry_Button")
373
          self.frame_5 = QtWidgets.QFrame(MinorMisdemeanorDialog)
374
375
          self.frame_5.setGeometry(QtCore.QRect(10, 690, 491, 81))
376
          self.frame 5.setStyleSheet("background-color: rgb(240, 240, 240);")
377
          self.frame_5.setFrameShape(QtWidgets.QFrame.Box)
378
          self.frame_5.setFrameShadow(QtWidgets.QFrame.Plain)
379
          self.frame_5.setLineWidth(2)
380
          self.frame_5.setObjectName("frame_5")
          self.layoutWidget4 = QtWidgets.QWidget(self.frame_5)
381
382
          self.layoutWidget4.setGeometry(QtCore.QRect(11, 10, 471, 66))
383
          self.layoutWidget4.setObjectName("layoutWidget4")
384
          self.formLayout_3 = QtWidgets.QFormLayout(self.layoutWidget4)
385
          self.formLayout_3.setContentsMargins(0, 0, 0, 0)
386
          self.formLayout_3.setObjectName("formLayout_3")
387
          self.label_21 = QtWidgets.QLabel(self.layoutWidget4)
388
          self.label_21.setObjectName("label_21")
389
          self.formLayout_3.setWidget(0, QtWidgets.QFormLayout.LabelRole, self.label_21)
390
          self.fra_in_file_box = QtWidgets.QComboBox(self.layoutWidget4)
391
          self.fra_in_file_box.setStyleSheet("background-color: rgb(255, 255, 255);")
392
          self.fra in file box.setObjectName("fra in file box")
393
          self.fra in file box.addItem("")
394
          self.fra_in_file_box.addItem("")
395
          self.fra_in_file_box.addItem("")
396
          self.formLayout_3.setWidget(0, QtWidgets.QFormLayout.FieldRole, self.fra_in_file_box)
397
          self.label_22 = QtWidgets.QLabel(self.layoutWidget4)
398
          self.label_22.setObjectName("label_22")
          self.formLayout_3.setWidget(1, QtWidgets.QFormLayout.LabelRole, self.label_22)
399
400
          self.fra_in_court_box = QtWidgets.QComboBox(self.layoutWidget4)
401
          self.fra_in_court_box.setStyleSheet("background-color: rgb(255, 255, 255);")
402
          self.fra in court box.setObjectName("fra in court box")
403
          self.fra in court box.addItem("")
404
          self.fra in court box.addItem("")
405
          self.fra in court box.addItem("")
          self.formLayout_3.setWidget(1, QtWidgets.QFormLayout.FieldRole, self.fra_in_court_box)
406
407
          self.frame_6 = QtWidgets.QFrame(MinorMisdemeanorDialog)
408
          self.frame_6.setGeometry(QtCore.QRect(510, 560, 481, 171))
409
          self.frame_6.setStyleSheet("background-color: rgb(240, 240, 240);\n"
410
     "font: 75 9pt \"Palatino Linotype\";\n"
411
     "font-weight: bold;")
412
          self.frame_6.setFrameShape(QtWidgets.QFrame.Box)
413
          self.frame_6.setFrameShadow(QtWidgets.QFrame.Plain)
414
          self.frame_6.setLineWidth(2)
415
          self.frame 6.setObjectName("frame 6")
416
          self.label_24 = QtWidgets.QLabel(self.frame_6)
417
          self.label_24.setGeometry(QtCore.QRect(14, 10, 451, 16))
```

```
418
          font = QtGui.QFont()
          font.setFamily("Palatino Linotype")
419
420
          font.setPointSize(9)
421
          font.setBold(True)
422
          font.setItalic(False)
423
          font.setUnderline(True)
424
          font.setWeight(75)
          self.label_24.setFont(font)
425
426
          self.label_24.setAlignment(QtCore.Qt.AlignCenter)
427
          self.label 24.setObjectName("label 24")
428
          self.layoutWidget5 = QtWidgets.QWidget(self.frame_6)
429
          self.layoutWidget5.setGeometry(QtCore.QRect(10, 30, 461, 131))
430
          self.layoutWidget5.setObjectName("layoutWidget5")
431
          self.gridLayout_5 = QtWidgets.QGridLayout(self.layoutWidget5)
432
          self.gridLayout_5.setContentsMargins(0, 0, 0, 0)
433
          self.gridLayout_5.setObjectName("gridLayout_5")
          self.license_suspension_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
434
435
          self.license_suspension_checkBox.setObjectName("license_suspension_checkBox")
436
          self.gridLayout_5.addWidget(self.license_suspension_checkBox, 0, 0, 1, 1)
437
          self.checkBox 4 = QtWidgets.QCheckBox(self.layoutWidget5)
438
          self.checkBox_4.setEnabled(False)
          self.checkBox_4.setFocusPolicy(QtCore.Qt.NoFocus)
439
440
          self.checkBox_4.setObjectName("checkBox_4")
          self.gridLayout_5.addWidget(self.checkBox_4, 0, 1, 1, 1)
441
442
          self.community_service_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
443
          self.community_service_checkBox.setObjectName("community_service_checkBox")
444
          self.gridLayout 5.addWidget(self.community_service_checkBox, 1, 0, 1, 1)
445
          self.checkBox_5 = QtWidgets.QCheckBox(self.layoutWidget5)
446
          self.checkBox_5.setEnabled(False)
447
          self.checkBox_5.setFocusPolicy(QtCore.Qt.NoFocus)
          self.checkBox 5.setObjectName("checkBox 5")
448
449
          self.gridLayout_5.addWidget(self.checkBox_5, 1, 1, 1, 1)
450
          self.community_control_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
451
          self.community_control_checkBox.setEnabled(False)
452
          self.community control checkBox.setObjectName("community control checkBox")
453
          self.gridLayout_5.addWidget(self.community_control_checkBox, 2, 0, 1, 1)
          self.checkBox_3 = QtWidgets.QCheckBox(self.layoutWidget5)
454
455
          self.checkBox_3.setEnabled(False)
456
          self.checkBox_3.setFocusPolicy(QtCore.Qt.NoFocus)
457
          self.checkBox_3.setObjectName("checkBox_3")
458
          self.gridLayout_5.addWidget(self.checkBox_3, 2, 1, 1, 1)
          self.checkBox_7 = QtWidgets.QCheckBox(self.layoutWidget5)
459
460
          self.checkBox_7.setEnabled(False)
461
          self.checkBox_7.setFocusPolicy(QtCore.Qt.NoFocus)
462
          self.checkBox_7.setObjectName("checkBox_7")
463
          self.gridLayout_5.addWidget(self.checkBox_7, 3, 0, 1, 1)
464
          self.other_conditions_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
465
          self.other_conditions_checkBox.setEnabled(True)
466
          self.other_conditions_checkBox.setFocusPolicy(QtCore.Qt.NoFocus)
467
          self.other_conditions_checkBox.setObjectName("other_conditions_checkBox")
468
          self.gridLayout 5.addWidget(self.other_conditions_checkBox, 3, 1, 1, 1)
469
          self.add conditions Button = QtWidgets.QPushButton(MinorMisdemeanorDialog)
470
          self.add_conditions_Button.setGeometry(QtCore.QRect(510, 740, 181, 31))
471
          self.add_conditions_Button.setStyleSheet("background-color: rgb(157, 53, 36);")
472
          self.add_conditions_Button.setAutoDefault(False)
473
          self.add_conditions_Button.setObjectName("add_conditions_Button")
474
475
          self.retranslateUi(MinorMisdemeanorDialog)
476
          QtCore.QMetaObject.connectSlotsByName(MinorMisdemeanorDialog)
477
          MinorMisdemeanorDialog.setTabOrder(self.defendant_first_name_lineEdit, self.defendant_last_name_lineEdit)
478
          MinorMisdemeanorDialog.setTabOrder(self.defendant_last_name_lineEdit, self.case_number_lineEdit)
479
          MinorMisdemeanorDialog.setTabOrder(self.case number lineEdit, self.statute choice box)
480
          MinorMisdemeanorDialog.setTabOrder(self.statute choice box, self.offense choice box)
481
          MinorMisdemeanorDialog.setTabOrder(self.offense choice box, self.add charge Button)
482
          MinorMisdemeanorDialog.setTabOrder(self.add_charge_Button, self.ability_to_pay_box)
483
          MinorMisdemeanorDialog.setTabOrder(self.ability_to_pay_box, self.balance_due_date)
484
          MinorMisdemeanorDialog.setTabOrder(self.balance due date, self.fra in file box)
485
          MinorMisdemeanorDialog.setTabOrder(self.fra_in_file_box, self.fra_in_court_box)
486
          MinorMisdemeanorDialog.setTabOrder(self.fra_in_court_box, self.license_suspension_checkBox)
487
          MinorMisdemeanorDialoa.setTabOrder(self.license suspension checkBox. self.community service checkBox)
```

```
MinorMisdemeanorDialog.setTabOrder(self.community_service_checkBox, self.community_control_checkBox)
488
489
          MinorMisdemeanorDialog.setTabOrder(self.community_control_checkBox, self.add_conditions_Button)
490
          MinorMisdemeanorDialog.setTabOrder(self.add_conditions_Button, self.create_entry_Button)
491
492
        def retranslateUi(self, MinorMisdemeanorDialog):
493
           _translate = QtCore.QCoreApplication.translate
          MinorMisdemeanorDialog.setWindowTitle( translate("MinorMisdemeanorDialog", "Minor Misdemeanor Case Information"))
494
495
          self.clear fields charge Button.setText( translate("MinorMisdemeanorDialog", "Clear Fields"))
496
          self.add_charge_Button.setText(_translate("MinorMisdemeanorDialog", "Add Charge"))
497
          self.label_6.setText(_translate("MinorMisdemeanorDialog", "Statute:"))
          self.freeform_entry_checkBox.setText(_translate("MinorMisdemeanorDialog", "Enable freeform entry for offense/statute"))
498
          self.label_15.setText(_translate("MinorMisdemeanorDialog", "Offense:"))
499
500
          self.label_23.setText(_translate("MinorMisdemeanorDialog", "Degree:"))
          self.degree_choice_box.setItemText(0, _translate("MinorMisdemeanorDialog", "Minor Misdemeanor"))
501
502
          self.degree_choice_box.setItemText(1, _translate("MinorMisdemeanorDialog", "M1"))
503
          self.degree_choice_box.setItemText(2, _translate("MinorMisdemeanorDialog", "M2"))
504
          self.degree_choice_box.setItemText(3, _translate("MinorMisdemeanorDialog", "M3"))
          self.degree_choice_box.setItemText(4, _translate("MinorMisdemeanorDialog", "M4"))
505
506
          self.degree choice box.setItemText(5, translate("MinorMisdemeanorDialog", "Unclassified Misdemeanor"))
507
          self.label_14.setText(_translate("MinorMisdemeanorDialog", "Finding:"))
508
          self.plea_label_1.setText(_translate("MinorMisdemeanorDialog", "Plea:"))
509
          self.offense label 1.setText(_translate("MinorMisdemeanorDialog", "Offense:"))
510
          self.label_19.setText(_translate("MinorMisdemeanorDialog", "Statute:"))
511
          self.label_17.setText(_translate("MinorMisdemeanorDialog", "Fines:"))
512
          self.label_20.setText(_translate("MinorMisdemeanorDialog", "Degree:"))
513
          self.label_10.setText(_translate("MinorMisdemeanorDialog", "Fines Suspended:"))
514
          self.guilty_all_Button.setText(_translate("MinorMisdemeanorDialog", "Guilty_All"))
515
          self.no_contest_all_Button.setText(_translate("MinorMisdemeanorDialog", "No Contest All"))
          self.costs and fines Button.setText( translate("MinorMisdemeanorDialog", "Costs/Fines"))
516
517
          self.clear_fields_case_Button.setText(_translate("MinorMisdemeanorDialog", "Clear Fields"))
          self.cancel_Button.setText(_translate("MinorMisdemeanorDialog", "Cancel"))
518
519
          self.label.setText(_translate("MinorMisdemeanorDialog", "Def. First Name:"))
520
          self.label_26.setText(_translate("MinorMisdemeanorDialog", "Date:"))
          self.label_2.setText(_translate("MinorMisdemeanorDialog", "Def. Last Name:"))
521
          self.label_3.setText(_translate("MinorMisdemeanorDialog", "Case Number:"))
522
523
          self.label_11.setText(_translate("MinorMisdemeanorDialog", "Court Costs:"))
          self.court_costs_box.setItemText(0, _translate("MinorMisdemeanorDialog", "Yes"))
524
525
          self.court_costs_box.setItemText(1, _translate("MinorMisdemeanorDialog", "No"))
526
          self.label_9.setText(_translate("MinorMisdemeanorDialog", "Time to pay fines/costs:"))
527
          self.ability_to_pay_box.setItemText(0,_translate("MinorMisdemeanorDialog", "forthwith"))
528
          self.ability_to_pay_box.setItemText(1, _translate("MinorMisdemeanorDialog", "within 30 days"))
          self.ability_to_pay_box.setItemText(2, _translate("MinorMisdemeanorDialog", "within 60 days"))
529
          self.ability_to_pay_box.setItemText(3, _translate("MinorMisdemeanorDialog", "within 90 days"))
530
531
          self.label_18.setText(_translate("MinorMisdemeanorDialog", "Fines/costs due date:"))
532
          self.create_entry_Button.setText(_translate("MinorMisdemeanorDialog", "Create Entry"))
533
          self.label_21.setText(_translate("MinorMisdemeanorDialog", "FRA shown in complaint/file:"))
534
          self.fra_in_file_box.setItemText(0, _translate("MinorMisdemeanorDialog", "N/A"))
535
          self.fra_in_file_box.setItemText(1, _translate("MinorMisdemeanorDialog", "Yes"))
536
          self.fra_in_file_box.setItemText(2, _translate("MinorMisdemeanorDialog", "No"))
537
          self.label_22.setText(_translate("MinorMisdemeanorDialog", "FRA shown in court:"))
538
          self.fra_in_court_box.setItemText(0, _translate("MinorMisdemeanorDialog", "N/A"))
539
          self.fra_in_court_box.setItemText(1, _translate("MinorMisdemeanorDialog", "Yes"))
          self.fra_in_court_box.setItemText(2, _translate("MinorMisdemeanorDialog", "No"))
540
          self.label_24.setText(_translate("MinorMisdemeanorDialog", "Additional Conditions"))
541
542
          self.license suspension_checkBox.setText(_translate("MinorMisdemeanorDialog", "License Suspension"))
543
          self.checkBox_4.setText(_translate("MinorMisdemeanorDialog", "Commitment"))
          self.community_service_checkBox.setText(_translate("MinorMisdemeanorDialog", "Community Service"))
544
          self.checkBox_5.setText(_translate("MinorMisdemeanorDialog", "Forfeiture"))
545
546
          self.community_control_checkBox.setText(_translate("MinorMisdemeanorDialog", "Community_Control"))
547
          self.checkBox_3.setText(_translate("MinorMisdemeanorDialog", "Fingerprinting"))
548
          self.checkBox_7.setText(_translate("MinorMisdemeanorDialog", "Vehicle Conditions"))
549
          self.other_conditions_checkBox.setText(_translate("MinorMisdemeanorDialog", "Other"))
```

self.add\_conditions\_Button.setText(\_translate("MinorMisdemeanorDialog", "Add Conditions"))

550