```python
# -*- coding: utf-8 -*-

# Form implementation generated from reading ui file
'resources/ui/MinorMisdemeanorDialog.ui'
#
# Created by: PyQt5 UI code generator 5.15.4
#
# WARNING: Any manual changes made to this file will be lost when pyuic5 is
# run again.   Do not edit this file unless you know what you are doing.


from PyQt5 import QtCore, QtGui, QtWidgets


class Ui_MinorMisdemeanorDialog(object):
    def setupUi(self, MinorMisdemeanorDialog):
        MinorMisdemeanorDialog.setObjectName("MinorMisdemeanorDialog")
        MinorMisdemeanorDialog.setWindowModality(QtCore.Qt.NonModal)
        MinorMisdemeanorDialog.resize(1000, 775)
        sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Fixed,
QtWidgets.QSizePolicy.Preferred)
        sizePolicy.setHorizontalStretch(0)
        sizePolicy.setVerticalStretch(0)

sizePolicy.setHeightForWidth(MinorMisdemeanorDialog.sizePolicy().hasHeightForWidth())
        MinorMisdemeanorDialog.setSizePolicy(sizePolicy)
        MinorMisdemeanorDialog.setMinimumSize(QtCore.QSize(1000, 775))
        MinorMisdemeanorDialog.setMaximumSize(QtCore.QSize(2500, 3500))
        palette = QtGui.QPalette()
        brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
        brush.setStyle(QtCore.Qt.SolidPattern)
        palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Button, brush)
        brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
        brush.setStyle(QtCore.Qt.SolidPattern)
        palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Base, brush)
        brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
        brush.setStyle(QtCore.Qt.SolidPattern)
        palette.setBrush(QtGui.QPalette.Active, QtGui.QPalette.Window, brush)
        brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
        brush.setStyle(QtCore.Qt.SolidPattern)
        palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Button, brush)
        brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
        brush.setStyle(QtCore.Qt.SolidPattern)
        palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Base, brush)
        brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
        brush.setStyle(QtCore.Qt.SolidPattern)
```

```
47          palette.setBrush(QtGui.QPalette.Inactive, QtGui.QPalette.Window, brush)
48          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
49          brush.setStyle(QtCore.Qt.SolidPattern)
50          palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Button, brush)
51          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
52          brush.setStyle(QtCore.Qt.SolidPattern)
53          palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Base, brush)
54          brush = QtGui.QBrush(QtGui.QColor(25, 49, 91))
55          brush.setStyle(QtCore.Qt.SolidPattern)
56          palette.setBrush(QtGui.QPalette.Disabled, QtGui.QPalette.Window, brush)
57          MinorMisdemeanorDialog.setPalette(palette)
58          font = QtGui.QFont()
59          font.setFamily("Palatino Linotype")
60          font.setPointSize(11)
61          font.setBold(True)
62          font.setItalic(False)
63          font.setWeight(75)
64          MinorMisdemeanorDialog.setFont(font)
65          MinorMisdemeanorDialog.setToolTip("")
66          MinorMisdemeanorDialog.setStyleSheet("background-color: rgb(25, 49, 91);\n"
67 "font: 75 11pt \"Palatino Linotype\";\n"
68 "font-weight: bold;")
69          MinorMisdemeanorDialog.setModal(True)
70          self.frame = QtWidgets.QFrame(MinorMisdemeanorDialog)
71          self.frame.setGeometry(QtCore.QRect(10, 110, 981, 101))
72          sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Fixed,
73 QtWidgets.QSizePolicy.Maximum)
74          sizePolicy.setHorizontalStretch(0)
75          sizePolicy.setVerticalStretch(0)
76          sizePolicy.setHeightForWidth(self.frame.sizePolicy().hasHeightForWidth())
77          self.frame.setSizePolicy(sizePolicy)
78          self.frame.setAutoFillBackground(False)
79          self.frame.setStyleSheet("background-color: rgb(240, 240, 240);\n"
80 "\n"
81 "")
82          self.frame.setFrameShape(QtWidgets.QFrame.Box)
83          self.frame.setFrameShadow(QtWidgets.QFrame.Plain)
84          self.frame.setLineWidth(2)
85          self.frame.setObjectName("frame")
86          self.layoutWidget = QtWidgets.QWidget(self.frame)
87          self.layoutWidget.setGeometry(QtCore.QRect(833, 10, 143, 81))
88          self.layoutWidget.setObjectName("layoutWidget")
89          self.gridLayout = QtWidgets.QGridLayout(self.layoutWidget)
90          self.gridLayout.setContentsMargins(0, 0, 0, 0)
91          self.gridLayout.setObjectName("gridLayout")
92          self.clear_fields_charge_Button = QtWidgets.QPushButton(self.layoutWidget)
```

```python
 93            self.clear_fields_charge_Button.setFocusPolicy(QtCore.Qt.NoFocus)
 94            self.clear_fields_charge_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
 95            self.clear_fields_charge_Button.setObjectName("clear_fields_charge_Button")
 96            self.gridLayout.addWidget(self.clear_fields_charge_Button, 0, 0, 1, 1)
 97            self.add_charge_Button = QtWidgets.QPushButton(self.layoutWidget)
 98            self.add_charge_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
 99            self.add_charge_Button.setObjectName("add_charge_Button")
100            self.gridLayout.addWidget(self.add_charge_Button, 2, 0, 1, 1)
101            self.layoutWidget1 = QtWidgets.QWidget(self.frame)
102            self.layoutWidget1.setGeometry(QtCore.QRect(10, 9, 811, 81))
103            self.layoutWidget1.setObjectName("layoutWidget1")
104            self.gridLayout_3 = QtWidgets.QGridLayout(self.layoutWidget1)
105            self.gridLayout_3.setContentsMargins(0, 0, 0, 0)
106            self.gridLayout_3.setObjectName("gridLayout_3")
107            self.label_6 = QtWidgets.QLabel(self.layoutWidget1)
108            self.label_6.setObjectName("label_6")
109            self.gridLayout_3.addWidget(self.label_6, 0, 0, 1, 1)
110            self.statute_choice_box = QtWidgets.QComboBox(self.layoutWidget1)
111            self.statute_choice_box.setEnabled(True)
112            self.statute_choice_box.setMinimumSize(QtCore.QSize(300, 0))
113            self.statute_choice_box.setFocusPolicy(QtCore.Qt.WheelFocus)
114            self.statute_choice_box.setStyleSheet("background-color: rgb(255, 255, 255);")
115            self.statute_choice_box.setEditable(True)
116            self.statute_choice_box.setObjectName("statute_choice_box")
117            self.gridLayout_3.addWidget(self.statute_choice_box, 0, 1, 1, 1)
118            self.freeform_entry_checkBox = QtWidgets.QCheckBox(self.layoutWidget1)
119            font = QtGui.QFont()
120            font.setFamily("Palatino Linotype")
121            font.setPointSize(9)
122            font.setBold(False)
123            font.setItalic(False)
124            font.setWeight(9)
125            self.freeform_entry_checkBox.setFont(font)
126            self.freeform_entry_checkBox.setFocusPolicy(QtCore.Qt.NoFocus)
127            self.freeform_entry_checkBox.setStyleSheet("font: 75 9pt \"Palatino Linotype\";")
128            self.freeform_entry_checkBox.setObjectName("freeform_entry_checkBox")
129            self.gridLayout_3.addWidget(self.freeform_entry_checkBox, 0, 2, 1, 2)
130            self.label_15 = QtWidgets.QLabel(self.layoutWidget1)
131            self.label_15.setObjectName("label_15")
132            self.gridLayout_3.addWidget(self.label_15, 1, 0, 1, 1)
133            self.offense_choice_box = QtWidgets.QComboBox(self.layoutWidget1)
134            self.offense_choice_box.setMinimumSize(QtCore.QSize(300, 0))
135            self.offense_choice_box.setStyleSheet("background-color: rgb(255, 255, 255);")
136            self.offense_choice_box.setEditable(True)
137            self.offense_choice_box.setObjectName("offense_choice_box")
138            self.gridLayout_3.addWidget(self.offense_choice_box, 1, 1, 1, 1)
```

```
139            self.label_23 = QtWidgets.QLabel(self.layoutWidget1)
140            self.label_23.setObjectName("label_23")
141            self.gridLayout_3.addWidget(self.label_23, 1, 2, 1, 1)
142            self.degree_choice_box = QtWidgets.QComboBox(self.layoutWidget1)
143            self.degree_choice_box.setEnabled(True)
144            self.degree_choice_box.setFocusPolicy(QtCore.Qt.NoFocus)
145            self.degree_choice_box.setStyleSheet("background-color: rgb(255, 255, 255);")
146            self.degree_choice_box.setObjectName("degree_choice_box")
147            self.degree_choice_box.addItem("")
148            self.degree_choice_box.addItem("")
149            self.degree_choice_box.addItem("")
150            self.degree_choice_box.addItem("")
151            self.degree_choice_box.addItem("")
152            self.degree_choice_box.addItem("")
153            self.gridLayout_3.addWidget(self.degree_choice_box, 1, 3, 1, 1)
154            self.frame_2 = QtWidgets.QFrame(MinorMisdemeanorDialog)
155            self.frame_2.setGeometry(QtCore.QRect(10, 220, 981, 331))
156            font = QtGui.QFont()
157            font.setFamily("Palatino Linotype")
158            font.setPointSize(11)
159            font.setBold(True)
160            font.setItalic(False)
161            font.setWeight(75)
162            self.frame_2.setFont(font)
163            self.frame_2.setStyleSheet("background-color: rgb(240, 240, 240);")
164            self.frame_2.setFrameShape(QtWidgets.QFrame.Box)
165            self.frame_2.setFrameShadow(QtWidgets.QFrame.Plain)
166            self.frame_2.setLineWidth(2)
167            self.frame_2.setObjectName("frame_2")
168            self.layoutWidget_2 = QtWidgets.QWidget(self.frame_2)
169            self.layoutWidget_2.setGeometry(QtCore.QRect(10, 10, 961, 271))
170            self.layoutWidget_2.setObjectName("layoutWidget_2")
171            self.charges_gridLayout = QtWidgets.QGridLayout(self.layoutWidget_2)
172            self.charges_gridLayout.setContentsMargins(0, 0, 0, 0)
173            self.charges_gridLayout.setObjectName("charges_gridLayout")
174            self.label_14 = QtWidgets.QLabel(self.layoutWidget_2)
175            font = QtGui.QFont()
176            font.setFamily("Palatino Linotype")
177            font.setPointSize(11)
178            font.setBold(True)
179            font.setItalic(False)
180            font.setWeight(75)
181            self.label_14.setFont(font)
182            self.label_14.setObjectName("label_14")
183            self.charges_gridLayout.addWidget(self.label_14, 4, 0, 1, 1)
184            self.plea_label_1 = QtWidgets.QLabel(self.layoutWidget_2)
```

```python
185            font = QtGui.QFont()
186            font.setFamily("Palatino Linotype")
187            font.setPointSize(11)
188            font.setBold(True)
189            font.setItalic(False)
190            font.setWeight(75)
191            self.plea_label_1.setFont(font)
192            self.plea_label_1.setObjectName("plea_label_1")
193            self.charges_gridLayout.addWidget(self.plea_label_1, 3, 0, 1, 1)
194            self.offense_label_1 = QtWidgets.QLabel(self.layoutWidget_2)
195            font = QtGui.QFont()
196            font.setFamily("Palatino Linotype")
197            font.setPointSize(11)
198            font.setBold(True)
199            font.setItalic(False)
200            font.setWeight(75)
201            self.offense_label_1.setFont(font)
202            self.offense_label_1.setWordWrap(True)
203            self.offense_label_1.setObjectName("offense_label_1")
204            self.charges_gridLayout.addWidget(self.offense_label_1, 0, 0, 1, 1)
205            self.label_19 = QtWidgets.QLabel(self.layoutWidget_2)
206            font = QtGui.QFont()
207            font.setFamily("Palatino Linotype")
208            font.setPointSize(11)
209            font.setBold(True)
210            font.setItalic(False)
211            font.setWeight(75)
212            self.label_19.setFont(font)
213            self.label_19.setObjectName("label_19")
214            self.charges_gridLayout.addWidget(self.label_19, 1, 0, 1, 1)
215            self.label_17 = QtWidgets.QLabel(self.layoutWidget_2)
216            font = QtGui.QFont()
217            font.setFamily("Palatino Linotype")
218            font.setPointSize(11)
219            font.setBold(True)
220            font.setItalic(False)
221            font.setWeight(75)
222            self.label_17.setFont(font)
223            self.label_17.setObjectName("label_17")
224            self.charges_gridLayout.addWidget(self.label_17, 5, 0, 1, 1)
225            self.label_4 = QtWidgets.QLabel(self.layoutWidget_2)
226            self.label_4.setText("")
227            self.label_4.setObjectName("label_4")
228            self.charges_gridLayout.addWidget(self.label_4, 7, 0, 1, 1)
229            self.label_20 = QtWidgets.QLabel(self.layoutWidget_2)
230            font = QtGui.QFont()
```

```python
231             font.setFamily("Palatino Linotype")
232             font.setPointSize(11)
233             font.setBold(True)
234             font.setItalic(False)
235             font.setWeight(75)
236             self.label_20.setFont(font)
237             self.label_20.setObjectName("label_20")
238             self.charges_gridLayout.addWidget(self.label_20, 2, 0, 1, 1)
239             self.label_10 = QtWidgets.QLabel(self.layoutWidget_2)
240             font = QtGui.QFont()
241             font.setFamily("Palatino Linotype")
242             font.setPointSize(11)
243             font.setBold(True)
244             font.setItalic(False)
245             font.setWeight(75)
246             self.label_10.setFont(font)
247             self.label_10.setObjectName("label_10")
248             self.charges_gridLayout.addWidget(self.label_10, 6, 0, 1, 1)
249             self.label_5 = QtWidgets.QLabel(self.layoutWidget_2)
250             self.label_5.setText("")
251             self.label_5.setObjectName("label_5")
252             self.charges_gridLayout.addWidget(self.label_5, 8, 0, 1, 1)
253             self.guilty_all_Button = QtWidgets.QPushButton(self.frame_2)
254             self.guilty_all_Button.setGeometry(QtCore.QRect(10, 290, 141, 34))
255             self.guilty_all_Button.setFocusPolicy(QtCore.Qt.NoFocus)
256             self.guilty_all_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
257             self.guilty_all_Button.setObjectName("guilty_all_Button")
258             self.no_contest_all_Button = QtWidgets.QPushButton(self.frame_2)
259             self.no_contest_all_Button.setGeometry(QtCore.QRect(170, 290, 141, 34))
260             self.no_contest_all_Button.setFocusPolicy(QtCore.Qt.NoFocus)
261             self.no_contest_all_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
262             self.no_contest_all_Button.setObjectName("no_contest_all_Button")
263             self.costs_and_fines_Button = QtWidgets.QPushButton(self.frame_2)
264             self.costs_and_fines_Button.setGeometry(QtCore.QRect(330, 290, 141, 34))
265             self.costs_and_fines_Button.setFocusPolicy(QtCore.Qt.NoFocus)
266             self.costs_and_fines_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
267             self.costs_and_fines_Button.setFlat(False)
268             self.costs_and_fines_Button.setObjectName("costs_and_fines_Button")
269             self.frame_3 = QtWidgets.QFrame(MinorMisdemeanorDialog)
270             self.frame_3.setGeometry(QtCore.QRect(10, 10, 981, 91))
271             sizePolicy = QtWidgets.QSizePolicy(QtWidgets.QSizePolicy.Fixed,
272     QtWidgets.QSizePolicy.Fixed)
273             sizePolicy.setHorizontalStretch(0)
274             sizePolicy.setVerticalStretch(0)
275             sizePolicy.setHeightForWidth(self.frame_3.sizePolicy().hasHeightForWidth())
276             self.frame_3.setSizePolicy(sizePolicy)
```

```
277             self.frame_3.setStyleSheet("background-color: rgb(240, 240, 240);\n"
278     "border-color: rgb(160, 48, 35);")
279             self.frame_3.setFrameShape(QtWidgets.QFrame.Box)
280             self.frame_3.setFrameShadow(QtWidgets.QFrame.Plain)
281             self.frame_3.setLineWidth(2)
282             self.frame_3.setObjectName("frame_3")
283             self.clear_fields_case_Button = QtWidgets.QPushButton(self.frame_3)
284             self.clear_fields_case_Button.setGeometry(QtCore.QRect(835, 50, 141, 33))
285             self.clear_fields_case_Button.setFocusPolicy(QtCore.Qt.NoFocus)
286             self.clear_fields_case_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
287             self.clear_fields_case_Button.setObjectName("clear_fields_case_Button")
288             self.cancel_Button = QtWidgets.QPushButton(self.frame_3)
289             self.cancel_Button.setGeometry(QtCore.QRect(835, 10, 141, 33))
290             self.cancel_Button.setFocusPolicy(QtCore.Qt.NoFocus)
291             self.cancel_Button.setStyleSheet("background-color: rgb(160, 160, 160);")
292             self.cancel_Button.setObjectName("cancel_Button")
293             self.layoutWidget2 = QtWidgets.QWidget(self.frame_3)
294             self.layoutWidget2.setGeometry(QtCore.QRect(11, 10, 811, 71))
295             self.layoutWidget2.setObjectName("layoutWidget2")
296             self.gridLayout_2 = QtWidgets.QGridLayout(self.layoutWidget2)
297             self.gridLayout_2.setContentsMargins(0, 0, 0, 0)
298             self.gridLayout_2.setObjectName("gridLayout_2")
299             self.label = QtWidgets.QLabel(self.layoutWidget2)
300             self.label.setObjectName("label")
301             self.gridLayout_2.addWidget(self.label, 0, 0, 1, 1)
302             self.defendant_first_name_lineEdit = QtWidgets.QLineEdit(self.layoutWidget2)
303             self.defendant_first_name_lineEdit.setMaximumSize(QtCore.QSize(500, 16777215))
304             self.defendant_first_name_lineEdit.setStyleSheet("background-color: rgb(255, 255,
305     255);")
306             self.defendant_first_name_lineEdit.setObjectName("defendant_first_name_lineEdit")
307             self.gridLayout_2.addWidget(self.defendant_first_name_lineEdit, 0, 1, 1, 1)
308             self.label_26 = QtWidgets.QLabel(self.layoutWidget2)
309             self.label_26.setObjectName("label_26")
310             self.gridLayout_2.addWidget(self.label_26, 0, 2, 1, 1)
311             self.plea_trial_date = QtWidgets.QDateEdit(self.layoutWidget2)
312             self.plea_trial_date.setFocusPolicy(QtCore.Qt.NoFocus)
313             self.plea_trial_date.setStyleSheet("background-color: rgb(255, 255, 255);")
314             self.plea_trial_date.setMinimumDate(QtCore.QDate(2021, 1, 1))
315             self.plea_trial_date.setCalendarPopup(True)
316             self.plea_trial_date.setDate(QtCore.QDate(2021, 1, 1))
317             self.plea_trial_date.setObjectName("plea_trial_date")
318             self.gridLayout_2.addWidget(self.plea_trial_date, 0, 3, 1, 1)
319             self.label_2 = QtWidgets.QLabel(self.layoutWidget2)
320             self.label_2.setObjectName("label_2")
321             self.gridLayout_2.addWidget(self.label_2, 1, 0, 1, 1)
322             self.defendant_last_name_lineEdit = QtWidgets.QLineEdit(self.layoutWidget2)
```

```python
323            self.defendant_last_name_lineEdit.setEnabled(True)
324            self.defendant_last_name_lineEdit.setStyleSheet("background-color: rgb(255, 255,
325    255);")
326            self.defendant_last_name_lineEdit.setObjectName("defendant_last_name_lineEdit")
327            self.gridLayout_2.addWidget(self.defendant_last_name_lineEdit, 1, 1, 1, 1)
328            self.label_3 = QtWidgets.QLabel(self.layoutWidget2)
329            self.label_3.setObjectName("label_3")
330            self.gridLayout_2.addWidget(self.label_3, 1, 2, 1, 1)
331            self.case_number_lineEdit = QtWidgets.QLineEdit(self.layoutWidget2)
332            self.case_number_lineEdit.setMaximumSize(QtCore.QSize(500, 16777215))
333            self.case_number_lineEdit.setStyleSheet("background-color: rgb(255, 255, 255);")
334            self.case_number_lineEdit.setObjectName("case_number_lineEdit")
335            self.gridLayout_2.addWidget(self.case_number_lineEdit, 1, 3, 1, 1)
336            self.frame_4 = QtWidgets.QFrame(MinorMisdemeanorDialog)
337            self.frame_4.setGeometry(QtCore.QRect(10, 560, 491, 121))
338            self.frame_4.setStyleSheet("background-color: rgb(240, 240, 240);")
339            self.frame_4.setFrameShape(QtWidgets.QFrame.Box)
340            self.frame_4.setFrameShadow(QtWidgets.QFrame.Plain)
341            self.frame_4.setLineWidth(2)
342            self.frame_4.setObjectName("frame_4")
343            self.layoutWidget3 = QtWidgets.QWidget(self.frame_4)
344            self.layoutWidget3.setGeometry(QtCore.QRect(10, 10, 471, 99))
345            self.layoutWidget3.setObjectName("layoutWidget3")
346            self.formLayout = QtWidgets.QFormLayout(self.layoutWidget3)
347            self.formLayout.setContentsMargins(0, 0, 0, 0)
348            self.formLayout.setObjectName("formLayout")
349            self.label_11 = QtWidgets.QLabel(self.layoutWidget3)
350            self.label_11.setObjectName("label_11")
351            self.formLayout.setWidget(0, QtWidgets.QFormLayout.LabelRole, self.label_11)
352            self.court_costs_box = QtWidgets.QComboBox(self.layoutWidget3)
353            self.court_costs_box.setStyleSheet("background-color: rgb(255, 255, 255);")
354            self.court_costs_box.setObjectName("court_costs_box")
355            self.court_costs_box.addItem("")
356            self.court_costs_box.addItem("")
357            self.formLayout.setWidget(0, QtWidgets.QFormLayout.FieldRole, self.court_costs_box)
358            self.label_9 = QtWidgets.QLabel(self.layoutWidget3)
359            self.label_9.setObjectName("label_9")
360            self.formLayout.setWidget(1, QtWidgets.QFormLayout.LabelRole, self.label_9)
361            self.ability_to_pay_box = QtWidgets.QComboBox(self.layoutWidget3)
362            self.ability_to_pay_box.setStyleSheet("background-color: rgb(255, 255, 255);")
363            self.ability_to_pay_box.setObjectName("ability_to_pay_box")
364            self.ability_to_pay_box.addItem("")
365            self.ability_to_pay_box.addItem("")
366            self.ability_to_pay_box.addItem("")
367            self.ability_to_pay_box.addItem("")
368            self.formLayout.setWidget(1, QtWidgets.QFormLayout.FieldRole,
```

```
369    self.ability_to_pay_box)
370            self.label_18 = QtWidgets.QLabel(self.layoutWidget3)
371            self.label_18.setObjectName("label_18")
372            self.formLayout.setWidget(2, QtWidgets.QFormLayout.LabelRole, self.label_18)
373            self.balance_due_date = QtWidgets.QDateEdit(self.layoutWidget3)
374            self.balance_due_date.setStyleSheet("background-color: rgb(255, 255, 255);")
375            self.balance_due_date.setObjectName("balance_due_date")
376            self.formLayout.setWidget(2, QtWidgets.QFormLayout.FieldRole,
377    self.balance_due_date)
378            self.create_entry_Button = QtWidgets.QPushButton(MinorMisdemeanorDialog)
379            self.create_entry_Button.setGeometry(QtCore.QRect(810, 740, 181, 31))
380            self.create_entry_Button.setStyleSheet("background-color: rgb(0, 255, 0);")
381            self.create_entry_Button.setAutoDefault(False)
382            self.create_entry_Button.setObjectName("create_entry_Button")
383            self.frame_5 = QtWidgets.QFrame(MinorMisdemeanorDialog)
384            self.frame_5.setGeometry(QtCore.QRect(10, 690, 491, 81))
385            self.frame_5.setStyleSheet("background-color: rgb(240, 240, 240);")
386            self.frame_5.setFrameShape(QtWidgets.QFrame.Box)
387            self.frame_5.setFrameShadow(QtWidgets.QFrame.Plain)
388            self.frame_5.setLineWidth(2)
389            self.frame_5.setObjectName("frame_5")
390            self.layoutWidget4 = QtWidgets.QWidget(self.frame_5)
391            self.layoutWidget4.setGeometry(QtCore.QRect(11, 10, 471, 66))
392            self.layoutWidget4.setObjectName("layoutWidget4")
393            self.formLayout_3 = QtWidgets.QFormLayout(self.layoutWidget4)
394            self.formLayout_3.setContentsMargins(0, 0, 0, 0)
395            self.formLayout_3.setObjectName("formLayout_3")
396            self.label_21 = QtWidgets.QLabel(self.layoutWidget4)
397            self.label_21.setObjectName("label_21")
398            self.formLayout_3.setWidget(0, QtWidgets.QFormLayout.LabelRole, self.label_21)
399            self.fra_in_file_box = QtWidgets.QComboBox(self.layoutWidget4)
400            self.fra_in_file_box.setStyleSheet("background-color: rgb(255, 255, 255);")
401            self.fra_in_file_box.setObjectName("fra_in_file_box")
402            self.fra_in_file_box.addItem("")
403            self.fra_in_file_box.addItem("")
404            self.fra_in_file_box.addItem("")
405            self.formLayout_3.setWidget(0, QtWidgets.QFormLayout.FieldRole,
406    self.fra_in_file_box)
407            self.label_22 = QtWidgets.QLabel(self.layoutWidget4)
408            self.label_22.setObjectName("label_22")
409            self.formLayout_3.setWidget(1, QtWidgets.QFormLayout.LabelRole, self.label_22)
410            self.fra_in_court_box = QtWidgets.QComboBox(self.layoutWidget4)
411            self.fra_in_court_box.setStyleSheet("background-color: rgb(255, 255, 255);")
412            self.fra_in_court_box.setObjectName("fra_in_court_box")
413            self.fra_in_court_box.addItem("")
414            self.fra_in_court_box.addItem("")
```

```
415    self.fra_in_court_box.addItem("")
416    self.formLayout_3.setWidget(1, QtWidgets.QFormLayout.FieldRole,
417 self.fra_in_court_box)
418    self.frame_6 = QtWidgets.QFrame(MinorMisdemeanorDialog)
419    self.frame_6.setGeometry(QtCore.QRect(510, 560, 481, 171))
420    self.frame_6.setStyleSheet("background-color: rgb(240, 240, 240);\n"
421 "font: 75 9pt \"Palatino Linotype\";\n"
422 "font-weight: bold;")
423    self.frame_6.setFrameShape(QtWidgets.QFrame.Box)
424    self.frame_6.setFrameShadow(QtWidgets.QFrame.Plain)
425    self.frame_6.setLineWidth(2)
426    self.frame_6.setObjectName("frame_6")
427    self.label_24 = QtWidgets.QLabel(self.frame_6)
428    self.label_24.setGeometry(QtCore.QRect(14, 10, 451, 16))
429    font = QtGui.QFont()
430    font.setFamily("Palatino Linotype")
431    font.setPointSize(9)
432    font.setBold(True)
433    font.setItalic(False)
434    font.setUnderline(True)
435    font.setWeight(75)
436    self.label_24.setFont(font)
437    self.label_24.setAlignment(QtCore.Qt.AlignCenter)
438    self.label_24.setObjectName("label_24")
439    self.layoutWidget5 = QtWidgets.QWidget(self.frame_6)
440    self.layoutWidget5.setGeometry(QtCore.QRect(10, 30, 461, 131))
441    self.layoutWidget5.setObjectName("layoutWidget5")
442    self.gridLayout_5 = QtWidgets.QGridLayout(self.layoutWidget5)
443    self.gridLayout_5.setContentsMargins(0, 0, 0, 0)
444    self.gridLayout_5.setObjectName("gridLayout_5")
445    self.license_suspension_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
446    self.license_suspension_checkBox.setObjectName("license_suspension_checkBox")
447    self.gridLayout_5.addWidget(self.license_suspension_checkBox, 0, 0, 1, 1)
448    self.checkBox_4 = QtWidgets.QCheckBox(self.layoutWidget5)
449    self.checkBox_4.setEnabled(False)
450    self.checkBox_4.setFocusPolicy(QtCore.Qt.NoFocus)
451    self.checkBox_4.setObjectName("checkBox_4")
452    self.gridLayout_5.addWidget(self.checkBox_4, 0, 1, 1, 1)
453    self.community_service_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
454    self.community_service_checkBox.setObjectName("community_service_checkBox")
455    self.gridLayout_5.addWidget(self.community_service_checkBox, 1, 0, 1, 1)
456    self.checkBox_5 = QtWidgets.QCheckBox(self.layoutWidget5)
457    self.checkBox_5.setEnabled(False)
458    self.checkBox_5.setFocusPolicy(QtCore.Qt.NoFocus)
459    self.checkBox_5.setObjectName("checkBox_5")
460    self.gridLayout_5.addWidget(self.checkBox_5, 1, 1, 1, 1)
```

```
461        self.community_control_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
462        self.community_control_checkBox.setEnabled(False)
463        self.community_control_checkBox.setObjectName("community_control_checkBox")
464        self.gridLayout_5.addWidget(self.community_control_checkBox, 2, 0, 1, 1)
465        self.checkBox_3 = QtWidgets.QCheckBox(self.layoutWidget5)
466        self.checkBox_3.setEnabled(False)
467        self.checkBox_3.setFocusPolicy(QtCore.Qt.NoFocus)
468        self.checkBox_3.setObjectName("checkBox_3")
469        self.gridLayout_5.addWidget(self.checkBox_3, 2, 1, 1, 1)
470        self.checkBox_7 = QtWidgets.QCheckBox(self.layoutWidget5)
471        self.checkBox_7.setEnabled(False)
472        self.checkBox_7.setFocusPolicy(QtCore.Qt.NoFocus)
473        self.checkBox_7.setObjectName("checkBox_7")
474        self.gridLayout_5.addWidget(self.checkBox_7, 3, 0, 1, 1)
475        self.other_conditions_checkBox = QtWidgets.QCheckBox(self.layoutWidget5)
476        self.other_conditions_checkBox.setEnabled(True)
477        self.other_conditions_checkBox.setFocusPolicy(QtCore.Qt.NoFocus)
478        self.other_conditions_checkBox.setObjectName("other_conditions_checkBox")
479        self.gridLayout_5.addWidget(self.other_conditions_checkBox, 3, 1, 1, 1)
480        self.add_conditions_Button = QtWidgets.QPushButton(MinorMisdemeanorDialog)
481        self.add_conditions_Button.setGeometry(QtCore.QRect(510, 740, 181, 31))
482        self.add_conditions_Button.setStyleSheet("background-color: rgb(157, 53, 36);")
483        self.add_conditions_Button.setAutoDefault(False)
484        self.add_conditions_Button.setObjectName("add_conditions_Button")
485
486        self.retranslateUi(MinorMisdemeanorDialog)
487        QtCore.QMetaObject.connectSlotsByName(MinorMisdemeanorDialog)
488        MinorMisdemeanorDialog.setTabOrder(self.defendant_first_name_lineEdit,
489    self.defendant_last_name_lineEdit)
490        MinorMisdemeanorDialog.setTabOrder(self.defendant_last_name_lineEdit,
491    self.case_number_lineEdit)
492        MinorMisdemeanorDialog.setTabOrder(self.case_number_lineEdit,
493    self.statute_choice_box)
494        MinorMisdemeanorDialog.setTabOrder(self.statute_choice_box,
495    self.offense_choice_box)
496        MinorMisdemeanorDialog.setTabOrder(self.offense_choice_box,
497    self.add_charge_Button)
498        MinorMisdemeanorDialog.setTabOrder(self.add_charge_Button,
499    self.ability_to_pay_box)
500        MinorMisdemeanorDialog.setTabOrder(self.ability_to_pay_box, self.balance_due_date)
501        MinorMisdemeanorDialog.setTabOrder(self.balance_due_date, self.fra_in_file_box)
502        MinorMisdemeanorDialog.setTabOrder(self.fra_in_file_box, self.fra_in_court_box)
503        MinorMisdemeanorDialog.setTabOrder(self.fra_in_court_box,
504    self.license_suspension_checkBox)
505        MinorMisdemeanorDialog.setTabOrder(self.license_suspension_checkBox,
506    self.community_service_checkBox)
```

```
507          MinorMisdemeanorDialog.setTabOrder(self.community_service_checkBox,
508    self.community_control_checkBox)
509          MinorMisdemeanorDialog.setTabOrder(self.community_control_checkBox,
510    self.add_conditions_Button)
511          MinorMisdemeanorDialog.setTabOrder(self.add_conditions_Button,
512    self.create_entry_Button)
513
514       def retranslateUi(self, MinorMisdemeanorDialog):
515          _translate = QtCore.QCoreApplication.translate
516          MinorMisdemeanorDialog.setWindowTitle(_translate("MinorMisdemeanorDialog",
517    "Minor Misdemeanor Case Information"))
518          self.clear_fields_charge_Button.setText(_translate("MinorMisdemeanorDialog", "Clear
519    Fields"))
520          self.add_charge_Button.setText(_translate("MinorMisdemeanorDialog", "Add Charge"))
521          self.label_6.setText(_translate("MinorMisdemeanorDialog", "Statute:"))
522          self.freeform_entry_checkBox.setText(_translate("MinorMisdemeanorDialog", "Enable
523    freeform entry for offense/statute"))
524          self.label_15.setText(_translate("MinorMisdemeanorDialog", "Offense:"))
525          self.label_23.setText(_translate("MinorMisdemeanorDialog", "Degree:"))
526          self.degree_choice_box.setItemText(0, _translate("MinorMisdemeanorDialog", "Minor
527    Misdemeanor"))
528          self.degree_choice_box.setItemText(1, _translate("MinorMisdemeanorDialog", "M1"))
529          self.degree_choice_box.setItemText(2, _translate("MinorMisdemeanorDialog", "M2"))
530          self.degree_choice_box.setItemText(3, _translate("MinorMisdemeanorDialog", "M3"))
531          self.degree_choice_box.setItemText(4, _translate("MinorMisdemeanorDialog", "M4"))
532          self.degree_choice_box.setItemText(5, _translate("MinorMisdemeanorDialog",
533    "Unclassified Misdemeanor"))
534          self.label_14.setText(_translate("MinorMisdemeanorDialog", "Finding:"))
535          self.plea_label_1.setText(_translate("MinorMisdemeanorDialog", "Plea:"))
536          self.offense_label_1.setText(_translate("MinorMisdemeanorDialog", "Offense:"))
537          self.label_19.setText(_translate("MinorMisdemeanorDialog", "Statute:"))
538          self.label_17.setText(_translate("MinorMisdemeanorDialog", "Fines:"))
539          self.label_20.setText(_translate("MinorMisdemeanorDialog", "Degree:"))
540          self.label_10.setText(_translate("MinorMisdemeanorDialog", "Fines Suspended:"))
541          self.guilty_all_Button.setText(_translate("MinorMisdemeanorDialog", "Guilty All"))
542          self.no_contest_all_Button.setText(_translate("MinorMisdemeanorDialog", "No Contest
543    All"))
544          self.costs_and_fines_Button.setText(_translate("MinorMisdemeanorDialog",
545    "Costs/Fines"))
546          self.clear_fields_case_Button.setText(_translate("MinorMisdemeanorDialog", "Clear
547    Fields"))
548          self.cancel_Button.setText(_translate("MinorMisdemeanorDialog", "Cancel"))
549          self.label.setText(_translate("MinorMisdemeanorDialog", "Def. First Name:"))
550          self.label_26.setText(_translate("MinorMisdemeanorDialog", "Date:"))
551          self.label_2.setText(_translate("MinorMisdemeanorDialog", "Def. Last Name:"))
552          self.label_3.setText(_translate("MinorMisdemeanorDialog", "Case Number:"))
```

```
553            self.label_11.setText(_translate("MinorMisdemeanorDialog", "Court Costs:"))
554            self.court_costs_box.setItemText(0, _translate("MinorMisdemeanorDialog", "Yes"))
555            self.court_costs_box.setItemText(1, _translate("MinorMisdemeanorDialog", "No"))
556            self.label_9.setText(_translate("MinorMisdemeanorDialog", "Time to pay fines/costs:"))
557            self.ability_to_pay_box.setItemText(0, _translate("MinorMisdemeanorDialog",
558    "forthwith"))
559            self.ability_to_pay_box.setItemText(1, _translate("MinorMisdemeanorDialog", "within
560    30 days"))
561            self.ability_to_pay_box.setItemText(2, _translate("MinorMisdemeanorDialog", "within
562    60 days"))
563            self.ability_to_pay_box.setItemText(3, _translate("MinorMisdemeanorDialog", "within
564    90 days"))
565            self.label_18.setText(_translate("MinorMisdemeanorDialog", "Fines/costs due date:"))
566            self.create_entry_Button.setText(_translate("MinorMisdemeanorDialog", "Create
567    Entry"))
568            self.label_21.setText(_translate("MinorMisdemeanorDialog", "FRA shown in
569    complaint/file:"))
570            self.fra_in_file_box.setItemText(0, _translate("MinorMisdemeanorDialog", "N/A"))
571            self.fra_in_file_box.setItemText(1, _translate("MinorMisdemeanorDialog", "Yes"))
572            self.fra_in_file_box.setItemText(2, _translate("MinorMisdemeanorDialog", "No"))
573            self.label_22.setText(_translate("MinorMisdemeanorDialog", "FRA shown in court:"))
574            self.fra_in_court_box.setItemText(0, _translate("MinorMisdemeanorDialog", "N/A"))
575            self.fra_in_court_box.setItemText(1, _translate("MinorMisdemeanorDialog", "Yes"))
576            self.fra_in_court_box.setItemText(2, _translate("MinorMisdemeanorDialog", "No"))
577            self.label_24.setText(_translate("MinorMisdemeanorDialog", "Additional Conditions"))
578            self.license_suspension_checkBox.setText(_translate("MinorMisdemeanorDialog",
579    "License Suspension"))
580            self.checkBox_4.setText(_translate("MinorMisdemeanorDialog", "Commitment"))
581            self.community_service_checkBox.setText(_translate("MinorMisdemeanorDialog",
582    "Community Service"))
583            self.checkBox_5.setText(_translate("MinorMisdemeanorDialog", "Forfeiture"))
584            self.community_control_checkBox.setText(_translate("MinorMisdemeanorDialog",
585    "Community Control"))
586            self.checkBox_3.setText(_translate("MinorMisdemeanorDialog", "Fingerprinting"))
587            self.checkBox_7.setText(_translate("MinorMisdemeanorDialog", "Vehicle Conditions"))
588            self.other_conditions_checkBox.setText(_translate("MinorMisdemeanorDialog",
589    "Other"))
590            self.add_conditions_Button.setText(_translate("MinorMisdemeanorDialog", "Add
591    Conditions"))
```