Estimated Dynamic Optimization (EDO) Model

Gary Young (editor)

June 26, 2016

Contents

Chapter 1

EDO model packages

The Estimated Dynamic Optimization (EDO) Model is available from the Federal Reserve Board of Governors website:

> The model package zip file (link below) contains the following files:
>
> - A readme file with basic instructions.
> - Dynare mod files to run two versions of the EDO model, one with variables in levels and the other with variables in log deviations from steady state. Both versions include the nonlinear equations derived from household and firm optimization problems. The version in levels more closely follows the derivations described in the article "Unemployment During the Great Recession in the EDO Model of the U.S. Economy", while the version in log deviations facilitates the reporting of simulation results. These programs solve the model, report some basic model statistics, and run some basic impulse response simulations.

Notice that the edo (zip) is actually contained in the "EDO variable listing (ZIP)" link and the mentioned "variable listing zip file" doesn't seem to be available anywhere:

> The variable listing zip file (link below) contains an HTML representation of the EDO model, showing linkages between variables, parameters, and equations.

> EDO variable listing (ZIP)

> NOTE: The programs for simulating the EDO model are written for use with the Dynare software package. The Dynare package can be downloaded without cost at www.dynare.org While Dynare itself is free, it requires the installation of either Matlab or Octave. Matlab is a commercial product available at www.mathworks.com. Octave is free-ware, and is available at www.gnu.org/software/octave

Dynare and octave were available in The Ubuntu Software Center for my computer. From the readme file, to execute the model:

> 5) Run the command "dynare linearized" or "dynare Dynare_edo" from the Matlab/Octave command line to run the two model versions

The model fails for me and when googling for the error "dynare linearized trans_A undefined" we get

> At the moment, Octave 4 is not supported yet. See https://github.com/DynareTeam/dynare/issues/1113

at "Trans_A Matrix error" and "Make Dynare compatible with Octave 4.0 #1113".

Appendices

Appendix A

Original Files

A.1 Dynare_edo_mod

9 ⟨*srcedo/Dynare.edo.mod* 9⟩≡

```
var RC RK WC WK YC YK MCC MCK KC  KK PKB R L QK HC  HSC  HK HSK  UHC UHSC UHK UHSK empC  HrC  e
 DIFFREALGDP_obs DIFFREALEC_obs DIFFREALEIK_obs DIFFREALECD_obs DIFFREALECH_obs DIFFREALW_obs A


varexo eHG eXiL eLpref eR eMUZK eMUZM ePMKC ePMKK eEFFECH eEFFECD eEFFK eB eSTAR;


parameters
h r_inf r_y r_dy phi_pc phi_H phi_wc phi_ic phi_cd phi_ech gam_pc gam_wc gam_ic gam_icd rho_R r
rho_EFFECD rho_HG rho_EFFECH tp2 ONE MUZMSS MUZKSS  r_dinf rpr phi_u rho_MUZK rho_MUZM pbeta de
theta_k theta_wc theta_wk g_y a_ks s_AS gam_h gam_ech  s_k s_ecdc eta_cnn eta_cd eta_ch
icoef mu_ betarl MUZCSS RCSS RKSS WCSS WKSS YCSS YKSS MCCSS MCKSS KCSS KKSS LSS HCSS HKSS QKSS
MUCSS MUKSS AHSS ECDSS KCDSS QCDSS RCDSS ECHSS KCHSS QCHSS RCHSS UKSS UCSS USS MUKSShabit MUCSS
INFCNASS INFCORSS INFC10SS  RT2SS beta_0 beta_2 beta_ PYSS AA DD RR
eta_cd_eta_cnn eta_ch_eta_cnn Rnr ycbi_ykb hc_hk HSS ycbi ykb YYSS s_k_ecd s_c_ech s_k_eik s_yc
sig_HG sig_XiL sig_lpref sig_R sig_MUZK sig_MUZM sig_PMKC sig_PMKK sig_EFFECH  sig_EFFECD sig_E
HSKSS HSCSS HrCSS HrKSS A_HC sigman sigmah A_HK xsi_NC xsi_HrC xsi_NK xsi_HrK rho_XiL rho_lpref
empCSS empKSS HrSKSS HrSCSS empSCSS empSKSS UHCSS UHKSS UHSCSS UHSKSS unempSS DIFFREALGDPSS DIF
DIFFREALECHSS DIFFREALEIKSS DIFFREALWSS  RL1SS RL2SS RL3SS RL4SS RL5SS
RL6SS RL7SS DIFFREALGDPSS_obs DIFFREALECSS_obs DIFFREALEIKSS_obs DIFFREALECDSS_obs
DIFFREALECHSS_obs DIFFREALWSS_obs INFCNASS_obs INFCORSS_obs INFKSS_obs
RSS_obs RT2SS_obs unempSS_obs;


//estimated_params;
h               = 0.715162417869797;
```

```
r_inf           = 1.46344163969035;
r_y             = 0.263123294207851;
phi_pc          = 3.54471453295450;
phi_H           = 3.22894079106560;
phi_wc          = 5.49395755514723;
phi_ic          = 0.253308786976374;
phi_cd          = 0.470089385005009;
phi_ech         = 9.13986886546163;
gam_pc          = 0.314488926051065;
gam_wc          = -0.230018833252054;
sigman          = 39.4075260618789;
sigmah          = 21.8859803402692;
rho_R           = 0.833200065745674;
rho_XiL         = 0.263567746111198;
rho_lpref       = 0.979092048897712;
rho_B           = 0.895267027146152;
rho_STAR        = 0.909187927454138;
rho_EFFK        = 0.937829274540004;
rho_EFFECD      = -0.240286975088701;
rho_HG          = 0.582395471123139;
rho_EFFECH      = 0.877235725078934;
tp2             = 0.000307314910763576;
sig_HG          = 0.579315931803017;
sig_XiL         = 2.49313873916751;
sig_lpref       = 5.66476748114241;
sig_R           = 0.124100461010359;
sig_MUZK        = 0.936167718269030;
sig_MUZM        = 0.597390920898135;
sig_PMKC        = 0.451830653200989;
sig_PMKK        = 0.685376191952156;
sig_EFFECH      = 0.514704527091087;
sig_EFFECD      = 9.11199585973990;
sig_EFFK        = 0.402779878811407;
sig_B           = 0.295232712196573;
sig_STAR        = 0.104877885500673;
//end_estimated_params;

//calibrated_params;
r_dy = 0;
ONE = 1;
MUZKSS = 1.009250;
MUZMSS = 1.001000;
gam_ic = 1.0;
gam_icd = 1.0;
r_dinf = 0;
rpr = 0.965;
```

```
phi_u = 1;
rho_MUZK = 0;
rho_MUZM = 0;
pbeta = 0.99862;
delta_ = 0.03;
h_cd = 0.0;
h_ch = 0.0;
delta_cd = 0.055;
delta_ch = 0.0035;
alpha_ = 0.26;
theta_c = 7;
theta_k = 7;
unempSS = .06;
g_y = 0.0;
a_ks = 0.2;
s_AS = 0.2;
gam_h = 1;
gam_ech = 1;
icoef = 3;
betarl = .958;
//end_calibrated_params;

//free_params;
//A_HC;
//A_HK;
//xsi_NC;
//xsi_HrC;
//xsi_NK;
//xsi_HrK;
//theta_wc;
//theta_wk;
//infkbar;
//infcbar;
//infwcbar;
//infwkbar;
//Pybar;
//Yybar;
//mu_yc;
//mu_yk;
//s_k;
//s_ecdc;
//eta_cnn;
//eta_cd;
//eta_ch;
//mu_;
//end_free_params;
```

```
//calibrated ME


//****************************
//MODEL BLOCK
//****************************

model;
RC-MCC*YC/UC/KC(-1)*alpha_*MUK=0;
RK-MCK*YK/UK/KK(-1)*alpha_*MUK=0;
WC-MCC*YC/HC*(1-alpha_)=0;
WK-MCK*YK/HK*(1-alpha_)=0;
YC-(UC*KC(-1)/MUK)^alpha_*(HC)^(1-alpha_)=0;
YK-(UK*KK(-1)/MUK)^alpha_*(HK)^(1-alpha_)=0;
MCC*YC*theta_c-(theta_c-1)*YC-100*phi_pc*(INFC-gam_pc*INFC(-1)-(1-gam_pc)*INFCSS)*INF
MCK*YK*theta_k/PKB-(theta_k-1)*YK-100*phi_pc*(INFK-gam_pc*INFK(-1)-(1-gam_pc)*INFKSS)
QK-beta_*(1/EFFK)*(((1-delta_)*QK(+1)+RC(+1)*UC(+1))*L(+1)/MUK(+1)/L)=0;
QK-beta_*(1/EFFK)*(((1-delta_)*QK(+1)+RK(+1)*UK(+1))*L(+1)/MUK(+1)/L)=0;
L-betas*R/rpr/INFC(+1)/MUC(+1)*L(+1)=0;
ln(R/RSS)-rho_R*ln(R(-1)/RSS)-(1-rho_R)*(r_inf*ln(INFCNA/INFCNASS)+r_dinf*(ln(INFCNA)
L-eta_cnn/(EC-h*EC(-1)/MUC)+eta_cnn*beta_*h/(MUC(+1)*EC(+1)-h*EC)=0;
KK-(1-delta_)*KK(-1)/MUK+KC-(1-delta_)*KC(-1)/MUK-1*EIK+mu_*((UK^(1+1/phi_u)-1)/(1+1/

// XXXXXXXXXXXXXXXXXXXXXXXXXXXX
// labor block
// TOTAL LABOR INPUT (called "L" in the paper, I kept the "H" notation of the origina
-100+UHC*theta_wc-(theta_wc-1)*WC-100*phi_wc*(INFWC-gam_wc*INFWC(-1)-(1-gam_wc)*INFWC
UHSC-WC+phi_H/10*(HSC/HSK-gam_h*HSC(-1)/HSK(-1)-(1-gam_h)*HSCSS/HSKSS);//+100*eXiL=0;
-100+UHK*theta_wk-(theta_wk-1)*WK-100*phi_wc*(INFWK-gam_wc*INFWK(-1)-(1-gam_wc)*INFWK
UHSK-WK-phi_H/10*(HSC/HSK-gam_h*HSC(-1)/HSK(-1)-(1-gam_h)*HSCSS/HSKSS);//+100*eXiL=0;
UHC*L*Lpref-A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*(HC)^(-1+(1+sigman)/(1+sigman/(1+
UHSC*L*Lpref-A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*(HSC)^(-1+(1+sigman)/(1+sigman/(
UHK*L*Lpref-A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*(HK)^(-1+(1+sigman)/(1+sigman/(1+
UHSK*L*Lpref-A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*(HSK)^(-1+(1+sigman)/(1+sigman/(
empC-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(-1/(1+sigmah+sigman))*HC^(1/(1+sigman/(1+sig
HrC-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(1/(1+sigmah))*empC^(sigman/(1+sigmah))=0;
empK-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(-1/(1+sigmah+sigman))*HK^(1/(1+sigman/(1+sig
HrK-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(1/(1+sigmah))*empK^(sigman/(1+sigmah))=0;
empSC-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(-1/(1+sigmah+sigman))*HSC^(1/(1+sigman/(1+s
HrSC-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(1/(1+sigmah))*empSC^(sigman/(1+sigmah))=0;
empSK-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(-1/(1+sigmah+sigman))*HSK^(1/(1+sigman/(1+s
HrSK-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(1/(1+sigmah))*empSK^(sigman/(1+sigmah))=0;
unemp-(empSC+empSK-(empC+empK))/(empSC+empSK)=0;
PKB-(1-100*phi_ic*(EIK-gam_ic*EIK(-1)-(1-gam_ic)*EIKSS)/(KC(-1)+KK(-1))*MUK)*QK-beta_
YC-EC-ECH-0.2*YCSS*HG=0;
```

```
ln(INFWC)-ln(WC)+ln(WC(-1))-ln(MUC)-ln(INFC)=0;
ln(INFWK)-ln(WK)+ln(WK(-1))-ln(MUC)-ln(INFC)=0;
ln(INFK)-ln(INFC)-ln(PKB)+ln(PKB(-1))+ln(MUK)-ln(MUC)=0;
YK-EIK-ECD-0.2*YKSS*HG=0;
ln(DIFFNORMGDP)-(1-s_k)*(ln(YC)-ln(YC(-1)))-s_k*(ln(YK)-ln(YK(-1)))=0;
ln(NORMINFGDP)-s_k*(ln(PKB)-ln(PKB(-1)))=0;
ln(DIFFREALGDP)-ln(DIFFNORMGDP)-(1-s_k)*ln(MUC)-s_k*ln(MUK)=0;
ln(DIFFREALEC)-ln(EC)+ln(EC(-1))-ln(MUC)=0;
ln(DIFFREALEIK)-ln(EIK)+ln(EIK(-1))-ln(MUK)=0;

// Identities
ln(DIFFREALW)-HCSS/AHSS*(ln(INFWC))-HKSS/AHSS*(ln(INFWK))+ln(INFC)=0;


// XXXXXXXXXXXXXXXXXXXX
// Aggregate hours equals agg hours in each sector
AH-HC-HK=0;
ln(INFGDP)-ln(INFC)-ln(YC*MUC/YC(-1))+ln(DIFFREALGDP)-ln((1+PKB*YK/YC)/(1+PKB(-1)*YK(-1)/YC(-1)
ln(INFCNA)-(1-s_ecdc)*ln(INFC)-s_ecdc*ln(INFK)=0;
ln(INFCOR)-(1-s_ecdc)*ln(INFC)-s_ecdc*ln(INFK)=0;
ln(GAP)-(1-s_k)*ln(YC/YCSS)-s_k*ln(YK/YKSS)=0;
ln(PFGAP)-(1-alpha_)*((1-s_k)*ln(HC/HCSS)+s_k*ln(HK/HKSS))-alpha_*((1-s_k)*ln(UC/USS)+s_k*ln(UK
ln(INFC10)-betarl*ln(INFC10(+1))-(1-betarl)*ln(INFCOR)=0;

// See Section 8: Data Identities

// new equations
// Durable Block

KD-(1-delta_cd)*KD(-1)/MUK-ECD=0;
L*RCD-eta_cd/(KD(-1)/MUK-h_cd*LAGKD(-1)/(MUK(-1)*MUK))+beta_*eta_cd*h_cd/(KD-h_cd*KD(-1)/MUK)=0
QCD-beta_*(1/EFFECD)*L(+1)/L/MUK(+1)*(RCD(+1)+(1-delta_cd)*QCD(+1))=0;
PKB-QCD*(1-100*phi_cd*(ECD-gam_icd*ECD(-1)-(1-gam_icd)*ECDSS)/KD(-1)*MUK) - beta_*(1/EFFECD)*10

// Housing Block
L*RCH-eta_ch/(KCH(-1)/MUC-h_ch*LAGKCH(-1)/(MUC*MUC(-1)))+beta_*eta_ch*h_ch/(KCH-h_ch*KCH(-1)/MU
QCH-beta_*(1/EFFECH)*L(+1)/L/MUC(+1)*(RCH(+1)+(1-delta_ch)*QCH(+1))=0;
1*ECH+(1-delta_ch)*KCH(-1)/MUC-KCH=0;
1-QCH*(1-100*phi_ech*(ECH-gam_ech*ECH(-1)-(1-gam_ech)*ECHSS)/KCH(-1)*MUC) - beta_*(1/EFFECH)*10
ln(KD(-1))-ln(LAGKD)=0;
ln(KCH(-1))-ln(LAGKCH)=0;
RK-QK*mu_*UK^(1/phi_u)=0;
RC-QK*mu_*UC^(1/phi_u)=0;
ln(DIFFREALECH)-ln(MUC)-ln(ECH)+ln(ECH(-1))=0;
ln(DIFFREALECD)-ln(MUK)-ln(ECD)+ln(ECD(-1))=0;
ln(betas/beta_)-rho_B*ln(betas(-1)/beta_)-eB=0;
```

```
ln(XiL)-rho_XiL*ln(XiL(-1))-eXiL=0;
ln(Lpref)-rho_lpref*ln(Lpref(-1))-eLpref=0;
ln(EFFK)-rho_EFFK*ln(EFFK(-1))-eEFFK=0;
ln(MUZK/MUZKSS)-eMUZK=0;
ln(MUZM/MUZMSS)-eMUZM=0;
ln(HG)-rho_HG*ln(HG(-1))-eHG=0;
ln(MUC)-ln(MUZM)-alpha_*ln(MUZK)=0;
ln(MUK)-ln(MUZM)-ln(MUZK)=0;
ln(EFFECD)-rho_EFFECD*ln(EFFECD(-1))-eEFFECD=0;
ln(EFFECH)-rho_EFFECH*ln(EFFECH(-1))-eEFFECH=0;
ln(STAR)-rho_STAR*ln(STAR(-1))-eSTAR=0;
ln(RL1) - ln(R(+1))=0;
ln(RL2) - ln(RL1(+1))=0;
ln(RL3) - ln(RL2(+1))=0;
ln(RL4) - ln(RL3(+1))=0;
ln(RL5) - ln(RL4(+1))=0;
ln(RL6) - ln(RL5(+1))=0;
ln(RL7) - ln(RL6(+1))=0;
ln(RT2) - tp2 - 0.125*(ln(R) + ln(RL1) + ln(RL2) + ln(RL3) + ln(RL4) + ln(RL5) + ln(

//measurement_equations;
ln(DIFFREALGDP_obs/DIFFREALGDPSS_obs) = ln(DIFFREALGDP/DIFFREALGDPSS);
ln(DIFFREALEC_obs/DIFFREALECSS_obs)   = ln(DIFFREALEC/DIFFREALECSS);
ln(DIFFREALEIK_obs/DIFFREALEIKSS_obs) = ln(DIFFREALEIK/DIFFREALEIKSS);
ln(DIFFREALECD_obs/DIFFREALECDSS_obs) = ln(DIFFREALECD/DIFFREALECDSS);
ln(DIFFREALECH_obs/DIFFREALECHSS_obs) = ln(DIFFREALECH/DIFFREALECHSS);
ln(DIFFREALW_obs/DIFFREALWSS_obs)     = ln(DIFFREALW/DIFFREALWSS);
ln(AH_obs)                            = ln(AH/AHSS);
ln(INFCNA_obs/INFCNASS_obs)           = ln(INFCNA/INFCNASS);
ln(INFCOR_obs/INFCORSS_obs)           = ln(INFCOR/INFCORSS);
ln(INFK_obs/INFKSS_obs)               = ln(INFK/INFKSS);
ln(R_obs/RSS_obs)                     = ln(R/RSS);
ln(RT2_obs/RT2SS_obs)                 = ln(RT2/RT2SS);
ln(unemp_obs/unempSS_obs)             = ln(unemp/unempSS);
//end_measurement_equations;
end;

varobs DIFFREALGDP_obs DIFFREALEC_obs DIFFREALEIK_obs DIFFREALECD_obs DIFFREALECH_obs

shocks;
var eHG;
stderr sig_HG;
var eXiL;
stderr sig_XiL;
var eLpref;
stderr sig_lpref;
```

```
var eR;
stderr sig_R;
var eMUZK;
stderr sig_MUZK;
var eMUZM;
stderr sig_MUZM;
var ePMKC;
stderr sig_PMKC;
var ePMKK;
stderr sig_PMKK;
var eEFFECH;
stderr sig_EFFECH;
var eEFFECD;
stderr sig_EFFECD;
var eEFFK;
stderr sig_EFFK;
var eB;
stderr sig_B;
var eSTAR;
stderr sig_STAR;


var  DIFFREALGDP_obs;
stderr 0.3;
var  DIFFREALEC_obs;
stderr 0.1;
var  DIFFREALEIK_obs;
stderr 1.5;
var DIFFREALECD_obs;
stderr 1.5;
var DIFFREALECH_obs;
stderr 1.5;
var DIFFREALW_obs;
stderr 0.3;
var AH_obs;
stderr 0.3;
var INFCNA_obs;
stderr 0.5;
var INFCOR_obs;
stderr 0.05;
var INFK_obs;
stderr 0.2;
var RT2_obs;
stderr 0.1;
var unemp_obs;
stderr 4;
```

```
end;

steady;

estimated_params;
h               , .673          , -1          , 1     , uniform_pdf   ,,,-1
r_inf           , 1.461         , -999        , 999   , normal_pdf    , 1.5000
r_y             , 0.214         , -999        , 999   , normal_pdf    , 0.125
phi_pc          , 3.126         , 0           , 999   , gamma_pdf     , 4.0000
phi_H           , 4.064         , 0           , 999   , gamma_pdf     , 4.0000
phi_wc          , 5.119         , 0           , 999   , gamma_pdf     , 4.0000
phi_ic          , .325          , 0           , 999   , gamma_pdf     , 4.0000
phi_cd          , .651          , 0           , 999   , gamma_pdf     , 4.0000
phi_ech         , 10.948        , 0           , 999   , gamma_pdf     , 4.0000
gam_pc          , 0.386         , -999        , 999   , normal_pdf    , 0.000
gam_wc          , 0.213         , -999        , 999   , normal_pdf    , 0.000
sigman          , 1.25          , 0           , 999   , gamma_pdf     , 1.25
sigmah          , 10            , 0           , 999   , gamma_pdf     , 10
rho_R           , 0.654         , -1          , 1     , normal_pdf    , 0.5
rho_XiL         , 0.654         , -1          , 1     , normal_pdf    , 0.5
rho_lpref       , 0.954         , -1          , 1     , normal_pdf    , 0.5
rho_B           , 0.825         , -1          , 1     , normal_pdf    , 0
rho_STAR        , 0.825         , -1          , 1     , normal_pdf    , 0
rho_EFFK        , 0.850         , -1          , 1     , normal_pdf    , 0
rho_EFFECD      , .230          , -1          , 1     , normal_pdf    , 0
rho_HG          , 0.596         , 0           , 1     , beta_pdf      , 0.5
rho_EFFECH      , 0.844         , -1          , 1     , normal_pdf    , 0
tp2             , 0.001         , -999        , 999   , normal_pdf    , 0.0

stderr eHG      , .745          , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eXiL     , 3.621         , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eLpref   , 1.621         , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eR       , 0.165         , 0.0001      , 999   , inv_gamma_pdf , 0.354491
stderr eMUZK    , .834          , 0.0001      , 999   , inv_gamma_pdf , 0.443113
stderr eMUZM    , .484          , 0.0001      , 999   , inv_gamma_pdf , 0.443113
stderr ePMKC    , .391          , 0.0001      , 999   , inv_gamma_pdf , 0.354491
stderr ePMKK    , .552          , 0.0001      , 999   , inv_gamma_pdf , 0.354491
stderr eEFFECH  , .526          , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eEFFECD  , 13.349        , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eEFFK    , .499          , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eB       , 0.5           , 0.0001      , 999   , inv_gamma_pdf , 1.772454
stderr eSTAR    , 0.05          , 0.0001      , 999   , inv_gamma_pdf , 0.354491
end;


options_.order = 1;
```

```
options_.jacobian_flag = 1;
options_.nonlin = 1;

stoch_simul(order=1,irf=40,nograph);
```

This code is written to file `srcedo/Dynare.edo.mod`.

A.2 Dynare_edo_steadystate.m

18 ⟨*srcedo/Dynare.edo.steadystate.m* 18⟩≡

```
function [ys,check] = unlinearized_edo_steadystate(ys,exe)
        global M_

check = 0;

NumberofParameters=M_.param_nbr;
for i=1:NumberofParameters
    paramname=deblank(M_.param_names(i,:));
    eval([paramname ' =M_.params(' int2str(i) ');']);
end;

%start_steady_state;

beta_0 = pbeta;
beta_2 = pbeta*rpr; % s.s. funds rate premium
beta_ = beta_2;
MUZCSS=1;
ONE=1;
USS=1;
MUKSS=MUZKSS*MUZMSS;
MUCSS=MUZKSS^alpha_*MUZMSS;
MUKSShabit=MUKSS;
MUCSShabit=MUCSS;
PKBSS=theta_k/(theta_k-1)*(theta_c-1)/theta_c;
PYSS=1;
MCCSS=(theta_c-1)/theta_c;
MCKSS=(theta_k-1)/theta_k;
RKSS=MUKSS/beta_2-(1-delta_);
RCSS=MUKSS/beta_2-(1-delta_);
RCHSS=MUCSS/beta_2-(1-delta_ch); % Housing sector
RCDSS=MUKSS/beta_2-(1-delta_cd); % Durable sector
USS=1;
mu_=RCSS;
AA=alpha_/RKSS*MCKSS;
DD = 0.135;
RR = 0.075;
eta_cnn=1;
eta_cd_eta_cnn=DD/((MUKSShabit-beta_2*h_cd)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/
eta_ch_eta_cnn=RR/((MUCSShabit-beta_2*h_ch)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/
eta_ch=eta_ch_eta_cnn;
eta_cd=eta_cd_eta_cnn;
DD=eta_cd_eta_cnn*(MUKSShabit-beta_2*h_cd)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/(
RR=eta_ch_eta_cnn*(MUCSShabit-beta_2*h_ch)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/(
```

```
Rnr=(1-(1-delta_)/MUKSS)*AA*MUKSS;
ycbi_ykb=((1-s_AS)-Rnr)/((DD*(1-s_AS)/(1+RR))+Rnr);
hc_hk=ycbi_ykb*(RCSS*MCKSS/(RKSS*MCCSS))^(alpha_/(1-alpha_));
HSS=0.25;
AHSS=HSS;
HKSS=HSS/(1+hc_hk);
HCSS=HSS-HKSS;
HrCSS=1/3;
HrKSS=1/3;
empCSS=HCSS/HrCSS;
empKSS=HKSS/HrKSS;
ycbi=HCSS*(AA)^(alpha_/(1-alpha_));
ykb=HKSS*(AA)^(alpha_/(1-alpha_));
YCSS=ycbi;
YKSS=ykb;
KCSS=AA*ycbi*MUKSS;
KKSS=AA*ykb*MUKSS;
ECHSS=RR/(1+RR)*ycbi*(1-s_AS);
ECSS=1/(1+RR)*ycbi*(1-s_AS);
ECDSS=DD*PKBSS*ECSS;
EIKSS=(1-(1-delta_)/MUKSS)*(KCSS+KKSS);
KCDSS=ECDSS/(1-(1-delta_cd)/MUKSS);
KCHSS=ECHSS/(1-(1-delta_ch)/MUCSS);
YYSS=(YCSS+YKSS*PKBSS)/PYSS;
s_k_ecd=ECDSS/YKSS;
s_c_ech=ECHSS/YCSS;
s_k_eik=EIKSS/YKSS;
s_yc = (YCSS/YYSS);
s_ecdc=PKBSS*ECDSS/(ECSS+PKBSS*ECDSS+(MUCSS/beta_2-1+delta_ch)*KCHSS);
INFCNASS=exp(.02/4);
INFCSS = INFCNASS*((MUZCSS/MUZKSS)^(1-alpha_))^(-s_ecdc);
INFCORSS=INFCNASS;
INFKSS=INFCSS*(MUZCSS/MUZKSS)^(1-alpha_);
INFWCSS=INFCSS*MUZKSS^alpha_*MUZMSS;
INFWKSS=INFWCSS;
RSS=INFCSS/beta_0*MUCSS;
RT2SS=exp(tp2)*RSS;
INFC10SS = INFCNASS;
IMPHSSS = RCHSS*KCHSS;
s_k=PKBSS*YKSS/YYSS;
INFGDPSS=INFCSS^(YCSS/YYSS)*INFKSS^(YKSS*PKBSS/(YYSS));
LSS=eta_cnn/(ECSS*(1-h/MUCSShabit))-eta_cnn*beta_2*h/(ECSS*(MUCSShabit-h));
WCSS=MCCSS*(1-alpha_)*YCSS/HCSS;
WKSS=MCKSS*(1-alpha_)*YKSS/HKSS;
xsiN_xsiH_C = ((HrCSS/empCSS)^(1+sigmah))/(1+1/sigmah);
xsiN_xsiH_K = ((HrKSS/empKSS)^(1+sigmah))/(1+1/sigmah);
```

```
gC = (1/(1+sigman) + 1/sigmah)*(xsiN_xsiH_C*(1+sigmah)/sigmah)^(-(1+sigman)/(1+sigman
markup_xsiN_C = (HCSS^((1+sigmah)*(1+sigman)/(1+sigmah+sigman)-1))*gC/(LSS*WCSS);
gK = (1/(1+sigman) + 1/sigmah)*(xsiN_xsiH_K*(1+sigmah)/sigmah)^(-(1+sigman)/(1+sigman
markup_xsiN_K = (HKSS^((1+sigmah)*(1+sigman)/(1+sigmah+sigman)-1))*gK/(LSS*WKSS);
markup_w = (1-unempSS)^((1+sigmah+sigman)/(1+sigmah) - 1 - sigman);
theta_wc = markup_w/(markup_w -1); theta_wk = theta_wc;
A_HC=LSS*(theta_wc-1)/theta_wc*WCSS/(((1+sigman)/(1+sigman/(1+sigmah)))*HCSS^(-1+(1+s
A_HK=LSS*(theta_wk-1)/theta_wk*WKSS/(((1+sigman)/(1+sigman/(1+sigmah)))*HKSS^(-1+(1+s
xsi_NC=A_HC/((1/(1+sigman)+1/sigmah)*(HCSS^sigman/HrCSS^(1+sigman+sigmah))^((1+sigman
xsi_NK=A_HK/((1/(1+sigman)+1/sigmah)*(HKSS^sigman/HrKSS^(1+sigman+sigmah))^((1+sigman
xsi_HrC=xsi_NC*(1+sigmah)/sigmah*(HCSS^sigman/HrCSS^(1+sigman+sigmah));
xsi_HrK=xsi_NK*(1+sigmah)/sigmah*(HKSS^sigman/HrKSS^(1+sigman+sigmah));
UHCSS=A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*HCSS^(-1+(1+sigman)/(1+sigman/(1+sigmah
UHKSS=A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*HKSS^(-1+(1+sigman)/(1+sigman/(1+sigmah
HSCSS=(WCSS*LSS/(A_HC*((1+sigman)/(1+sigman/(1+sigmah)))))^(1/(-1+(1+sigman)/(1+sigma
HSKSS=(WKSS*LSS/(A_HK*((1+sigman)/(1+sigman/(1+sigmah)))))^(1/(-1+(1+sigman)/(1+sigma
empSCSS=((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(-1/(1+sigmah+sigman))*HSCSS^(1/(1+sigman/
empSKSS=((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(-1/(1+sigmah+sigman))*HSKSS^(1/(1+sigman/
HrSCSS=HSCSS/empSCSS;
HrSKSS=HSKSS/empSKSS;
UHSCSS=A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*HSCSS^(-1+(1+sigman)/(1+sigman/(1+sigm
UHSKSS=A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*HSKSS^(-1+(1+sigman)/(1+sigman/(1+sigm
unempSS=(empSCSS+empSKSS-(empCSS+empKSS))/(empSCSS+empSKSS);
QKSS=1;
QCDSS=1;
QCHSS=1;
UCSS=1;
UKSS=1;
XiBSS=1;
XiDSS=1;
XiHSS=1;
RL1SS=RSS;
RL2SS=RSS;
RL3SS=RSS;
RL4SS=RSS;
RL5SS=RSS;
RL6SS=RSS;
RL7SS=RSS;
DIFFREALECSS =exp( log(MUCSS));
DIFFREALEIKSS =exp( log(MUKSS));
DIFFREALECDSS =exp( log(MUKSS));
DIFFREALECHSS =exp( log(MUCSS));
DIFFREALWSS =exp( log(MUCSS) );
DIFFREALGDPSS =exp( (1-s_k)*log(MUCSS)+(s_k)*log(MUKSS));

%end_steady_state;
```

```
%trends;

DIFFREALGDPSS_obs=(1-s_k)*log(MUCSS)*100+(s_k)*log(MUKSS)*100;
DIFFREALECSS_obs=log(MUCSS)*100;
DIFFREALEIKSS_obs=log(MUKSS)*100;
DIFFREALECDSS_obs=log(MUKSS)*100;
DIFFREALECHSS_obs=log(MUCSS)*100;
DIFFREALWSS_obs=log(MUCSS)*100;
INFCNASS_obs=(1-s_ecdc)*log(INFCSS)*100+s_ecdc*log(INFKSS)*100;
INFCORSS_obs=(1-s_ecdc)*log(INFCSS)*100+s_ecdc*log(INFKSS)*100;
INFKSS_obs=log(INFCSS)*100-log(MUKSS)*100+log(MUCSS)*100;
RSS_obs=log(RSS)*100;
RT2SS_obs=log(RT2SS)*100;
unempSS_obs=100*log(unempSS);

%end_trends;


for i=1:NumberofParameters
    paramname=deblank(M_.param_names(i,:));
    eval(['M_.params(' int2str(i) ')=' paramname ';']);
end;


ys = [
RCSS
RKSS
WCSS
WKSS
YCSS
YKSS
MCCSS
MCKSS
KCSS
KKSS
PKBSS
RSS
LSS
QKSS
HCSS
HSCSS
HKSS
HSKSS
UHCSS
UHSCSS
```

```
UHKSS
UHSKSS
empCSS
HrCSS
empKSS
HrKSS
empSCSS
HrSCSS
empSKSS
HrSKSS
unempSS
EIKSS
ECSS
INFWCSS
INFWKSS
INFCSS
INFKSS
ONE
ONE
DIFFREALGDPSS
DIFFREALECSS
DIFFREALEIKSS
DIFFREALWSS
AHSS
INFGDPSS
INFCNASS
INFCORSS
ONE
ONE
INFC10SS
ECDSS
KCDSS
RCDSS
QCDSS
KCHSS
RCHSS
ECHSS
QCHSS
KCDSS
KCHSS
USS
USS
DIFFREALECHSS
DIFFREALECDSS
beta_
ONE
```

```
  ONE
  ONE
  MUZKSS
  MUZMSS
  ONE
  MUCSS
  MUKSS
  ONE
  ONE
  ONE
  RL1SS
  RL2SS
  RL3SS
  RL4SS
  RL5SS
  RL6SS
  RL7SS
  RT2SS
  DIFFREALGDPSS_obs
  DIFFREALECSS_obs
  DIFFREALEIKSS_obs
  DIFFREALECDSS_obs
  DIFFREALECHSS_obs
  DIFFREALWSS_obs
  ONE
  INFCNASS_obs
  INFCORSS_obs
  INFKSS_obs
  RSS_obs
  RT2SS_obs
  unempSS_obs
  ];
```

This code is written to file `srcedo/Dynare.edo.steadystate.m`.

A.3 linearized.mod

24 ⟨*srcedo/linearized.mod* 24⟩≡

```
var RC RK WC WK YC YK MCC MCK KC  KK PKB R L QK HC  HSC  HK HSK  UHC UHSC UHK UHSK er
 DIFFREALGDP_obs DIFFREALEC_obs DIFFREALEIK_obs DIFFREALECD_obs DIFFREALECH_obs DIFFR


varexo eHG eXiL eLpref eR eMUZK eMUZM ePMKC ePMKK eEFFECH eEFFECD eEFFK eB eSTAR;


parameters
h r_inf r_y r_dy phi_pc phi_H phi_wc phi_ic phi_cd phi_ech gam_pc gam_wc gam_ic gam_i
rho_EFFECD rho_HG rho_EFFECH tp2 ONE MUZMSS MUZKSS  r_dinf rpr phi_u rho_MUZK rho_MUZ
theta_k theta_wc theta_wk g_y a_ks s_AS gam_h gam_ech  s_k s_ecdc eta_cnn eta_cd eta_
icoef mu_ betarl MUZCSS RCSS RKSS WCSS WKSS YCSS YKSS MCCSS MCKSS KCSS KKSS LSS HCSS
MUCSS MUKSS AHSS ECDSS KCDSS QCDSS RCDSS ECHSS KCHSS QCHSS RCHSS UKSS UCSS USS MUKSSK
INFCNASS INFCORSS INFC10SS  RT2SS beta_0 beta_2 beta_ PYSS AA DD RR
eta_cd_eta_cnn eta_ch_eta_cnn Rnr ycbi_ykb hc_hk HSS ycbi ykb YYSS s_k_ecd s_c_ech s_
sig_HG sig_XiL sig_lpref sig_R sig_MUZK sig_MUZM sig_PMKC sig_PMKK sig_EFFECH  sig_EF
HSKSS HSCSS HrCSS HrKSS A_HC sigman sigmah A_HK xsi_NC xsi_HrC xsi_NK xsi_HrK rho_XiL
empCSS empKSS HrSKSS HrSCSS empSCSS empSKSS UHCSS UHKSS UHSCSS UHSKSS unempSS DIFFREA
DIFFREALECHSS DIFFREALEIKSS DIFFREALWSS  RL1SS RL2SS RL3SS RL4SS RL5SS
RL6SS RL7SS DIFFREALGDPSS_obs DIFFREALECSS_obs DIFFREALEIKSS_obs DIFFREALECDSS_obs
DIFFREALECHSS_obs DIFFREALWSS_obs INFCNASS_obs INFCORSS_obs INFKSS_obs
RSS_obs RT2SS_obs unempSS_obs;


//estimated_params;
h               = 0.715162417869797;
r_inf           = 1.46344163969035;
r_y             = 0.263123294207851;
phi_pc          = 3.54471453295450;
phi_H           = 3.22894079106560;
phi_wc          = 5.49395755514723;
phi_ic          = 0.253308786976374;
phi_cd          = 0.470089385005009;
phi_ech         = 9.13986886546163;
gam_pc          = 0.314488926051065;
gam_wc          = -0.230018833252054;
sigman          = 39.4075260618789;
sigmah          = 21.8859803402692;
rho_R           = 0.833200065745674;
rho_XiL         = 0.263567746111198;
rho_lpref       = 0.979092048897712;
rho_B           = 0.895267027146152;
```

```
rho_STAR        = 0.909187927454138;
rho_EFFK        = 0.937829274540004;
rho_EFFECD      = -0.240286975088701;
rho_HG          = 0.582395471123139;
rho_EFFECH      = 0.877235725078934;
tp2             = 0.000307314910763576;
sig_HG          = 0.579315931803017;
sig_XiL         = 2.49313873916751;
sig_lpref       = 5.66476748114241;
sig_R           = 0.124100461010359;
sig_MUZK        = 0.936167718269030;
sig_MUZM        = 0.597390920898135;
sig_PMKC        = 0.451830653200989;
sig_PMKK        = 0.685376191952156;
sig_EFFECH      = 0.514704527091087;
sig_EFFECD      = 9.11199585973990;
sig_EFFK        = 0.402779878811407;
sig_B           = 0.295232712196573;
sig_STAR        = 0.104877885500673;
//end_estimated_params;

//calibrated_params;
r_dy = 0;
ONE = 1;
MUZKSS = 1.009250;
MUZMSS = 1.001000;
gam_ic = 1.0;
gam_icd = 1.0;
r_dinf = 0;
rpr = 0.965;
phi_u = 1;
rho_MUZK = 0;
rho_MUZM = 0;
pbeta = 0.99862;
delta_ = 0.03;
h_cd = 0.0;
h_ch = 0.0;
delta_cd = 0.055;
delta_ch = 0.0035;
alpha_ = 0.26;
theta_c = 7;
theta_k = 7;
unempSS = .06;
g_y = 0.0;
a_ks = 0.2;
s_AS = 0.2;
```

```
gam_h = 1;
gam_ech = 1;
icoef = 3;
betarl = .958;
//end_calibrated_params;

//free_params;
//A_HC;
//A_HK;
//xsi_NC;
//xsi_HrC;
//xsi_NK;
//xsi_HrK;
//theta_wc;
//theta_wk;
//infkbar;
//infcbar;
//infwcbar;
//infwkbar;
//Pybar;
//Yybar;
//mu_yc;
//mu_yk;
//s_k;
//s_ecdc;
//eta_cnn;
//eta_cd;
//eta_ch;
//mu_;
//end_free_params;

//calibrated ME


//****************************
//MODEL BLOCK
//****************************

model;
(RCSS*exp(RC))-(MCCSS*exp(MCC))*(YCSS*exp(YC))/(USS*exp(UC))/(KCSS*exp(KC(-1)))*alpha
(RKSS*exp(RK))-(MCKSS*exp(MCK))*(YKSS*exp(YK))/(USS*exp(UK))/(KKSS*exp(KK(-1)))*alpha
(WCSS*exp(WC))-(MCCSS*exp(MCC))*(YCSS*exp(YC))/(HCSS*exp(HC))*(1-alpha_)=0;
(WKSS*exp(WK))-(MCKSS*exp(MCK))*(YKSS*exp(YK))/(HKSS*exp(HK))*(1-alpha_)=0;
(YCSS*exp(YC))-((USS*exp(UC))*(KCSS*exp(KC(-1)))/(MUKSS*exp(MUK)))^alpha_*((HCSS*exp
(YKSS*exp(YK))-((USS*exp(UK))*(KKSS*exp(KK(-1)))/(MUKSS*exp(MUK)))^alpha_*((HKSS*exp
(MCCSS*exp(MCC))*(YCSS*exp(YC))*theta_c-(theta_c-1)*(YCSS*exp(YC))-100*phi_pc*((INFCS
```

```
(MCKSS*exp(MCK))*(YKSS*exp(YK))*theta_k/(PKBSS*exp(PKB))-(theta_k-1)*(YKSS*exp(YK))-100*phi_pc*
(QKSS*exp(QK))-beta_*(1/(ONE*exp(EFFK)))*(((1-delta_)*(QKSS*exp(QK(+1)))+(RCSS*exp(RC(+1)))*(US
(QKSS*exp(QK))-beta_*(1/(ONE*exp(EFFK)))*(((1-delta_)*(QKSS*exp(QK(+1)))+(RKSS*exp(RK(+1)))*(US
(LSS*exp(L))-(beta_*exp(betas))*(RSS*exp(R))/rpr/(INFCSS*exp(INFC(+1)))/(MUCSS*exp(MUC(+1)))*(L
ln((RSS*exp(R))/RSS)-rho_R*ln((RSS*exp(R(-1)))/RSS)-(1-rho_R)*(r_inf*ln((INFCNASS*exp(INFCNA))/
(LSS*exp(L))-eta_cnn/((ECSS*exp(EC))-h*(ECSS*exp(EC(-1)))/(MUCSS*exp(MUC)))+eta_cnn*beta_*h/((M
(KKSS*exp(KK))-(1-delta_)*(KKSS*exp(KK(-1)))/(MUKSS*exp(MUK))+(KCSS*exp(KC))-(1-delta_)*(KCSS*e

// XXXXXXXXXXXXXXXXXXXXXXXXXXX
// labor block
// TOTAL LABOR INPUT (called "(LSS*exp(L))" in the paper, I kept the "H" notation of the origin
-100+(UHCSS*exp(UHC))*theta_wc-(theta_wc-1)*(WCSS*exp(WC))-100*phi_wc*((INFWCSS*exp(INFWC))-gam
(UHSCSS*exp(UHSC))-(WCSS*exp(WC))+phi_H/10*((HSCSS*exp(HSC))/(HSKSS*exp(HSK))-gam_h*(HSCSS*exp(
-100+(UHKSS*exp(UHK))*theta_wk-(theta_wk-1)*(WKSS*exp(WK))-100*phi_wc*((INFWKSS*exp(INFWK))-gam
(UHSKSS*exp(UHSK))-(WKSS*exp(WK))-phi_H/10*((HSCSS*exp(HSC))/(HSKSS*exp(HSK))-gam_h*(HSCSS*exp(
(UHCSS*exp(UHC))*(LSS*exp(L))*(ONE*exp(Lpref))-A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*((HCSS*e
(UHSCSS*exp(UHSC))*(LSS*exp(L))*(ONE*exp(Lpref))-A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*((HSCS
(UHKSS*exp(UHK))*(LSS*exp(L))*(ONE*exp(Lpref))-A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*((HKSS*e
(UHSKSS*exp(UHSK))*(LSS*exp(L))*(ONE*exp(Lpref))-A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*((HSKS
(empCSS*exp(empC))-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(-1/(1+sigmah+sigman))*(HCSS*exp(HC))^(1/
(HrCSS*exp(HrC))-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(1/(1+sigmah))*(empCSS*exp(empC))^(sigman/(
(empKSS*exp(empK))-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(-1/(1+sigmah+sigman))*(HKSS*exp(HK))^(1/
(HrKSS*exp(HrK))-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(1/(1+sigmah))*(empKSS*exp(empK))^(sigman/(
(empSCSS*exp(empSC))-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(-1/(1+sigmah+sigman))*(HSCSS*exp(HSC))
(HrSCSS*exp(HrSC))-((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(1/(1+sigmah))*(empSCSS*exp(empSC))^(sigm
(empSKSS*exp(empSK))-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(-1/(1+sigmah+sigman))*(HSKSS*exp(HSK))
(HrSKSS*exp(HrSK))-((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(1/(1+sigmah))*(empSKSS*exp(empSK))^(sigm
(unempSS*exp(unemp))-((empSCSS*exp(empSC))+(empSKSS*exp(empSK))-((empCSS*exp(empC))+(empKSS*exp
(PKBSS*exp(PKB))-(1-100*phi_ic*((EIKSS*exp(EIK))-gam_ic*(EIKSS*exp(EIK(-1)))-(1-gam_ic)*EIKSS)/
(YCSS*exp(YC))-(ECSS*exp(EC))-(ECHSS*exp(ECH))-0.2*YCSS*(ONE*exp(HG))=0;
ln((INFWCSS*exp(INFWC)))-ln((WCSS*exp(WC)))+ln((WCSS*exp(WC(-1))))-ln((MUCSS*exp(MUC)))-ln((INF
ln((INFWKSS*exp(INFWK)))-ln((WKSS*exp(WK)))+ln((WKSS*exp(WK(-1))))-ln((MUCSS*exp(MUC)))-ln((INF
ln((INFKSS*exp(INFK)))-ln((INFCSS*exp(INFC)))-ln((PKBSS*exp(PKB)))+ln((PKBSS*exp(PKB(-1))))+ln(
(YKSS*exp(YK))-(EIKSS*exp(EIK))-(ECDSS*exp(ECD))-0.2*YKSS*(ONE*exp(HG))=0;
ln((ONE*exp(DIFFNORMGDP)))-(1-s_k)*(ln((YCSS*exp(YC)))-ln((YCSS*exp(YC(-1)))))-s_k*(ln((YKSS*ex
ln((ONE*exp(NORMINFGDP)))-s_k*(ln((PKBSS*exp(PKB)))-ln((PKBSS*exp(PKB(-1)))))=0;
ln((DIFFREALGDPSS*exp(DIFFREALGDP)))-ln((ONE*exp(DIFFNORMGDP)))-(1-s_k)*ln((MUCSS*exp(MUC)))-s_
ln((DIFFREALECSS*exp(DIFFREALEC)))-ln((ECSS*exp(EC)))+ln((ECSS*exp(EC(-1))))-ln((MUCSS*exp(MUC)
ln((DIFFREALEIKSS*exp(DIFFREALEIK)))-ln((EIKSS*exp(EIK)))+ln((EIKSS*exp(EIK(-1))))-ln((MUKSS*ex

// Identities
ln((DIFFREALWSS*exp(DIFFREALW)))-HCSS/AHSS*(ln((INFWCSS*exp(INFWC))))-HKSS/AHSS*(ln((INFWKSS*ex


// XXXXXXXXXXXXXXXXXXXX
// Aggregate hours equals agg hours in each sector
```

```
(AHSS*exp(AH))-(HCSS*exp(HC))-(HKSS*exp(HK))=0;
ln((INFGDPSS*exp(INFGDP)))-ln((INFCSS*exp(INFC)))-ln((YCSS*exp(YC))*(MUCSS*exp(MUC))/
ln((INFCNASS*exp(INFCNA)))-(1-s_ecdc)*ln((INFCSS*exp(INFC)))-s_ecdc*ln((INFKSS*exp(IN
ln((INFCORSS*exp(INFCOR)))-(1-s_ecdc)*ln((INFCSS*exp(INFC)))-s_ecdc*ln((INFKSS*exp(IN
ln((ONE*exp(GAP)))-(1-s_k)*ln((YCSS*exp(YC))/YCSS)-s_k*ln((YKSS*exp(YK))/YKSS)=0;
ln((ONE*exp(PFGAP)))-(1-alpha_)*((1-s_k)*ln((HCSS*exp(HC))/HCSS)+s_k*ln((HKSS*exp(HK)
ln((INFC10SS*exp(INFC10)))-betarl*ln((INFC10SS*exp(INFC10(+1))))-(1-betarl)*ln((INFC0

// See Section 8: Data Identities

// new equations
// Durable Block

(KCDSS*exp(KD))-(1-delta_cd)*(KCDSS*exp(KD(-1)))/(MUKSS*exp(MUK))-(ECDSS*exp(ECD))=0;
(LSS*exp(L))*(RCDSS*exp(RCD))-eta_cd/((KCDSS*exp(KD(-1)))/(MUKSS*exp(MUK))-h_cd*(KCDS
(QCDSS*exp(QCD))-beta_*(1/(ONE*exp(EFFECD)))*(LSS*exp(L(+1)))/(LSS*exp(L))/(MUKSS*exp
(PKBSS*exp(PKB))-(QCDSS*exp(QCD))*(1-100*phi_cd*((ECDSS*exp(ECD))-gam_icd*(ECDSS*exp(

// Housing Block
(LSS*exp(L))*(RCHSS*exp(RCH))-eta_ch/((KCHSS*exp(KCH(-1)))/(MUCSS*exp(MUC))-h_ch*(KCH
(QCHSS*exp(QCH))-beta_*(1/(ONE*exp(EFFECH)))*(LSS*exp(L(+1)))/(LSS*exp(L))/(MUCSS*exp
1*(ECHSS*exp(ECH))+(1-delta_ch)*(KCHSS*exp(KCH(-1)))/(MUCSS*exp(MUC))-(KCHSS*exp(KCH)
1-(QCHSS*exp(QCH))*(1-100*phi_ech*((ECHSS*exp(ECH))-gam_ech*(ECHSS*exp(ECH(-1)))-(1-g
ln((KCDSS*exp(KD(-1))))-ln((KCDSS*exp(LAGKD)))=0;
ln((KCHSS*exp(KCH(-1))))-ln((KCHSS*exp(LAGKCH)))=0;
(RKSS*exp(RK))-(QKSS*exp(QK))*mu_*(USS*exp(UK))^(1/phi_u)=0;
(RCSS*exp(RC))-(QKSS*exp(QK))*mu_*(USS*exp(UC))^(1/phi_u)=0;
ln((DIFFREALECHSS*exp(DIFFREALECH)))-ln((MUCSS*exp(MUC)))-ln((ECHSS*exp(ECH)))+ln((EC
ln((DIFFREALECDSS*exp(DIFFREALECD)))-ln((MUKSS*exp(MUK)))-ln((ECDSS*exp(ECD)))+ln((EC
ln((beta_*exp(betas))/beta_)-rho_B*ln((beta_*exp(betas(-1)))/beta_)-eB=0;
ln((ONE*exp(XiL)))-rho_XiL*ln((ONE*exp(XiL(-1))))-eXiL=0;
ln((ONE*exp(Lpref)))-rho_lpref*ln((ONE*exp(Lpref(-1))))-eLpref=0;
ln((ONE*exp(EFFK)))-rho_EFFK*ln((ONE*exp(EFFK(-1))))-eEFFK=0;
ln((MUZKSS*exp(MUZK))/MUZKSS)-eMUZK=0;
ln((MUZMSS*exp(MUZM))/MUZMSS)-eMUZM=0;
ln((ONE*exp(HG)))-rho_HG*ln((ONE*exp(HG(-1))))-eHG=0;
ln((MUCSS*exp(MUC)))-ln((MUZMSS*exp(MUZM)))-alpha_*ln((MUZKSS*exp(MUZK)))=0;
ln((MUKSS*exp(MUK)))-ln((MUZMSS*exp(MUZM)))-ln((MUZKSS*exp(MUZK)))=0;
ln((ONE*exp(EFFECD)))-rho_EFFECD*ln((ONE*exp(EFFECD(-1))))-eEFFECD=0;
ln((ONE*exp(EFFECH)))-rho_EFFECH*ln((ONE*exp(EFFECH(-1))))-eEFFECH=0;
ln((ONE*exp(STAR)))-rho_STAR*ln((ONE*exp(STAR(-1))))-eSTAR=0;
ln((RL1SS*exp(RL1))) - ln((RSS*exp(R(+1))))=0;
ln((RL2SS*exp(RL2))) - ln((RL1SS*exp(RL1(+1))))=0;
ln((RL3SS*exp(RL3))) - ln((RL2SS*exp(RL2(+1))))=0;
ln((RL4SS*exp(RL4))) - ln((RL3SS*exp(RL3(+1))))=0;
ln((RL5SS*exp(RL5))) - ln((RL4SS*exp(RL4(+1))))=0;
```

```
ln((RL6SS*exp(RL6))) - ln((RL5SS*exp(RL5(+1))))=0;
ln((RL7SS*exp(RL7))) - ln((RL6SS*exp(RL6(+1))))=0;
ln((RT2SS*exp(RT2))) - tp2 - 0.125*(ln((RSS*exp(R))) + ln((RL1SS*exp(RL1))) + ln((RL2SS*exp(RL2

//measurement_equations;
DIFFREALGDP_obs = DIFFREALGDP + DIFFREALGDPSS_obs;
DIFFREALEC_obs = DIFFREALEC + DIFFREALECSS_obs;
DIFFREALEIK_obs = DIFFREALEIK + DIFFREALEIKSS_obs;
DIFFREALECD_obs = DIFFREALECD + DIFFREALECDSS_obs;
DIFFREALECH_obs = DIFFREALECH + DIFFREALECHSS_obs;
DIFFREALW_obs = DIFFREALW + DIFFREALWSS_obs;
AH_obs = AH;
INFCNA_obs = INFCNA + INFCNASS_obs;
INFCOR_obs = INFCOR + INFCORSS_obs;
INFK_obs = INFK + INFKSS_obs;
R_obs = R + RSS_obs;
RT2_obs = RT2 + RT2SS_obs;
unemp_obs = unemp + unempSS_obs;

//end_measurement_equations;

end;

varobs DIFFREALGDP_obs DIFFREALEC_obs DIFFREALEIK_obs DIFFREALECD_obs DIFFREALECH_obs DIFFREALW

shocks;
var eHG;
stderr sig_HG;
var eXiL;
stderr sig_XiL;
var eLpref;
stderr sig_lpref;
var eR;
stderr sig_R;
var eMUZK;
stderr sig_MUZK;
var eMUZM;
stderr sig_MUZM;
var ePMKC;
stderr sig_PMKC;
var ePMKK;
stderr sig_PMKK;
var eEFFECH;
stderr sig_EFFECH;
var eEFFECD;
stderr sig_EFFECD;
```

```
var eEFFK;
stderr sig_EFFK;
var eB;
stderr sig_B;
var eSTAR;
stderr sig_STAR;


var  DIFFREALGDP_obs;
stderr 0.3;
var  DIFFREALEC_obs;
stderr 0.1;
var  DIFFREALEIK_obs;
stderr 1.5;
var DIFFREALECD_obs;
stderr 1.5;
var DIFFREALECH_obs;
stderr 1.5;
var DIFFREALW_obs;
stderr 0.3;
var AH_obs;
stderr 0.3;
var INFCNA_obs;
stderr 0.5;
var INFCOR_obs;
stderr 0.05;
var INFK_obs;
stderr 0.2;
var RT2_obs;
stderr 0.1;
var unemp_obs;
stderr 4;
end;

steady;

estimated_params;
h               , .673          , -1           , 1     , uniform_pdf   ,,,-1
r_inf           , 1.461         , -999         , 999   , normal_pdf    , 1.5000
r_y             , 0.214         , -999         , 999   , normal_pdf    , 0.125
phi_pc          , 3.126         , 0            , 999   , gamma_pdf     , 4.0000
phi_H           , 4.064         , 0            , 999   , gamma_pdf     , 4.0000
phi_wc          , 5.119         , 0            , 999   , gamma_pdf     , 4.0000
phi_ic          , .325          , 0            , 999   , gamma_pdf     , 4.0000
phi_cd          , .651          , 0            , 999   , gamma_pdf     , 4.0000
phi_ech         , 10.948        , 0            , 999   , gamma_pdf     , 4.0000
```

```
gam_pc          , 0.386         , -999          , 999   , normal_pdf    , 0.000         , 0.250
gam_wc          , 0.213         , -999          , 999   , normal_pdf    , 0.000         , 0.250
sigman          , 1.25          , 0             , 999   , gamma_pdf     , 1.25          , 12.5^
sigmah          , 10            , 0             , 999   , gamma_pdf     , 10            , 100^.
rho_R           , 0.654         , -1            , 1     , normal_pdf    , 0.5           , 0.25;
rho_XiL         , 0.654         , -1            , 1     , normal_pdf    , 0.5           , 0.25;
rho_lpref       , 0.954         , -1            , 1     , normal_pdf    , 0.5           , 0.25;
rho_B           , 0.825         , -1            , 1     , normal_pdf    , 0             , 0.5;
rho_STAR        , 0.825         , -1            , 1     , normal_pdf    , 0             , 0.5;
rho_EFFK        , 0.850         , -1            , 1     , normal_pdf    , 0             , 0.5;
rho_EFFECD      , .230          , -1            , 1     , normal_pdf    , 0             , 0.5;
rho_HG          , 0.596         , 0             , 1     , beta_pdf      , 0.5           , 0.015
rho_EFFECH      , 0.844         , -1            , 1     , normal_pdf    , 0             , 0.5;
tp2             , 0.001         , -999          , 999   , normal_pdf    , 0.0           , 0.000

stderr eHG      , .745          , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eXiL     , 3.621         , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eLpref   , 1.621         , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eR       , 0.165         , 0.0001        , 999   , inv_gamma_pdf , 0.354491      , Inf;
stderr eMUZK    , .834          , 0.0001        , 999   , inv_gamma_pdf , 0.443113      , Inf;
stderr eMUZM    , .484          , 0.0001        , 999   , inv_gamma_pdf , 0.443113      , Inf;
stderr ePMKC    , .391          , 0.0001        , 999   , inv_gamma_pdf , 0.354491      , Inf;
stderr ePMKK    , .552          , 0.0001        , 999   , inv_gamma_pdf , 0.354491      , Inf;
stderr eEFFECH  , .526          , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eEFFECD  , 13.349        , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eEFFK    , .499          , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eB       , 0.5           , 0.0001        , 999   , inv_gamma_pdf , 1.772454      , Inf;
stderr eSTAR    , 0.05          , 0.0001        , 999   , inv_gamma_pdf , 0.354491      , Inf;
end;


options_.order = 1;
options_.jacobian_flag = 1;
options_.nonlin = 1;

stoch_simul(order=1,irf=40,nograph);
```

This code is written to file `srcedo/linearized.mod`.

A.4 linearized_steadystate.m

32 ⟨*srcedo/linearized.steadystate.m* 32⟩≡

```
function [ys,check] = linearized_steadystate(ys,exe)
        global M_

check = 0;

NumberofParameters=M_.param_nbr;
for i=1:NumberofParameters
    paramname=deblank(M_.param_names(i,:));
    eval([paramname ' =M_.params(' int2str(i) ');']);
end;

%start_steady_state;

beta_0 = pbeta;
beta_2 = pbeta*rpr; % s.s. funds rate premium
beta_ = beta_2;
MUZCSS=1;
ONE=1;
USS=1;
MUKSS=MUZKSS*MUZMSS;
MUCSS=MUZKSS^alpha_*MUZMSS;
MUKSShabit=MUKSS;
MUCSShabit=MUCSS;
PKBSS=theta_k/(theta_k-1)*(theta_c-1)/theta_c;
PYSS=1;
MCCSS=(theta_c-1)/theta_c;
MCKSS=(theta_k-1)/theta_k;
RKSS=MUKSS/beta_2-(1-delta_);
RCSS=MUKSS/beta_2-(1-delta_);
RCHSS=MUCSS/beta_2-(1-delta_ch); % Housing sector
RCDSS=MUKSS/beta_2-(1-delta_cd); % Durable sector
USS=1;
mu_=RCSS;
AA=alpha_/RKSS*MCKSS;
DD = 0.135;
RR = 0.075;
eta_cnn=1;
eta_cd_eta_cnn=DD/((MUKSShabit-beta_2*h_cd)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/
eta_ch_eta_cnn=RR/((MUCSShabit-beta_2*h_ch)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/
eta_ch=eta_ch_eta_cnn;
eta_cd=eta_cd_eta_cnn;
DD=eta_cd_eta_cnn*(MUKSShabit-beta_2*h_cd)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/(
RR=eta_ch_eta_cnn*(MUCSShabit-beta_2*h_ch)/(1-beta_2*h/MUCSShabit)*(1-h/MUCSShabit)/(
```

```
Rnr=(1-(1-delta_)/MUKSS)*AA*MUKSS;
ycbi_ykb=((1-s_AS)-Rnr)/((DD*(1-s_AS)/(1+RR))+Rnr);
hc_hk=ycbi_ykb*(RCSS*MCKSS/(RKSS*MCCSS))^(alpha_/(1-alpha_));
HSS=0.25;
AHSS=HSS;
HKSS=HSS/(1+hc_hk);
HCSS=HSS-HKSS;
HrCSS=1/3;
HrKSS=1/3;
empCSS=HCSS/HrCSS;
empKSS=HKSS/HrKSS;
ycbi=HCSS*(AA)^(alpha_/(1-alpha_));
ykb=HKSS*(AA)^(alpha_/(1-alpha_));
YCSS=ycbi;
YKSS=ykb;
KCSS=AA*ycbi*MUKSS;
KKSS=AA*ykb*MUKSS;
ECHSS=RR/(1+RR)*ycbi*(1-s_AS);
ECSS=1/(1+RR)*ycbi*(1-s_AS);
ECDSS=DD*PKBSS*ECSS;
EIKSS=(1-(1-delta_)/MUKSS)*(KCSS+KKSS);
KCDSS=ECDSS/(1-(1-delta_cd)/MUKSS);
KCHSS=ECHSS/(1-(1-delta_ch)/MUCSS);
YYSS=(YCSS+YKSS*PKBSS)/PYSS;
s_k_ecd=ECDSS/YKSS;
s_c_ech=ECHSS/YCSS;
s_k_eik=EIKSS/YKSS;
s_yc = (YCSS/YYSS);
s_ecdc=PKBSS*ECDSS/(ECSS+PKBSS*ECDSS+(MUCSS/beta_2-1+delta_ch)*KCHSS);
INFCNASS=exp(.02/4);
INFCSS = INFCNASS*((MUZCSS/MUZKSS)^(1-alpha_))^(-s_ecdc);
INFCORSS=INFCNASS;
INFKSS=INFCSS*(MUZCSS/MUZKSS)^(1-alpha_);
INFWCSS=INFCSS*MUZKSS^alpha_*MUZMSS;
INFWKSS=INFWCSS;
RSS=INFCSS/beta_0*MUCSS;
RT2SS=exp(tp2)*RSS;
INFC10SS = INFCNASS;
IMPHSSS = RCHSS*KCHSS;
s_k=PKBSS*YKSS/YYSS;
INFGDPSS=INFCSS^(YCSS/YYSS)*INFKSS^(YKSS*PKBSS/(YYSS));
LSS=eta_cnn/(ECSS*(1-h/MUCSShabit))-eta_cnn*beta_2*h/(ECSS*(MUCSShabit-h));
WCSS=MCCSS*(1-alpha_)*YCSS/HCSS;
WKSS=MCKSS*(1-alpha_)*YKSS/HKSS;
xsiN_xsiH_C = ((HrCSS/empCSS)^(1+sigmah))/(1+1/sigmah);
xsiN_xsiH_K = ((HrKSS/empKSS)^(1+sigmah))/(1+1/sigmah);
```

```
gC = (1/(1+sigman) + 1/sigmah)*(xsiN_xsiH_C*(1+sigmah)/sigmah)^(-(1+sigman)/(1+sigman
markup_xsiN_C = (HCSS^((1+sigmah)*(1+sigman)/(1+sigmah+sigman)-1))*gC/(LSS*WCSS);
gK = (1/(1+sigman) + 1/sigmah)*(xsiN_xsiH_K*(1+sigmah)/sigmah)^(-(1+sigman)/(1+sigman
markup_xsiN_K = (HKSS^((1+sigmah)*(1+sigman)/(1+sigmah+sigman)-1))*gK/(LSS*WKSS);
markup_w = (1-unempSS)^((1+sigmah+sigman)/(1+sigmah) - 1 - sigman);
theta_wc = markup_w/(markup_w -1); theta_wk = theta_wc;
A_HC=LSS*(theta_wc-1)/theta_wc*WCSS/(((1+sigman)/(1+sigman/(1+sigmah)))*HCSS^(-1+(1+s
A_HK=LSS*(theta_wk-1)/theta_wk*WKSS/(((1+sigman)/(1+sigman/(1+sigmah)))*HKSS^(-1+(1+s
xsi_NC=A_HC/((1/(1+sigman)+1/sigmah)*(HCSS^sigman/HrCSS^(1+sigman+sigmah))^((1+sigman
xsi_NK=A_HK/((1/(1+sigman)+1/sigmah)*(HKSS^sigman/HrKSS^(1+sigman+sigmah))^((1+sigman
xsi_HrC=xsi_NC*(1+sigmah)/sigmah*(HCSS^sigman/HrCSS^(1+sigman+sigmah));
xsi_HrK=xsi_NK*(1+sigmah)/sigmah*(HKSS^sigman/HrKSS^(1+sigman+sigmah));
UHCSS=A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*HCSS^(-1+(1+sigman)/(1+sigman/(1+sigmah
UHKSS=A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*HKSS^(-1+(1+sigman)/(1+sigman/(1+sigmah
HSCSS=(WCSS*LSS/(A_HC*((1+sigman)/(1+sigman/(1+sigmah)))))^(1/(-1+(1+sigman)/(1+sigma
HSKSS=(WKSS*LSS/(A_HK*((1+sigman)/(1+sigman/(1+sigmah)))))^(1/(-1+(1+sigman)/(1+sigma
empSCSS=((1+sigmah)/sigmah*xsi_NC/xsi_HrC)^(-1/(1+sigmah+sigman))*HSCSS^(1/(1+sigman/
empSKSS=((1+sigmah)/sigmah*xsi_NK/xsi_HrK)^(-1/(1+sigmah+sigman))*HSKSS^(1/(1+sigman/
HrSCSS=HSCSS/empSCSS;
HrSKSS=HSKSS/empSKSS;
UHSCSS=A_HC*((1+sigman)/(1+sigman/(1+sigmah)))*HSCSS^(-1+(1+sigman)/(1+sigman/(1+sigm
UHSKSS=A_HK*((1+sigman)/(1+sigman/(1+sigmah)))*HSKSS^(-1+(1+sigman)/(1+sigman/(1+sigm
unempSS=(empSCSS+empSKSS-(empCSS+empKSS))/(empSCSS+empSKSS);
QKSS=1;
QCDSS=1;
QCHSS=1;
UCSS=1;
UKSS=1;
XiBSS=1;
XiDSS=1;
XiHSS=1;
RL1SS=RSS;
RL2SS=RSS;
RL3SS=RSS;
RL4SS=RSS;
RL5SS=RSS;
RL6SS=RSS;
RL7SS=RSS;
DIFFREALECSS =exp( log(MUCSS));
DIFFREALEIKSS =exp( log(MUKSS));
DIFFREALECDSS =exp( log(MUKSS));
DIFFREALECHSS =exp( log(MUCSS));
DIFFREALWSS =exp( log(MUCSS) );
DIFFREALGDPSS =exp( (1-s_k)*log(MUCSS)+(s_k)*log(MUKSS));

%end_steady_state;
```

```
%trends;

DIFFREALGDPSS_obs=(1-s_k)*log(MUCSS)*100+(s_k)*log(MUKSS)*100;
DIFFREALECSS_obs=log(MUCSS)*100;
DIFFREALEIKSS_obs=log(MUKSS)*100;
DIFFREALECDSS_obs=log(MUKSS)*100;
DIFFREALECHSS_obs=log(MUCSS)*100;
DIFFREALWSS_obs=log(MUCSS)*100;
INFCNASS_obs=(1-s_ecdc)*log(INFCSS)*100+s_ecdc*log(INFKSS)*100;
INFCORSS_obs=(1-s_ecdc)*log(INFCSS)*100+s_ecdc*log(INFKSS)*100;
INFKSS_obs=log(INFCSS)*100-log(MUKSS)*100+log(MUCSS)*100;
RSS_obs=log(RSS)*100;
RT2SS_obs=log(RT2SS)*100;
unempSS_obs=100*log(unempSS);

%end_trends;


for i=1:NumberofParameters
    paramname=deblank(M_.param_names(i,:));
    eval(['M_.params(' int2str(i) ')=' paramname ';']);
end;

ys = [
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
```

```
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
```

```
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  0
  DIFFREALGDPSS_obs
  DIFFREALECSS_obs
  DIFFREALEIKSS_obs
  DIFFREALECDSS_obs
  DIFFREALECHSS_obs
  DIFFREALWSS_obs
  0
  INFCNASS_obs
  INFCORSS_obs
  INFKSS_obs
  RSS_obs
  RT2SS_obs
  unempSS_obs
  ];
```

This code is written to file `srcedo/linearized.steadystate.m`.

A.5 readme.txt

38 ⟨*srcedo/readme.txt* 38⟩≡

```
How to run the model:
====================

In Matlab/Octave:

1) Download Dynare Version 4 from the Dynare website: http://www.dynare.org/
2) Download the EDO files in a folder you choose.
3) Start Matlab/Octave and change the current directory to the folder in step 2.
4) Link in Matlab/Octave the Dynare folder in the menu under file/Set Path (or use th
   "addpath path/to/dynare").
5) Run the command "dynare linearized" or "dynare Dynare_edo" from the Matlab/Octave


Content of the EDO folder:
=========================

Dynare_edo.mod: Dynare model file containing the latest estimated parameters and nonl

Dynare_edo_steadystate.mod: Dynare steady-state file computes the steady state of the

linearized.mod: Dynare model file containing the latest estimated parameters and nonl

linearized_steadystate.mod: Dynare steady-state file computes the steady state of the

readme.txt: The file you are currently reading.
```

This code is written to file `srcedo/readme.txt`.

Appendix B

Notes, Bibliography and Indexes

B.1 Chunks

B.2 Index