Cambridge Assessment International Education

Cambridge International AS & A Level

BIOLOGY

9700/16

Paper 4 A Level Structured Questions – Passage Of Information From Parents To Offspring

MARK SCHEME

Maximum Mark: 91

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the 2026 series for most Cambridge IGCSE™, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of 9 printed pages.

© UCLES 2026 [Turn over

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:
• the specific content of the mark scheme or the generic level descriptors for the question
• the specific skills defined in the mark scheme or in the generic level descriptors for the question
• the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded positively:
• marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
• marks are awarded when candidates clearly demonstrate what they know and can do
• marks are not deducted for errors or omissions
• answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question.

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles & Abbreviations

1 Context and scientific use of keywords: marks should not be awarded if keywords are used incorrectly.
2 Contradictory statements: credit should not be awarded for any correct statement that is contradicted within the same question part.
3 Calculation guidance: correct answers to calculations should be given full credit even if there is no working, unless stated otherwise.
Abbreviations: ; separates marking points | **/** alternative answers | **R** reject | **A** accept | **AW** alternative wording | **underline** essential word | **max** maximum mark | **ecf** error carried forward | **I** ignore | **AVP** alternative valid point.

© UCLES 2026

Question	Answer	Marks
1(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
1(b)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**3**
1(c)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
1(d)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**1**
2(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**1**

© UCLES 2026

Question	Answer	Marks
2(b)	• detailed account of sequence of events / structural features observed ; • specific factual details / trends / data points cited ; ***A*** *descriptive points in any logical order*	2
2(c)	• accurate biological statement meeting the syllabus learning objective ; • supporting detail / elaboration of biological concept ; ***A*** *acceptable syllabus alternative [AW]*	2
2(d)	• correct biological term / structure identified ; ***R*** *ambiguous terminology*	1
3(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	2
3(b)	• correct biological term / structure identified ; • further elaboration of biological principle / detail of mechanism ; ***R*** *ambiguous terminology*	2
3(c)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	2
3(d)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	3

© UCLES 2026

Question	Answer	Marks
1(a)	• biological mechanism: relevant physiological / molecular process clearly outlined ; • cause and effect linked: explanation of how structure or condition relates to function ; ***A*** *scientifically equivalent wording [AW]* ***I*** *vague references without specific biological terms*	2
1(b)	• correct biological term / structure identified ; • further elaboration of biological principle / detail of mechanism ; ***R*** *ambiguous terminology*	2
1(c)	• detailed account of sequence of events / structural features observed ; • specific factual details / trends / data points cited ; ***A*** *descriptive points in any logical order*	1
1(d)	• biological mechanism: relevant physiological / molecular process clearly outlined ; • cause and effect linked: explanation of how structure or condition relates to function ; • detailed biochemical context: reference to specific molecular interactions / syllabus concepts ; ***A*** *scientifically equivalent wording [AW]* ***I*** *vague references without specific biological terms*	3
2(a)	• correct biological term / structure identified ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; ***R*** *ambiguous terminology*	4
2(b)	• produces <u>two genetically identical daughter nuclei / cells</u> ; • maintains chromosome number / ploidy from parent cell ; • essential for <u>growth of multicellular organisms</u>, tissue <u>repair / replacement</u>, and <u>asexual reproduction</u> ; • chromosomes condense, spindle fibres attach to <u>kinetochores / centromeres</u> ; • sister chromatids pulled to opposite poles during <u>anaphase</u> ; ***A*** *roles of telomeres in preventing loss of genetic information*	2

© UCLES 2026

Question	Answer	Marks
2(c)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**3**
2(d)	• biological mechanism: relevant physiological / molecular process clearly outlined ; • cause and effect linked: explanation of how structure or condition relates to function ; ***A*** *scientifically equivalent wording [AW]* ***I*** *vague references without specific biological terms*	**2**
3(a)	• detailed account of sequence of events / structural features observed ; • specific factual details / trends / data points cited ; • comprehensive description addressing all aspects of the process / observation ; ***A*** *descriptive points in any logical order*	**3**
3(b)	• biological mechanism: relevant physiological / molecular process clearly outlined ; • cause and effect linked: explanation of how structure or condition relates to function ; ***A*** *scientifically equivalent wording [AW]* ***I*** *vague references without specific biological terms*	**2**
3(c)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
3(d)	• correct biological term / structure identified ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; ***R*** *ambiguous terminology*	**3**

© UCLES 2026

Question	Answer	Marks
4(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; ***A*** *roles of telomeres in preventing loss of genetic information*	**8**
1(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
1(b)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**3**
1(c)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
1(d)	• correct biological term / structure identified ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; ***R*** *ambiguous terminology*	**5**

© UCLES 2026

Question	Answer	Marks
2(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
2(b)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**4**
2(c)	• valid scientific hypothesis / plausible biological explanation ; • application of syllabus knowledge to novel scenario ; ***A*** *reasonable alternative suggestions supported by biological principles*	**2**
2(d)	• correct biological term / structure identified ; • further elaboration of biological principle / detail of mechanism ; • further elaboration of biological principle / detail of mechanism ; ***R*** *ambiguous terminology*	**3**
3(a)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**2**
3(b)	• biological mechanism: relevant physiological / molecular process clearly outlined ; • cause and effect linked: explanation of how structure or condition relates to function ; ***A*** *scientifically equivalent wording [AW]* ***I*** *vague references without specific biological terms*	**2**

© UCLES 2026

Question	Answer	Marks
3(c)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**1**
3(d)	• produces two genetically identical daughter nuclei / cells ; • maintains chromosome number / ploidy from parent cell ; • essential for growth of multicellular organisms, tissue repair / replacement, and asexual reproduction ; • chromosomes condense, spindle fibres attach to kinetochores / centromeres ; • sister chromatids pulled to opposite poles during anaphase ; ***A*** *roles of telomeres in preventing loss of genetic information*	**3**

© UCLES 2026